LAUFEN

REF: H9201140000001



INEO

INEOLINK concealed cistern for wall-hung WC

#option

000 - standard option

#mountingAccessoriesExcluded_text

LAUFEN INEO Flush Plate with two-cable activation
LAUFEN INEO Flush Plate with sensor-motor activation
Optional:
Sound absorber pads VS16032C000000 (to fulfil SIA 181 and others)
Spare parts and many more accessories available

© Copyright 2026, LAUFEN Bathrooms AG | https://www.cac.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-H9201140000001?sku=H9201140000001

Average water consumption (L.) : 3.75

Bullet Point I : Pre-assembled LAUFEN INEOLINK installation element for wall-hung WC. It is improved for a most easy and rapid single-person installation in dry-wall and pre-wall situations

Bullet Point II : With a height adjustability system with friction-braked legs (0...200 mm) and with tool free depth-adjustment (135...205 mm). Foot can be rotated to fit common UW50 and UW75 profiles, as well as the LAUFEN INEOGRID system.

Bullet Point III : It has tool-free fastening and cable connections for flush plates.The dual flush is preset to 6l/3l and can be adjusted down to 4l/2l. Flushing performance can be adjusted on the fly, without disassembly of the flush valve, to avoid over-splashing. All internal components can be replaced and maintained without the use of tools either

Bullet Point IV : INEOLINK are designed for perfect compatibility with the wide range of LAUFEN INEO Flush Plates and LAUFEN ceramic products including toilets, urinals, washbasins and bidets

Bullet Point V : H9201140000001 complies with EN 14055

Dynamic pressure range : 0,5 - 10 Bar

Elbow connection : DN90 (110 mm)

Flushing volume preset : Dual flush 3/6 litres

Height Adjustable : 0 – 200 mm

Material : Plastic, Steel powder coated, Steel zinc plated

Maximum Temperature (°C) : 25

Minimum fixation depth (mm) : 135

Net weight (kg) : 12.67

Operating panel position : Frontal

Suitable for : Wall-hung WC

WC Fixation : 180 mm, 230 mm

Wall Fixation Adjustable : 135 – 205 mm

Water inlet position : Top



Adjustable flushing volume

Adjustable flushing volume: Dual flush 4/2 litres



Adjustable flushing volume


Adjustable flushing volume: Dual flush 6/3 litres




Adjustable flushing volume

Adjustable flushing volume: Dual flush 3/4,5 litres

TECHNICAL DRAWINGS





© Copyright 2026, LAUFEN Bathrooms AG | https://www.cac.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-H9201140000001?sku=H9201140000001

COMPATIBLE WITH



Wall-hung WC 'rimless', washdown, without flushing rim

H820337...0001



Wall-hung WC, Silent flush, washdown, EasyFit 3.0 fixation

H820860...0001



Combipack wall-hung WC H820860 Silent flush/'rimless', washdown, incl. seat and cover with lowering system and antinoise set, EasyFit 3.0 fixation

H866860...0001



Combipack wall-hung WC H820863 Silent flush/'rimless', washdown, compact, incl. seat and cover with lowering system and antinoise set, EasyFit 3.0 fixation

H866863...0001



Wall-hung WC compact, Silent flush, washdown, EasyFit 3.0 fixation

H820863...0001

Flush Plate INEO HORIZON, Dual Flush

H900111...0001



Flush Plate INEO SUNRISE, Dual Flush

H900112...0001



Flush Plate INEO AIR, Dual Flush

H900113...0001



Flush Plate INEO MOON, Dual Flush

H900114...0001



Flush Plate INEO MOONDANCE, Dual Flush

H900116...0001



Flush Plate INEO GROOVE, Dual Flush

H900117...0001



Flush Plate INEO SKYLINE, Dual Flush


H900118...0001

© Copyright 2026, LAUFEN Bathrooms AG | https://www.cac.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-H9201140000001?sku=H9201140000001



Flush Plate INEO CITY,
Stainless Steel, Dual Flush

H900120...0001



© Copyright 2026, LAUFEN Bathrooms AG | https://www.cac.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-H9201140000001?sku=H9201140000001



INEO

INEO, a proven and well established installation system “made in Germany”, puts LAUFEN’s premium quality and convenience behind the wall too. The system with its prefabricated parts offers clever solutions for fast and uncomplicated installation for new construction or refurbishment.

© Copyright 2026, LAUFEN Bathrooms AG | https://www.cac.laufen.com/products/ineolink-concealed-cistern-wall-hung-wc-H9201140000001?sku=H9201140000001