PROFESSIONAL PAINTING TOOLS

The modular range for trade

2025

ROTA®!
Paint rollers and accessories

kana®
Paint brushes

masq®
Masking products

prep®
Surface preparation
and further accessories

ROTA®!

kana®

masq®

prep®

Contents

Manufacturer expertise 5

The visual concept 6

Paint rollers & accessories 11

Rota - High-quality paint rollers and accessories for paint application: The Rota range includes high-performance branded items as well as entry-level products. Clearly structured and attractively designed. This allows you to offer your customers the optimum roller for every application.

Paintbrushes 53

Kana brushes - our selected and innovative range of brushes for professionals: the bristle mixtures are optimally composed for every area of application. From entry-level quality to the premium line.

Masking tapes & cover masq 69

Masq - our masking range offers exclusive branded products in premium quality. The lines have different visual designs and are available in the most common widths and dimensions.

Surface preparating tools & accessories 91

Prep - from putty to abrasives and wallpapering tools: our Prep range has everything that paint and plaster applicators need for their work. In premium, professional and standard quality.


ROTA!
ROTA!
ROTA!
ROTA!
ROTA!



MANUFACTURING EXPERTISE

Professional tools in professional quality

Painting tools from the number one in Europe
With the product range of Rota (paint rollers), Kana (brushes), Masq (adhesive tapes) and Prep (accessories), the Storch-Ciret Group provides the professional building materials trade with first-class painting tools. The product ranges are geared towards the requirements and tasks of professionals and are particularly geared towards the needs of mobile generalists.

Own production facilities
Most of the Rota, Kana, Masq and Prep products are manufactured in our own production facilities - always in close cooperation with the paint industry. In this way, we ensure stable quality for you and your customers and the painting tools are always matched to the current range of paints on the market.





PROFI TOOLS

For the building materials trade

With the Rota, Kana, Masq and Prep ranges, we offer the building materials trade high-quality, professional painting tools - and well thought-out presentation concepts to match. Our product ranges are modular, clearly structured and attractively designed. Individual product highlights are highlighted. In this way, we increase purchasing security and make it easier to make a purchase decision.

Compact and complete
Our compact ranges cover all painting applications - from masking and surface preparation to paint application. The modules offer more than 40 different wall variants. A flexible range that allows you to tailor your range of painting tools to your specialist store and your paint range. This allows you to make optimum use of your sales area - and maximize your sales.

masq
FÜR DEN PROFI.
masq
FÜR DEN PROFI.
masq
FÜR DEN PROFI.
MALER
prep
prep
prep

WITH SYSTEM AND SECURITY

For mobile generalists

„I can always see immediately what I need for my project. Everything works perfectly on the construction site."

WITHOUT WORDS

For international customers

Painting companies, tilers, drywallers, all-rounders ... The target group of the building materials trade is heterogeneous. The importance of one group is constantly growing: the "mobile generalists". As a one-person business or with just a few employees, they often offer three or more trades. Without their own workshop, they are mobile in operation. The vehicle functions as a workshop and warehouse. This is why we have put together our range of consumption-oriented packaging units.

Easy to understand - with and without words
Mobile generalists form an international target group: self-explanatory communication surfaces guide all customers quickly to the right tool. Verbally in numerous languages - including Turkish, Slovenian and Polish - and non-verbally with clear icons.

Clear customer guidance, secure purchase decision
The four areas at the POS are color-coded: Paint roller/green, brush/red, preparation and adhesive tapes/blue. Colors, pictograms and 8-language product labels ensure that even non-native speakers can easily find the right tool. Clear search systems provide detailed information on the respective work and application areas. In addition, application videos with further information on the product and application are available via QR codes. For safe purchasing decisions - and satisfied customers.

Compact!
- Compact professional range for painter's tools
- Under 400 items for four product ranges
- Modular system: from the gondola to the high rack
- Self-service optimized POS
- In 8 languages - including Turkish, Slovenian and Polish

Simple!

Finding systems help your customers and employees to quickly and easily identify which product is best suited to their application. They can easily identify the product features and benefits.



Easy to understand!

Basket panels with product descriptions in the local language and pictograms for properties, application options and surfaces ensure that your customers can easily and reliably obtain information.

Multilingual!

Multilingual product descriptions on the packaging give your customers peace of mind - even if they don't speak the local language. For example, in Turkish, Slovenian, Polish and more.

Pictorial!

Surface pictograms show non-verbally which surface the product is suitable for.



ROTA!
ROTA!

INDEX

Refills & Rollers 14

Accessoires 44

ROTA®!

Paint rollers and accessories

Tips and Tricks

For perfect final surface

Plush name	Pile height	Wall Paints	Primer	Water Based lacquers	Solvent Based lacquers	Wood Stains	Plasters	Catalog page
RotaStreif21	21 mm	+						14
RotaStreif13	13 mm	+						16
RotaGold18	18 mm	+						17
RotaGold12	12 mm	+						19
RotaFlor18	18 mm	+						21
RotaFinish15	15 mm	+						22
RotaTex15	15 mm	+						23
RotaTex10	10 mm	+						24
RotaClassic18	18 mm	+						25
Rainbow18	18 mm	+						26
Rainbow12	12 mm	+						28
Standard18	18 cm	+						29
BlueSky18	17 mm	+						31
GelbStripe12	12 mm	+		+				32
BlackStripe12	12 mm	+	+					32
WhitePES18	18 mm	+						33
BlueNylon11	11 mm			+	+			34
RotaNyl6	6 mm				+			37
RotaStar9	9 mm	+				+		38
Micro15	15 mm	+	+			+		40
RotaFilt5	5 mm			+	+			42
RotaVelours4	4 mm				+			43
RotaFlock	-			+	+			44
RotaFoam ExtraFine	-			+	+			46
RotaFoam Standard	-			+	+			47
RotaFoam Structure	-	+					+	49
Plaster roller	18 mm						+	50

How to read & understand the catalogue information

SURFACE

The texture of the work surface is a decisive criterion for selecting the tool. For this reason, a clear identification with simple symbols are shown on the product labels. Your customers immediately recognize whether the product is optimally suited for smooth, rough or coarse surfaces.



REFILL DIMENSIONS



A - frame diameter
B - inner core diameter
C - total diameter including plush pile height

SPECIAL TECHNICAL SOLUTION

ROTA CORE

Liquid-tight core system, easy rolling with the side mounted bearing and sockets, improved thermofusion connection - our 60 mm rollers ensure a minimized linting through the folded in plush ends on the roller sides.

The ROTA CORE-icon shows your customers this product feature of the thought-out roller system at the POS.

LoTex

Lint-free cover made of polyamide continuous yarn

The advantages with LoTex equipment:

- Excellent paint absorption and release, and easy cleaning
- No matting of the plush even over longer periods of use
- Noticeably extended lifespan, even with silicate paints

FOAM AND FLOCK REFILL SHAPES



TIPS: COATING

The highest quality paints are applied efficiently if the tool supports the applicator by providing particularly good coverage and good spreadability.

In addition to the material to be applied, the condition of the surface is decisive for the right choice of product in order to achieve an optimum result.



RotaStreif21

Premium roller cover from polyamide staple fibre
Prewashed plush > Reduced linting
Extra long pile (21mm) > Extra high paint loading and release

Extra thick padding for extra rough surfaces
Water repellent padding material (12mm)
Also to use in corners

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

44 mm – 8 mm – 110 mm

Art.No.	Width	Notes	Sales Unit
37963-301-01	25 cm	-	5

Water repellent padding material (8mm)
Also to use in corners

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

44 mm – 8 mm – 102 mm

Art.No.	Width	Notes	Sales Unit
15963-301	18 cm	-	5
17963-301	25 cm	-	5

Premium core with 60mm diameter
Extra big, water-proof core construction without padding
Folded in plush ends / Also to use in corners

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

44 mm – 8 mm – 102 mm – ROTA CORE

Art.No.	Width	Notes	Sales Unit
77963-301	25 cm	-	5

Water repellent padding material (4mm)
Also to use in corners

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

44 mm – 8 mm – 94 mm

Art.No.	Width	Notes	Sales Unit
97963-301	25 cm	-	5

Hard core with extra enlarged diameter
High efficiency on smooth surfaces

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS



Art.No.	Width	Notes	Sales Unit
87963-301-01	25 cm	-	5

Corner roller with special shaped refill
Perfect for inner corner coatings

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS



Art.No.	Width	Notes	Sales Unit
60963-301	-	including 3K handle	5

RotaStreif13

Premium roller-cover from polyamide staple fibre
Prewashed plush > Reduced linting
Short pile (13mm) > Especially fine surface finish

Water-proof core construction without padding

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS



Art.No.	Width	Notes	Sales Unit
25960-301	18 cm	-	10
27960-301	25 cm	-	12

-

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS



Art.No.	Width	Notes	Sales Unit
40960-306	12 cm	-	10
45960-301	16 cm	-	10



-

WALL PAINTS	WATER-BASED LACQUERS	SOLVENT-BASED LACQUERS	WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50960-306-01	10 cm	-	10
55960-306-01	15 cm	-	10

RotaGold18

Premium roller-cover from polyamide endless fibre
Long pile (18mm) > Practically lintfree
Extra high paint loading and release > High work efficiency
With LoTex technology > Easy cleaning and long durability

Water repellent padding material (8mm)
Also to use in corners

WALL PAINTS	WATER-BASED LACQUERS	SOLVENT-BASED LACQUERS	WOOD STAINS



Art.No.	Width	Notes	Sales Unit
17253-301	25 cm	-	5

Water-proof core construction without padding

WALL PAINTS	WATER-BASED LACQUERS	SOLVENT-BASED LACQUERS	WOOD STAINS

Art.No.	Width	Notes	Sales Unit
25253-301	18 cm	-	3
27253-301	25 cm	-	3

Premium core with 60mm diameter
Extra big, water-proof core construction without padding
Folded in plush ends, also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

60 mm 8 mm 96 mm LoTex ROTA CORE

Art.No.	Width	Notes	Sales Unit
77253-301	25 cm	-	5



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

44 mm 8 mm 80 mm LoTex

Art.No.	Width	Notes	Sales Unit
97253-301-55	25 cm	including 1K handle	5

Corner roller with special shaped refill
Perfect for inner corner coatings

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

- mm 6 mm - mm LoTex

Art.No.	Width	Notes	Sales Unit
60253-301	-	including 1K handle	5
61253-301	-	spare refill	10

RotaGold12

Premium roller-cover from polyamide endless fibre
Long pile (12mm) > Practically lintfree
Extra high paint loading and release > High work efficiency
With LoTex technology > Easy cleaning and long durability

Water-proof core construction without padding

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

48 mm – 8 mm – 72 mm | LoTex

Art.No.	Width	Notes	Sales Unit
25233-301	18 cm	-	10
27233-301	25 cm	-	3

Water-proof core construction without padding

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

48 mm – 8 mm – 72 mm | LoTex

Art.No.	Width	Notes	Sales Unit
27233-301-55	25 cm	including 1K handle	5

-

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

25 mm – 6 mm – 49 mm | LoTex

Art.No.	Width	Notes	Sales Unit
40233-306	12 cm	-	10
45233-301	16 cm	-	10

-

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

25 mm – 6 mm – 49 mm | LoTex

Art.No.	Width	Notes	Sales Unit
40233-306-56	12 cm	including 1K handle length 37 cm	5



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50233-306-01	10 cm	-	10
50233-306-04	10 cm	2×	10
55233-306-01	15 cm	-	10
65233-306-04	6 cm	2×	20



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50233-306-55	10 cm	including 1K handle length 27cm	5



RotaFlor18

High quality roller-cover from polyamide staple fibre
Excellent pile raising ability > Especially low spatter with silicate- and latex paints
Long pile (18mm) > Extra high paint loading and release

Extra thick padding (12mm) for extra rough surfaces
Also to use in corners



+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Notes	Sales Unit
37901-301	25 cm	-	5

Water repellent padding material (8mm)
Also to use in corners



+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Notes	Sales Unit
15901-301	18 cm	-	5
17901-301	25 cm	-	5

Premium core with 60mm diameter
Extra big, water-proof core construction without padding
Folded in plush ends, also to use in corners



+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Notes	Sales Unit
77900-301	25 cm	-	5

Water-proof core construction without padding



+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Notes	Sales Unit
27900-301	25 cm	-	12

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
40900-306	12 cm	-	10

25 mm | 6 mm | 61 mm



RotaFinish15

High quality roller-cover from special polyester endless fibre
Endless fibre > Practically lintfree
Optimised for using on Q4 surfaces >Extrafine, first-class surface finish
Special structured medium long pile plush > Efficient working with high paint loading and release

Water-proof core construction without padding
Optimized for extra fine Q4 surfaces
Suitable for application of coating materials on plasterboard surfaces

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
25590-301	18 cm	-	10
27590-301	25 cm	-	10

48 mm | 8 mm | 78 mm

Optimized for extra fine Q4 surfaces
Suitable for application of coating materials on plasterboard surfaces

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50590-306-01	10 cm	-	10

17 mm | 6 mm | 47 mm

Optimized for extra fine Q4 surfaces
Suitable for application of coating materials on plasterboard surfaces
Set description: 1 large refill RotaFinish15, 3 small refills RotaFinish15, 2 roller handles with 3K handle and metal wipe grid

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Sales Unit
77590-301-55	2× 10 cm, 1× 12 cm, 1× 25 cm	5

→ attractive sales packaging in a fully printed box with die-cut transparencies

- mm | - mm | - mm



RotaTex15

Special roller-cover of high-tech mixed fibre
Extra dense cover > For a superfine surface finish
Specially at finishing works directly > After application of the paint with a long pile roller or machine
Medium pile (15mm) + Beveled sides > Especially low streaking

Water-proof core construction without padding



✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

Art.No.	Width	Notes	Sales Unit
25580-301	18 cm	-	5
27580-301	25 cm	-	5

-



✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

Art.No.	Width	Notes	Sales Unit
40580-306	12 cm	-	5



RotaTex10

Special roller-cover of high-tech mixed fibre
Extra dense cover > For a superfine surface finish
Specially at finishing works directly > After application of the paint with a long pile roller or machine
Short pile (10mm) + Beveled sides > Especially low streaking

-



✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50580-306-01	10 cm	-	10



RotaClassic18

Standard roller-cover of mixed fibre
Long pile (18mm) > Universal use





Water repellent padding material (8mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
17860-301	25 cm	-	5

Special facade set for efficient work
Water repellent padding material (8mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
17860-301-55	25 cm	-	10





Water repellent padding material (4mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
95860-301	18 cm	-	10
97860-301	25 cm	-	10





For simple coating works

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
93860-301	25 cm	-	10



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86591010	10 cm	-	20

Rainbow18

Standard roller-cover of mixed fibre
Long pile (18mm) > Universal use





Water repellent padding material (8mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84472610	25 cm	-	5



Water repellent padding material (4mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84471810	18 cm	-	5
84472510	25 cm	-	5





-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84472410	25 cm	-	5



Corner roller with special shaped refill
Perfect for inner corner coatings

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86413910	-	including 1K handle	5

Rainbow12

Standard roller-cover of mixed fibre
Short pile (12mm) > Universal use



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86410910	10 cm	-	10



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86413010	12 cm	-	10
86414610	15 cm	-	5

Standard18

Standard roller-cover of mixed fibre
Long pile (18mm) > Universal use



Extra thick padding for extra rough surfaces
Water repellent padding material (12mm)
Also to use in corners

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84512510	25 cm	-	5



Water repellent padding material (8mm)
Also to use in corners

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84502510	25 cm	-	5



Water repellent padding material (4mm)
Also to use in corners

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84538915	25 cm	including 1K handle and telescopic pole 200cm	10



-

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84522510	25 cm	-	5



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84538715	25 cm	including 1K handle and telescopic pole 200cm	10

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
85903115	25 cm	including 1K handle, wipe grid and covering foil	5



BlueSky18

Standard roller-cover of mixed fibre
Long pile (18mm) > Universal use



Water repellent padding material (4mm)
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84481910	18 cm	-	5
84482610	25 cm	-	5



Including roller handle and wipe grid

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
85953715	18 cm	including 1K handle and wipe grid	5
85953515	25 cm	including 1K handle and wipe grid	5

YellowStripe12

Standard roller-cover of mixed fibre
Short pile (12mm) > Universal use

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS



Art.No.	Width	Notes	Sales Unit
84491810	18 cm	-	5
84492510	25 cm	-	5



BlackStripe12

Standard roller-cover of mixed fibre
Short pile (12mm) > Universal use and application of primers

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS



Art.No.	Width	Notes	Sales Unit
84421810	18 cm	-	5
84422510	25 cm	-	6

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS



Art.No.	Width	Notes	Sales Unit
84427510	25 cm	including 1K handle	5

WhitePES18

Low density roller-cover from polyester fibres
Simple refill > Low durability efficiency



Suitable for roller handle with diameter 8mm

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84151810	18 cm	-	5
84152510	25 cm	-	5



Suitable for roller handle with diameter 6mm

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84141810	18 cm	-	10
84142510	25 cm	-	10



Including roller handle with diameter 6mm and wipe grid

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
85913710	18 cm	including 1K handle and wipe grid	10
85913510	25 cm	including 1K handle and wipe grid	10

TIPS: VARNISHING

Coating rollers enable high-quality work results with a wide variety of materials and in almost all application situations.

The challenge is to achieve a uniform, even coating thickness without bubbles.

BlueNylon11

Quality roller-cover of textured nylon fibre
Textured nylon fibre > No felting even with viscous paints and lacquers
Heavy duty, short pile roller-cover (11mm) > Suitable for special lacquers like 2 compound lacquers



-

- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84321810	18 cm	-	5
84322510	25 cm	-	5
84345010	50 cm	suitalbe for handle 85056110	1

-

- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86341210	12 cm	-	5
86343010	16 cm	-	5

-

- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86340610	6 cm	-	10
86340910	10 cm	-	10
86341910	10 cm	10 ×	5
86341510	15 cm	-	10

-

- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86341010	10 cm	including 1K handle length 27cm	5



RotaNyl6

High quality roller-cover of textured nylon fibre
Textured nylon fibre > No felting even with viscous paints and lacquers
Heavy duty, extra short pile roller-cover (6mm) > Suitable for special lacquers like 2 compound lacquers

Water-proof core construction without padding



- WALL PAINTS
- WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
25060-301	18 cm	-	5
27060-301	25 cm	-	5
38060-301	38 cm	suitable for handle 85056110	1

-



- WALL PAINTS
- WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
40060-306	12 cm	-	10

-



- WALL PAINTS
- WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50060-306-01	10 cm	-	10

RotaStar9

High quality roller-cover of 100% microfibre
Excellent paint load > up to 6-times of its own volume
Short pile (9mm) > Optimal paint holding
Low spatter > Suitable also for overhead work

Premium core with 60mm diameter
Extra big, water-proof core construction without padding
Folded in plush ends
Also to use in corners

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

60 mm – 8 mm – 78 mm

ROTA CORE

Art.No.	Width	Notes	Sales Unit
77695-301	25 cm	-	5

Water-proof core construction without padding
Beveled sides for minimal risk of streaking by painting

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

48 mm – 8 mm – 66 mm

Art.No.	Width	Notes	Sales Unit
25695-301	18 cm	-	5
27695-301	25 cm	-	3

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

25 mm – 6 mm – 43 mm

Art.No.	Width	Notes	Sales Unit
40695-306	12 cm	-	10

Set description: refill RotaStar9 with 3K handle, refill RotaFoam ExtraFine with 3K handle, stainless steel mixing stick and paint tray

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

25 mm – 6 mm – 43 mm

Art.No.	Width	Notes	Sales Unit
40895-301-55	12 cm	-	6



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50695-306-01	10 cm	-	10
50695-306-04	10 cm	2×	10



-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50695-306-55	10 cm	including 1K handle length 27cm	5

Micro15

High quality roller-cover of 100% microfibre
Medium long pile (15mm) > Optimal paint holding
Excellent paint load > up to 6-times of its own volume
Amazing paint load > Low spatter, suitable also for overhead work

Water-proof core construction without padding



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84582619	25 cm	-	5

Water repellent padding material (8mm)
Also to use in corners
Suitable for application of primers

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84582719	25 cm	-	5

Water repellent padding material (8mm)
Also to use in corners
Suitable for application of primers



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84587519	25 cm	including 1K handle	5

-



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86581010	10 cm	-	10



RotaFilt5

High quality roller cover of textured endless fibre
Textured roller-cover > No felting even with viscous paints and lacquers
Short pile (5mm) > For an extra smooth surface finish
High durability > Suitable also for application of 2-compound, epoxid and other solvent based varnishes

Water-proof core construction without padding



- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
27750-301	25 cm	-	5

-



- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
40750-306	12 cm	-	10

-



- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50750-306-01	10 cm	-	10

-



- WALL PAINTS
+ WATER-BASED LACQUERS
+ SOLVENT-BASED LACQUERS
- WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50750-306-55	10 cm	including 1K handle length 27cm	5

TIPS: GLAZING

A glaze is a transparent or semi-transparent coating, for example on wood. Depending on their consistency, they are divided into thin-layer and thick-layer glazes. In general, however, glazes contain fewer pigments than varnishes, for example, which means that the glaze penetrates the wood and discolors and protects the material from the inside. The wood structure therefore remains tangible and visible.

For large-area glazing or wood protection work, glazing rollers are becoming increasingly important in addition to classic surface coaters, as they can apply a lot of material and cover a large area.

The ROTA! range therefore offers a professional selection of glazing rollers for optimum work results.

RotaVelours4

Premium roller-cover of woven lamb-wool
Fine fibre structure > For a smooth surface finish
Heavy duty, extra short pile roller-cover (4mm) > Suitable for special lacquers like 2 compound lacquers

Water-proof core construction without padding



− WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
25530-301	18 cm	-	5
27530-301	25 cm	-	3

-



− WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
40530-306-01	12 cm	-	5
45530-306-01	16 cm	-	5

-



− WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50530-306-01	10 cm	-	10
55530-306-01	15 cm	-	10
65530-306-04	6 cm	2×	20



RotaFlock

Premium FLOCK refill - high-quality foam with polyamide needle surface
Refill surface made of microscopical polyamide surface > No bubbles or other damages on the final surface

Concave shape
Perfect for first time coatings
Excellent final surface structure



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50499-306-01	11 cm	-	10

Straight shape
Perfect for first time coatings
Excellent final surface structure



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50490-306-01	11 cm	-	10
60490-306-01	5 cm	-	10

Both side rounded shape
Perfect for first time coatings
Excellent final surface structure



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50498-306-01	11 cm	-	10
55498-306-01	16 cm	-	10

Both side rounded shape
Perfect for first time coatings
Excellent final surface structure



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86914715	11 cm	including 1K handle and paint tray	5



RotaFoam ExtraFine

High quality foam roller. Possible also with unique concave shaping
Superfine foam structure > For a fine surface finish
High quality manufacturing > For varnishing without any damages on the final surface



Concave shape
Suitable for high-quality varnishing works

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50469-306-01	11 cm	-	10



Straight shape
Suitable for high-quality varnishing works

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50400-306-01	11 cm	-	10
60400-306-04	5 cm	2×	20



Both side rounded shape
Suitable for high-quality varnishing works

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50409-306-01	11 cm	-	10



Straight shape
Suitable for high-quality varnishing works

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
85852610	25 cm	-	5

RotaFoam Fine

Standard foam roller

Fine foam structure > For simple lacquering works

Straight shape



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
60300-306-01	5 cm	-	20
60300-306-20	5 cm	20 ×	10
50300-306-01	11 cm	-	10
50300-306-10	11 cm	10 ×	10
70300-306-01	16 cm	-	10

Both side rounded shape



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50309-306-01	11 cm	-	10

Straight shape



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
50300-306-56	11 cm	including 1K handle length 27cm	5



Straight shape



WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86913515	5 cm	including 1K handle and paint tray	5
86914115	11 cm	including 1K handle and paint tray	5

Set description: foam refill 11cm, nylon refill 10cm, polyester refill 10cm, 1K roller handle and paint tray

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86912315	10/10/11 cm	-	5

15 mm 6 mm 35 mm

Set decsription: foam refill 11cm with 1K roller handle, foam refill 5cm with 1K roller handle and paint tray

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86912115	5/11 cm	-	5

15 mm 6 mm 35 mm



RotaFoam Structure

Structure foam roller

Rough foam structure >For creation of structured plaster surfaces or colour effects

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
85882510	25 cm	-	5

38 mm 8 mm 74 mm

-

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86791010	11 cm	-	10

15 mm 6 mm 35 mm



PlasterRoller Nylon17

Roller cover is made of strong and durable nylon material with a fiber height of 17 mm
Suitable for quick and uniform application of finishing plasters on any type of substrate

Special roller for application of trowels and plasters

✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

Art.No.	Width	Notes	Sales Unit
84201910	18 cm	-	5
84202510	25 cm	-	5

Linomat paint separation roller

Special-Roller for exact trimming
Side cover plate > Fast and clean trimming of edges

-



✚ WALL PAINTS | ▬ WATER-BASED LACQUERS | ▬ SOLVENT-BASED LACQUERS | ▬ WOOD STAINS

Art.No.	Width	Notes	Sales Unit
86831119	10 cm	complete set	2
86831210	10 cm	spare refill	5
86831310	-	replacement cover plate	10

TIPS: ACCESSORIES

Rollers as the sole tool for material application are not very functional. Professional accessories are required for solid material application. Only with the right handle, a solid paint tray and a sturdy telescopic rod can well-mixed paint be applied efficiently to the surface. The 2K handle, for example, allows the handle to be guided perfectly and is adapted to the hand in such a way as to enable fatigue-free working.

RotaKnick

Premium roller frame with 2compound handle and bent stainless steel wire
Bent wire > Optimal power transfer and controllability
Stainless steel wire > No corrosion/rust
3-compound handle > Slip safe holding of roller

Suitable for application on a telescopic pole
Stainless steel wire

Art.No.	Width	Diameter	Sales Unit
87353-302	25 cm	8 mm	5

RotaGrip

High quality roller frame with 2 compound handle
3-compound material > Slip safe holding of roller
Zinc coated wire > Rustproof

Suitable for application on a telescopic pole

Art.No.	Width	Diameter	Sales Unit
85253-302	18 cm	8 mm	10
85353-302	25 cm	8 mm	10

Suitable for application on a telescopic pole

Art.No.	Width	Diameter	Total length	Sales Unit
85453-302	10 - 12 cm	6 mm	27 cm	10
85553-302	10 - 12 cm	6 mm	37 cm	10
85653-302	5 - 7 cm	6 mm	19 cm	10
85753-302	15 - 16 cm	6 mm	27 cm	10

RotaClassic

Standard roller frame with 1 compound handle
Zinc coated wire > Rustproof

Suitable for application on a telescopic pole

Art.No.	Width	Diameter	Sales Unit
86153-302	18 cm	8 mm	10
86253-302	25 cm	8 mm	10



Suitable for application on a telescopic pole

Art.No.	Width	Diameter	Total length	Sales Unit
86653-302	5 - 7 cm	6 mm	19 cm	10
86353-302	10 - 12 cm	6 mm	27 cm	10
86453-302	10 - 12 cm	6 mm	37 cm	10
87753-302	15 - 16 cm	6 mm	27 cm	10

RotaJumbo

Special roller frame, metal
Adjustable width size to use with floor coating refills > Suitable for flooring refills with widths 31-60cm and wire diameter 8mm

Suitable for application on a telescopic pole

Art.No.	Width	Diameter	Sales Unit
85056110	30-61 cm	8 mm	1

Wipe Grid

For an even distribution of paints on the roller



Optimal unwinding properties due to the corrugated grid structure
Galvanized steel wire, therefore high durability
The bending strips allow easy fixation to the paint bucket

Art.No.	Dimension	Sales Unit
84832710	26 × 30 cm	20



Shock-resistant plastic
With hooks for fixing in bucket

Art.No.	Dimension	Sales Unit
84927-302	29 × 27 cm	10



Paint Trays

High quality paint tray, made from shock-resistant plastic
Stabile construction > High stability and wrap resistance
Structured wipe-off surface > Optimal wipe-off of excessive paint
Specially shaped edge > Simply outpouring of excessive paints

-

Art.No.	Dimension	Sales Unit
84803010	34 × 50 cm	5

-

Art.No.	Dimension	Sales Unit
84815-302	14 × 27,5 cm	10
84826-302	24,5 × 29,5 cm	10
84832-302	30 × 33 cm	10



Paint Tray Inlays

Paint tray inlays made from transparent plastic material
Perfect fit > Saves cleaning works of paint tray

-

Art.No.	Width	Quantity	Suitability	Sales Unit
84801410	14 × 29 cm	3 ×	84815-302	10
84802610	24,5 × 29,5 cm	3 ×	84826-302	10
84802810	36 × 32 cm	3 ×	84832-302	10

Paint Pots

Practically paint pots, made from shock-resistant plastic
Stabile construction > High stability

-

Art.No.	Volume	Sales Unit
84835210	2 l	5

Including lid

Art.No.	Dimension	Sales Unit
84838010	0,7 l	5

Paint Pot Inlays

Paint pot inlays made from transparent plastic material
Perfect fit > Saves cleaning works of paint pot

-

Art.No.	Volume	Quantity	Suitability	Sales Unit
84835110	2 l	5 ×	84835210	10



Paint Buckets

Paint bucket, made from shock-resistant plastic
Big, structured wipe off surface > Optimal wipe-off of excessive paint on roller

-

Art.No.	Volume	Sales Unit
84820810	8 l	5
84821410	12 l	5
84824410	14 l	5
84821710	17 l	5



Paint Bucket Inlays

Paint bucket inlays made from transparent plastic material
Perfect fit > Saves cleaning works of paint buckets

-

Art.No.	Volume	Quantity	Suitability	Sales Unit
84800810	8 l	5 ×	84820810	10
84801310	12 l	5 ×	84821410	10



Telescopic Poles

For fatigue-proof working, also at difficult reachable places

Main body made of epoxy-glass resin > Extra stabile
With click-mechanism > Easy rod length fixing without efforts
With extra cone to change > For a secure fixing of all ROTA! roller frames

Art.No.	Length	Cone	Sales Unit
84966210	130-238 cm	FIA-Click / FIA	5

Professional telescopic pole made of aluminum and fiberglass > High stability and durability
Thick shaft > For comfortable hand guidance
With universal cone > For easy and safe mounting of all roller handles

Art.No.	Length	Cone	Sales Unit
84962210	114-200 cm	FIA	6

Main body made of aluminium > Extra light
With universal cone > For easy fixing of most known roller frames

Art.No.	Length	Cone	Sales Unit
84920010	115-200 cm	FIA	6
84930010	165-300 cm	FIA	6

Main body made of steel > Extra durable
With universal cone > For easy fixing of most known roller frames

Art.No.	Length	Cone	Sales Unit
84911310	80-130 cm	FIA-Click	10
84901310	80-130 cm	FIA	10
84912010	115-200 cm	FIA-Click	10
84902010	115-200 cm	FIA	10
84913010	165-300 cm	FIA-Click	10
84903010	165-300 cm	FIA	10

FIA-Click Cone
- the FIA-click mechnism provides a release-safe fixing of small and standard size roller handles
- fits to all ROTA! roller handles

FIA Cone
- fits to all Color Expert roller handles
- the specially grooved shape ensures a stabile fixing of the handles

ROTA!

INDEX

KanaFinish	56
KanaTank	56
KanaClassic	57
KanaAqua	59
Flat brushes	60
Corner brushes	64
Block brushes	65
Ceiling brushes	66

kana®

kana®
Paint brushes

Tips and tricks

For a perfect result

	PAINTING	VARNISHING		GLAZING	
	Wallpaints	Water-based paints	Solvent-based paints	Wood stains and waxes	Cat. page
KanaFinish Extra-fine, innovative bristle mixture and particularly high bristle volume for extra-fine, streak-free surface finish without visible paintbrush traces. Suitable for low-viscosity paints and varnishes.	+	+		+	56
KanaTank Natural bristle core paintbrush head core for extra high paint absorption and low dripping. Synthetic-bristle cover with conical tapered fine tops for homogeneous paint transfer and a very fine finish. 				+	56
KanaClassic High-quality bristle mixtures made of synthetic bristles and stabilized natural bristles for extra stable shape also at application of high viscosity paints. High paint absorption and no swelling.			+		57
KanaAqua Premium synthetic bristle-mix - synthetic-bristle cover with conical tapered fine tops for homogenous paint transfer and a very fine finish. Full synthetic bristles minimize swelling by application of water-based paints and lacquers.	+	+	+		59

How to read & understand the information in catalog

SHAPE / DIVIDING

FLAT PAINT BRUSHES

The most commonly used type of brush; its head is roughly rectangular with rounded corners.

SPECIAL BRUSHES

A complementary range of brushes that are particularly suitable for fine work - such as finishing and repairs; depending on their purpose, they come in a variety of shapes and designs.

CORNER BRUSHES



Brushes with an extended handle and an angled head, designed to improve reach into hard-to-access areas. Their heads are approximately rectangular in shape with rounded corners.

BLOCK BRUSHES

Suitable for working on larger surfaces; the brush head has a rectangular shape. They are usually equipped with a hanging clip for convenient and safe storage during breaks, and their handles are typically screw-threaded.

CEILING BRUSHES

Designed for highly efficient work on large surfaces; the brush head is either rectangular or round. They feature a hanging clip for convenient and safe suspension during breaks, and are usually equipped with a screw-threaded handle.

PAINT BRUSH GRADE

"Thickness level: GradeX" for Flat and Corner Brushes. This designation expresses the brush's thickness, specifically the thickness of the brush head. The higher the thickness level, the thicker the brush. Brushes marked with strength level 12 are the thickest in our range and therefore offer the highest coverage per single dip.

It's also important to note that the strength level does not represent an exact, measurable value in millimeters; rather, it reflects a ratio between the width and thickness of the brush. For instance, a brush measuring 30 mm in width and 16 mm in thickness is classified as thickness level 12, as is a brush with 100 mm width and 22 mm thickness.

UNIQUE SOLUTION KanaTank

The unique KanaTank paintbrush heads use our innovative 2v1 construction which consists of natural bristle tank with surface made of synthetic bristles.

Synthetic-bristle cover with conical shaped fine tops
Enables an exceptionally high-quality final surface. Thanks to its high mechanical durability, the brush offers significantly longer service life.

Unique natural bristle core
Excellent absorption with almost zero dropping also by low viscosity materials.

+30%
30% higher performance compared to a standard Kana paint brush

TIPS: PAINTING

Painting work with brushes is primarily carried out in corners and edges, as well as on small to medium-sized surfaces. However, regardless of the surface, the aim is always to achieve a good application of paint with a perfect finish. The kana range includes professional-quality paintbrushes in various designs - for optimum results.

KanaFinish

The professional brush for low-viscosity paints and varnishes.
Extra-fine, innovative bristle mixture and particularly high bristle volume and extra-fine for streak-free surface finish. Swell-proof plastic ferrule.
Particularly high colour absorption.
Ergonomically optimised handle made from FSC®-certified wood.

Flat brush
Thickness: grade 12
Ferrule: plastic
Handle: hard wood

+ WALL PAINTS | + WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
465030-411	30 mm	44 mm	18 mm	6
465050-411	50 mm	52 mm	20 mm	6

KanaTank

Innovative 2in1-combination of natural bristle tank and synthetic bristle outside cover.
Natural bristle core - extra high paint absoroption and low dripping.
Synthetic-bristle cover with conical tapered fine tops for homogeneous paint transfer and a very fine finish.

Flat brush
Thickness: grade 12
Ferrule: stainless steel
Handle: hard wood

– WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
466050-411	50 mm	64 mm	20 mm	6
466080-411	80 mm	68 mm	21 mm	6

Block brush
Thickness: grade 12
Ferrule: stainless steel
Handle: hard wood

– WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
536010-411	30 × 100 mm	76 mm	6

KanaClassic

High-quality bristle mixtures made of synthetic bristles stabilized natural bristles.
Stabilized bristles for stable shape also at high viscosity paints.
Optimal natural bristle ratio for high paint absorption.
Optimal synthetic bristle ratio for low swelling.

Flat brush

Thickness: grade 12
Ferrule: tin plated steel
Handle: hard wood

+ WALL PAINTS | − WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
325010	30 mm	53 mm	16 mm	6
325015	40 mm	55 mm	17 mm	6
325020	50 mm	58 mm	19 mm	6
325025	60 mm	63 mm	20 mm	6
325030	80 mm	68 mm	22 mm	6
325040	100 mm	75 mm	22 mm	6

Unique mixture of specialized synthetic fibers and high-quality natural bristles.

Flat brush CIREX

Thickness: grade 9
Ferrule: tin plated steel
Handle: black plastic

+ WALL PAINTS | − WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
235010	30 mm	38 mm	14 mm	6
235015	40 mm	44 mm	15 mm	6
235020	50 mm	51 mm	16 mm	6
235025	60 mm	57 mm	17 mm	6
235030	70 mm	64 mm	18 mm	6
235040	100 mm	70 mm	18 mm	6

Block brush

Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | − WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
535310-411	30 × 100 mm	57 mm	6

Corner brush

Thickness: grade 1
Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | − WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
358050-411	50 mm	51 mm	8 mm	12
358060-411	60 mm	57 mm	8 mm	12
358075-411	75 mm	61 mm	8 mm	12

Special brush - round

Ferrule: aluminium
Handle: wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Size	Bristle length	Sales Unit
82750810	8	20 mm	12
82751210	12	24 mm	12

Special brush - flat

Ferrule: aluminium
Handle: wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Size	Bristle length	Sales Unit
82591010	10	28 mm	12
82591210	12	29 mm	12
82591410	14	30 mm	12

Special brush - flat

Ferrule: aluminium
Handle: wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Size	Bristle length	Sales Unit
82600810	8	22 mm	12
82601210	12	26 mm	12
82601610	16	29 mm	12
82602010	20	33 mm	12

Special brush

Ferrule: aluminium
Handle: wood

+ WALL PAINTS | − WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
230010	25 mm	23 mm	4 mm	12
230015	40 mm	39 mm	4,5 mm	12
230020	50 mm	48 mm	5 mm	12



KanaAqua

Premium synthetic bristle-mix.
Synthetic-bristle cover with conical tapered fine tops.
For homogenous paint transfer and a very fine finish.
Full synthetic bristles.
No swelling of bristles at use with water-based paints and lacquers.

Flat brush

Thickness: grade 12
Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
463530-411	30 mm	51 mm	17 mm	6
463540-411	40 mm	57 mm	18 mm	6
463550-411	50 mm	63 mm	19 mm	6
463560-411	60 mm	63 mm	20 mm	6
463580-411	80 mm	69 mm	21 mm	6

Corner brush

Thickness: grade 1
Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
263535-411	35 mm	51 mm	8 mm	12
263550-411	50 mm	57 mm	8 mm	12
263560-411	60 mm	63 mm	8 mm	12

Corner brush

Thickness: grade 6
Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
423550-411	50 mm	57 mm	13 mm	6
423575-411	80 mm	69 mm	17 mm	6

Block brush

Ferrule: stainless steel
Handle: hard wood

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
533510-411	30 × 100 mm	72 mm	6

Window brush
Thickness: grade 6
Ferrule: stainless steel
Handle: hard wood

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
293540-411	40 mm	52 - 59 mm	12 mm	6

Flat brushes

Ideal for coating of medium surfaces like door & window frames, fences.

Thickness: grade 9
Bristles: stabilized bristle-mix
Ferrule: tin plated steel
Handle: red plastic

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
234075	20 mm	38 mm	15 mm	12
234010	30 mm	44 mm	15 mm	12
234015	40 mm	44 mm	15 mm	12
234020	50 mm	44 mm	16 mm	6
234025	60 mm	51 mm	17 mm	6
234030	70 mm	57 mm	18 mm	6
234040	100 mm	64 mm	18 mm	6

Thickness: grade 9
Bristles: stabilized bristle-mix
Ferrule: tin plated steel
Handle: black plastic

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
236075	20 mm	44 mm	14 mm	12
236010	30 mm	44 mm	14 mm	6
236015	40 mm	51 mm	15 mm	6
236020	50 mm	54 mm	16 mm	6
236025	60 mm	57 mm	17 mm	6
236030	70 mm	63 mm	18 mm	6
236035	80 mm	64 mm	18 mm	6
236040	100 mm	70 mm	18 mm	6

Thickness: grade 9
Bristles: natural & brown synthetic bristle-mix
Ferrule: brass plated steel
Handle: blue plastic

− WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
384010	30 mm	44 mm	14 mm	12
384015	40 mm	51 mm	15 mm	6
384020	50 mm	51 mm	16 mm	6
384025	60 mm	51 mm	17 mm	6
384030	70 mm	57 mm	18 mm	6
384035	80 mm	57 mm	18 mm	6
384040	100 mm	64 mm	18 mm	6

Thickness: grade 9
Bristles: brown synthetic bristle-mix
Ferrule: tin plated steel
Handle: lacquered wood

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81123010	30 mm	44 mm	14 mm	12
81124010	40 mm	44 mm	15 mm	12
81125010	50 mm	44 mm	16 mm	12
81126010	60 mm	51 mm	17 mm	12
81128010	80 mm	51 mm	18 mm	12
81129910	100 mm	57 mm	18 mm	12

Thickness: grade 6
Bristles: high quality natural & synthetic bristle-mix
Ferrule: stainless steel
Handle: black plastic

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81313019	30 mm	44 mm	11 mm	12
81314019	40 mm	51 mm	12 mm	12
81315019	50 mm	51 mm	13 mm	12
81317019	70 mm	57 mm	15 mm	12
81319919	100 mm	64 mm	17 mm	12

Thickness: grade 6
Bristles: natural & brown synthetic bristle-mix
Ferrule: stainless steel
Handle: blue plastic

− WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
204010	25 mm	38 mm	11 mm	12
204015	40 mm	50 mm	12 mm	12
204020	50 mm	50 mm	13 mm	12
204025	65 mm	57 mm	15 mm	12
204030	75 mm	57 mm	15 mm	12

Thickness: grade 6
Bristles: high quality natural & synthetic bristle-mix
Ferrule: stainless steel
Handle: blue plastic

− WALL PAINTS − WATER-BASED LACQUERS − SOLVENT-BASED LACQUERS + WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
228030	30 mm	51 mm	11 mm	12
228040	40 mm	51 mm	12 mm	12
228050	50 mm	51 mm	13 mm	12
228060	60 mm	51 mm	15 mm	12
228070	70 mm	57 mm	15 mm	12
228080	80 mm	57 mm	16 mm	12

Thickness: grade 6
Bristles: brown synthetic bristle-mix
Ferrule: tin plated steel
Handle: red plastic

+ WALL PAINTS + WATER-BASED LACQUERS + SOLVENT-BASED LACQUERS − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
462820-411	20 mm	38 mm	10 mm	12
462830-411	30 mm	44 mm	11 mm	12
462840-411	40 mm	44 mm	12 mm	12
462850-411	50 mm	48 mm	13 mm	12
462860-411	60 mm	48 mm	15 mm	12
462870-411	70 mm	51 mm	15 mm	12
462880-411	80 mm	54 mm	15 mm	6
462899-411	100 mm	57 mm	17 mm	6

Thickness: grade 4
Bristles: stabilized bristle-mix
Ferrule: tin plated steel
Handle: red plastic

+ WALL PAINTS − WATER-BASED LACQUERS − SOLVENT-BASED LACQUERS − WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81202510	25 mm	38 mm	8 mm	24
81203510	35 mm	38 mm	9 mm	24
81205010	50 mm	40 mm	9 mm	24
81206010	60 mm	42 mm	10 mm	24
81207510	75 mm	44 mm	10 mm	24
81209910	100 mm	44 mm	11 mm	24

Thickness: grade 5
Bristles: synthetic bristle-mix
Ferrule: tin plated steel
Handle: lacquered wooden handle with red tip

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81262010	20 mm	38 mm	9 mm	12
81262510	25 mm	38 mm	10 mm	12
81263510	35 mm	38 mm	10 mm	12
81265010	50 mm	38 mm	11 mm	12
81266010	60 mm	44 mm	12 mm	12
81267510	75 mm	44 mm	11 mm	12
81269910	100 mm	44 mm	11 mm	12

Thickness: grade 5
Bristles: synthetic bristle-mix
Ferrule: tin plated steel
Handle: lacquered wooden handle with red tip

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
82630815	20/25/35/50 mm	39/39/39/39 mm	9/10/11/12 mm	10

Thickness: grade 5
Bristles: synthetic bristle-mix
Ferrule: tin plated steel
Handle: lacquered wooden handle with red tip

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
82670315	20/35/50 mm	39/39/39 mm	9/10/11 mm	20

Thickness: grade 6
Bristles: synthetic bristle-mix
Ferrule: tin plated steel
Handle: plastic

WALL PAINTS | WATER-BASED LACQUERS | SOLVENT-BASED LACQUERS | WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
900000009	20/30/50 mm	40/41/44 mm	12/12/13 mm	5

Corner brushes

Ideal for coating of corners, edges and hard to reach hidden surfaces.

Thickness: grade 1
Bristles: stabilized bristle mix
Ferrule: tin plated steel
Handle: red plastic

+ WALL PAINTS | + WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81623010	30 mm	44 mm	12 mm	12
81624010	40 mm	49 mm	12 mm	12
81625010	50 mm	49 mm	12 mm	12
81626010	60 mm	56 mm	12 mm	12
81627010	70 mm	61 mm	12 mm	6

i Thanks to its metal-free construction, it is suitable for work in areas where there is a risk of electrical short circuits.

Thickness: grade 1
Bristles: stabilized bristle mix
Ferrule: plastic
Handle: black plastic

+ WALL PAINTS | – WATER-BASED LACQUERS | + SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81685010	50 mm	44 mm	9 mm	12

Thickness: grade 1
Bristles: stabilized bristle mix
Ferrule: tin plated steel
Handle: black plastic

+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81802510	25 mm	41 mm	11 mm	12
81804010	40 mm	41 mm	11 mm	12
81805010	50 mm	41 mm	12 mm	12
81806510	65 mm	48 mm	13 mm	12
81807610	75 mm	48 mm	13 mm	12

Thickness: grade 1
Bristles: synthetic bristle mix
Ferrule: tin plated steel
Handle: soft wood

+ WALL PAINTS | – WATER-BASED LACQUERS | – SOLVENT-BASED LACQUERS | – WOOD STAINS

Art.No.	Width	Bristle length	Thickness	Sales Unit
81663510	35 mm	38 mm	9 mm	12
81665010	50 mm	44 mm	9 mm	12
81666010	60 mm	44 mm	8 mm	12
81667510	75 mm	51 mm	8 mm	12

Block brushes

Ideal for coating of big surfaces like walls.

Bristles: brown synthetic bristle-mix
Ferrule: stainless steel
Handle: hard wood

− WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
532510-411	30 × 120 mm	57 mm	6

Bristles: brown synthetic bristle-mix
Ferrule: tin plated steel
Handle: plastic

+ WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | − WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
83680710	30 × 70 mm	44 mm	12
83681010	30 × 100 mm	44 mm	12
83681210	30 × 120 mm	44 mm	12
83681410	40 × 140 mm	51 mm	6
83681510	50 × 150 mm	51 mm	6

Bristles: synthetic bristle-mix
Ferrule: stainless steel
Handle: plastic

− WALL PAINTS | − WATER-BASED LACQUERS | − SOLVENT-BASED LACQUERS | + WOOD STAINS

Art.No.	Dimensions	Bristle length	Sales Unit
241312	30 × 120 mm	57 mm	3

Ceiling brushes

Ideal for coating of big surfaces like walls, ceilings.

Bristles: high quality natural & synthetic bristle-mix
Body: plastic
Handle: hard wood

+ WALL PAINTS | – PRIMERS | – LIMEWASH | – GLUES

Art.No.	Diameter	Bristle length	Sales Unit
83850810	120 mm	97 mm	1
83851010	130 mm	100 mm	1
83851210	130 mm	120 mm	1

Bristles: high quality natural & synthetic bristle-mix
Body: plastic
Handle: hard wood

+ WALL PAINTS | – PRIMERS | – LIMEWASH | – GLUES

Art.No.	Dimensions	Bristle length	Sales Unit
218515	50 × 150 mm	80 mm	1
218166	65 × 165 mm	85 mm	1
218177	70 × 170 mm	90 mm	1
218188	80 × 180 mm	90 mm	1
218189	80 × 180 mm	97 mm	1

Bristles: high quality synthetic bristle-mix
Body: hard wood
Handle: plastic
Note: resistant to acids and solvents

– WALL PAINTS | + PRIMERS | – LIMEWASH | – GLUES

Art.No.	Dimensions	Bristle length	Sales Unit
83877019	70 × 170 mm	70 mm	6

Bristles: high quality synthetic bristle-mix Silverpren
Body: plastic
Handle: plastic
Note: suitable for the application of primers and other base coats

– WALL PAINTS | + PRIMERS | – LIMEWASH | – GLUES

Art.No.	Dimensions	Bristle length	Sales Unit
83867519	75 × 175 mm	75 mm	6

Bristles: synthetic bristle-mix
Body: hard wood
Handle: plastic

WALL PAINTS | PRIMERS | LIMEWASH | GLUES

Art.No.	Dimensions	Bristle length	Sales Unit
83800710	70 × 170 mm	70 mm	12

Bristles: synthetic bristle-mix
Body: plastic
Handle: plastic
Note: the handle is a fixed part of the brush body

WALL PAINTS | PRIMERS | LIMEWASH | GLUES

Art.No.	Dimensions	Bristle length	Sales Unit
83827610	70 × 170 mm	70 mm	6

Bristles: synthetic bristle-mix
Body: plastic
Handle: plastic

WALL PAINTS | PRIMERS | LIMEWASH | GLUES

Art.No.	Diameter	Bristle length	Sales Unit
83854010	108 mm	70 mm	6

RECOMMENDATIONS FOR USE

SUITABILITY

Acceptability of tape on surface is always requested! Testing of tape on each surface is recommended to avoid any unwanted effects!

SURFACE

Surfaces on which tape is applied should be clean, dry and free of grease, oil, moisture, dirt and other contaminants.

REMOVING

Tape should be removed after painting always before paint dries. Max. usability time can be decreased by weather conditions!

INDEX

Paper masking tapes	70
Cloth masking tapes	75
Plastic masking tapes	77
Other masking materials	78
Special tapes	79
Covering foils	83
Other covering materials	85
Garbage bags	88

masq®

Masking products



MasqPainter RED

Extra thin layer, UV resistant and flexible paper tape for very thin paint borders
Material: extra thin layer special paper
Adhesive: acrylic
Power: medium

Remove within: 120 days
UV resistance: up to 120 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS + WOOD PROTECTION + LACQUERS − PLASTERS

Art.No.	Width	Length	Sales Unit
96073176	30 mm	50 m	8
96074076	38 mm	50 m	6
96075276	50 mm	50 m	5



MasqPainter PURPLE

Extra thin layer, UV resistant paper tape for very thin paint borders
Material: extra thin layer special paper
Adhesive: acrylic
Power: medium



Remove within: 90 days
UV resistance: up to 90 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS + WOOD PROTECTION + LACQUERS − PLASTERS

Art.No.	Width	Length	Sales Unit
96092676	25 mm	50 m	10



MasqPainter LILA

Extra thin layer UV resistant paper tape for very thin paint borders, to use on sensitive surfaces
Material: extra thin layer special paper
Adhesive: acrylic, especially for sensitive surfaces
Power: low



Remove within: 60 days
UV resistance: up to 60 days
Heat resistance: 90 °C (max. 60 min)

+ WALL PAINTS + WOOD PROTECTION + LACQUERS − PLASTERS

Art.No.	Width	Length	Sales Unit
96233276	30 mm	50 m	8
96234076	38 mm	50 m	6
96235276	50 mm	50 m	5

MasqPainter GOLD

Extra thin layer, UV resistant paper tape for very thin paint borders
Material: extra thin layer special paper
Adhesive: acrylic
Power: medium

Remove within: 60 days
UV resistance: up to 60 days
Heat resistance: 80 °C (max. 60 min)

WALL PAINTS | WOOD PROTECTION | LACQUERS | PLASTERS

Art.No.	Width	Length	Sales Unit
96052476	25 mm	50 m	10
96052976	30 mm	50 m	8
96053776	38 mm	50 m	6
96054976	50 mm	50 m	5

Remove within: 30 days
UV resistance: up to 30 days
Heat resistance: 60 °C (max. 60 min.)
Cover material: electrostatic loaded HDPE foil

WALL PAINTS | WOOD PROTECTION | LACQUERS | PLASTERS

Art.No.	Width	Length	Core	Sales Unit
96785076	55 cm	25 m	10 cm	5
96786076	140 cm	25 m	20 cm	5
96787076	210 cm	20 m	20 cm	4
96788076	270 cm	16 m	20 cm	3

Masking tapes YELLOW

With extra thin layer special paper tape for especially thin paint borders
Material: extra thin layer special paper tape
Adhesive: acrylic
Power: medium

Remove within: 14 days
UV resistance: up to 14 days
Heat resistance: 120 °C (max. 60 min)

WALL PAINTS | WOOD PROTECTION | LACQUERS | PLASTERS

Art.No.	Width	Length	Sales Unit
97054110	24 mm	40 m	9
97054210	29 mm	40 m	9
97054310	36 mm	40 m	6
97054510	48 mm	40 m	6



Masking tapes BLUE

Thick layer UV resistant tape for universal use
Material: thick layer flat crepe paper
Adhesive: acrylic
Power: medium

Remove within: 14 days
UV resistance: up to 14 days
Heat resistance: 120 °C (max. 60 min)

+ WALL PAINTS | + WOOD PROTECTION | + LACQUERS | – PLASTERS

Art.No.	Width	Length	Sales Unit
96045010	50 mm	25 m	6
96049110	25 mm	50 m	9
96049210	30 mm	50 m	8
96049310	38 mm	50 m	6
96049410	50 mm	50 m	5



MasqPainter CLASSIC

Thick layer tape for use on indoor surfaces over more days
Material: thick layer flat crepe paper
Adhesive: natural rubber adhesive
Power: high



Remove within: 7 days
Heat resistance: 85 °C (max. 60 min)

+ WALL PAINTS | + WOOD PROTECTION | – LACQUERS | – PLASTERS

Art.No.	Width	Length	Sales Unit
96022076	19 mm	50 m	12
96022676	25 mm	50 m	9
96023176	30 mm	50 m	8
96023976	38 mm	50 m	6
96025176	50 mm	50 m	6



MasqPainter STANDARD

Medium thick layer tape for standard indoor works over more days
Material: medium thick layer flat crepe paper
Adhesive: natural rubber adhesive
Power: medium

Remove within: 7 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS | + WOOD PROTECTION | – LACQUERS | – PLASTERS

Art.No.	Width	Length	Sales Unit
96001976	19 mm	50 m	48
96002576	25 mm	50 m	36
96003076	30 mm	50 m	32
96003876	38 mm	50 m	24
96005076	50 mm	50 m	24

Remove within: 7 days
Heat resistance: 60 °C (max. 60 min)
Cover material: electrostatic loaded HDPE foil

+ WALL PAINTS | + WOOD PROTECTION | – LACQUERS | – PLASTERS

Art.No.	Width	Length	Core	Sales Unit
96805676	55 cm	33 m	10 cm	5
96811076	110 cm	33 m	20 cm	5
96814076	140 cm	33 m	20 cm	5
96821076	210 cm	20 m	20 cm	4
96827076	270 cm	16 m	20 cm	3

Remove within: 7 days
Heat resistance: 60 °C (max. 60 min)
Cover material: special recycling paper

+ WALL PAINTS | + WOOD PROTECTION | – LACQUERS | – PLASTERS

Art.No.	Width	Length	Core	Note	Sales Unit
96691010	10 cm	20 m	6 cm	will be discontinued	5
96711010	10 cm	20 m	6 cm	available from January 2026	5
96691810	18 cm	20 m	10 cm	will be discontinued	6
96711810	18 cm	20 m	10 cm	available from January 2026	6
96693010	30 cm	20 m	16 cm	will be discontinued	6
96713010	30 cm	20 m	16 cm	available from January 2026	6



Masking tape BEIGE

Thin layer tape for simple indoor works
Material: thin layer flat crepe paper
Adhesive: hot melt adhesive
Power: medium

Remove within: 12 hours
Heat resistance: 40 °C (max. 60 min)

+ WALL PAINTS | + WOOD PROTECTION | – LACQUERS | – PLASTERS

Art.No.	Width	Length	Sales Unit
96000310	29 mm	25 m	8
96000410	36 mm	25 m	6
96000510	48 mm	25 m	6
96004110	18 mm	40 m	12
96004210	24 mm	40 m	36
96004310	29 mm	40 m	32
96004410	36 mm	40 m	24
96004510	48 mm	40 m	24

MasqBricklayer YELLOW

Extra robust thick layer tape for use on rough surfaces, even at works with high pressure water cleaners or sandblasting
Material: thick layer cloth tape with PE top layer
Adhesive: natural rubber
Power: extra high

Remove within: 14 days
UV resistance: 14 days
Heat resistance: 45 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96184476	44 mm	50 m	4

Remove within: 14 days
UV resistance: 14 days
Heat resistance: 45 °C (max. 60 min)
Cover material: electrostatic loaded extra strong HDPE foil (0,018mm)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Core	Sales Unit
96735576	55 cm	16 m	20 cm	15

Facade tapes ORANGE

Medium thick layer tape for use at basic works on rough surfaces
Material: medium thick layer PE tape reinforced with cloth mesh
Adhesive: hot melt
Power: high

Remove within: 3 days
UV resistance: 3 days
Heat resistance: 45 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96263819	38 mm	50 m	4
96264919	50 mm	25 m	6
96265019	50 mm	50 m	4

MasqBricklayer LIGHT BLUE

Thick layer tape for use on rough surfaces, especially at outdoor works
Material: thick layer cloth tape with PE top layer
Adhesive: natural rubber
Power: high



Remove within: 21 days
UV resistance: 21 days
Heat resistance: 45 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96223876	38 mm	25 m	8
96225076	50 mm	25 m	8

Remove within: 21 days
UV resistance: 21 days
Heat resistance: 45 °C (max. 60 min)
Cover material: electrostatic loaded HDPE foil

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Core	Sales Unit
96745576	55 cm	14 m	10 cm	5
96741176	110 cm	14 m	20 cm	5
96741476	140 cm	14 m	20 cm	5
96741876	180 cm	14 m	20 cm	5
96742176	210 cm	14 m	20 cm	5
96742476	240 cm	14 m	20 cm	5
96742776	270 cm	14 m	20 cm	3



MasqBricklayer BLUE

Very strong tape for use on smooth surfaces, such as window frames and door frames during façade application.
Material: cloth tape with PE top layer
Adhesive: acrylic
Power: medium

Remove within: 28 days
UV resistance: 14 days
Heat resistance: 100 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96153076	48 mm	25 m	6

MasqPlasterer GROOVED

Medium thick grooved PVC tape for plastering works on smooth or light structured surfaces
Material: medium thick layer PVC tape
Adhesive: natural rubber
Power: medium
Not to use on PVC surfaces!

Remove within: 14 days
UV resistance: 14 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96103876	38 mm	33 m	12
96105076	50 mm	33 m	9



MasqPlasterer SMOOTH

Medium thick smooth & flexible PVC tape for plastering works on smooth or light structured surfaces
Material: medium thick layer PVC tape
Adhesive: natural rubber
Power: medium
Not to use on PVC surfaces!

Remove within: 14 days
UV resistance: 14 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96113076	30 mm	33 m	6
96115076	50 mm	33 m	6

Remove within: 14 days
UV resistance: 14 days
Heat resistance: 60 °C (max. 60 min)

+ WALL PAINTS | − WOOD PROTECTION | − LACQUERS | + PLASTERS

Art.No.	Width	Length	Sales Unit
96135076	50 mm	33 m	36



Selfadhesive window protection foils

Self adhesive blue color cover foil for quick masking of glass surfaces and with UV resistance
Material: low density polyethylene (LDPE)
Adhesive: acrylic
Power: low

Remove within: 30 days
UV resistance: 30 days
Heat resistance: 45 °C
Thickness: 0,040 mm

Art.No.	Width	Length	Colour	Sales Unit
96972510	25 cm	100 m	blue	4
96975010	50 cm	100 m	blue	2
96979910	100 cm	100 m	blue	1

Remove within: 30 days
UV resistance: 30 days
Heat resistance: 45 °C
Thickness: 0,040 mm

Art.No.	Width	Length	Colour	Sales Unit
96989910	100 cm	100 m	transparent	4

Socket power covers

Fast and efficient covering of power sockets.
Solid plastic body. Quick and simple application and removing thanks 4 strong magnets.
Possibility of reusability - costs saving and environment friendly.
Practical set with 10 pieces.

10 pcs in packaging

Art.No.	Quantity	Sales Unit
96957071	10 ×	20

Carpet tapes

Double-sided adhesive installation tape.
Synthetic resin adhesive with high adhesive power.
Suitable for bonding carpets, PVC floors and for fixing laminate/vinyl.



Fabric reinforced

Art.No.	Width	Length	Sales Unit
96415010	50 mm	25 m	6



Foil reinforced

Art.No.	Width	Length	Sales Unit
96404810	38 mm	25 m	6
96405010	50 mm	10 m	6
96405110	50 mm	25 m	6



Warning tape

With red/white stripes
Plastic
Non adhesive

-

Art.No.	Width	Length	Sales Unit
96530010	75 mm	200 m	3



Mounting tape

PE-foam tape with double sided strong acrylic adhesive.
Suitable for permanent installation of flat objects.

-

Art.No.	Width	Length	Sales Unit
96451919	19 mm	5 m	10

Fibreglass-mesh tapes

Self-adhesive tape with acrylic glue.

-

Art.No.	Width	Length	Sales Unit
96312010	48 mm	20 m	6
96314010	48 mm	45 m	6
96315010	48 mm	90 m	6
96314510	100 mm	45 m	6
96312310	150 mm	23 m	6

Nonwoven fibreglass tape

Ideal for drywall constructions & wall-crack repairs.

-

Art.No.	Width	Length	Sales Unit
96325010	50 mm	25 m	10

Aluminium tapes

Self adhesive aluminium tapes suitable for use at insulation works.



Flame and heat resistant, certified for DIN-4102-B1
Heat resistance: 120 °C (max. 60 minut)

Art.No.	Width	Length	Sales Unit
96442519	50 mm	50 m	2

Heat resistance: 100 °C (max. 60 minut)

Art.No.	Width	Length	Sales Unit
96465019	50 mm	50 m	2



Aluminium coated PP tape

Aluminium coated PP tape.
Suitable for drywall- and insulation works.

Small plastic core
Heat resistance: 50 °C (max. 60 minut)

Art.No.	Width	Length	Sales Unit
96485019	50 mm	50 m	12

Duct tapes

Extra strong textile reinforced plastic tape. Suitable all-purpose tape to fix, bond, repair, mount and seal.

-

Art.No.	Width	Length	Sales Unit
96195076	50 mm	50 m	6

-

Art.No.	Width	Length	Sales Unit
96214810	48 mm	10 m	4
96215019	48 mm	50 m	3

Packing tapes

Medium thickness packing tape with acrylic adhesive.
For clean bonding of standard cardboard boxes.

Acrylic adhesive

Art.No.	Width	Length	Colour	Sales Unit
96504810	48 mm	66 m	brown	8
96514810	48 mm	66 m	transparent	8



Covering foils

LDPE with re-granulate
Transluscent or dark grey
Folded or rolled

Thickness: 0,080 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96919210	2 × 50 m	dark grey	rolled	1

Thickness: 0,075 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96927510	4 × 5 m	dark grey	folded	10

Thickness: 0,050 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96921210	4 × 12,5 m	transluscend	folded	5
96919010	2 × 50 m	transluscend	rolled	2

Thickness: 0,040 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96922010	4 × 5 m	transluscend	folded	10

Thickness: 0,035 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96890310	4 × 5 m	transluscend	folded	10
96963510	4 × 5 m	dark grey	folded	10

Thickness: 0,030 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96945010	**4 × 5 m**	transluscend	folded	**10**
96946010	**4 × 12,5 m**	transluscend	folded	**10**

Thickness: 0,018 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96941810	**4 × 5 m**	transluscend	folded	**30**

Covering sheets

HDPE
Transluscent
Folded or rolled

Thickness: 0,010 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96940510	**4 × 5 m**	transluscend	folded	**20**
96941210	**4 × 12,5 m**	transluscend	folded	**10**
96910010	**2 × 50 m**	transluscend	rolled	**10**

Thickness: 0,007 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96902110	**4 × 5 m**	transluscend	folded	**20**

Thickness: 0,0045 mm

Art.No.	Dimensions	Colour	Packaging	Sales Unit
96901610	**4 × 4 m**	transluscend	folded	**40**
96901010	**4 × 2,5 m**	transluscend	folded	**80**
96905010	**4 × 12,5 m**	transluscend	folded	**20**
96907010	**2 × 50 m**	transluscend	rolled	**5**

Covering craft papers

Strong brown paper for covering of big surfaces.
Possibility of reusability - costs saving and environment friendly.

One layer cardboard

Art.No.	Dimensions	Thickness	Packaging	Sales Unit
96999815	**1 × 20 m**	90 g/m²	rolled	**5**
96999915	**1 × 50 m**	90 g/m²	rolled	**3**



Covering corrugated cardboards

Strong corrugated cardboard for covering of big surfaces.
Strong protection against mechanical damage and high absorbency.
Possibility of reusability - costs saving and environment friendly.

Two layers corrugated cardboard

Art.No.	Dimensions	Thickness	Packaging	Sales Unit
96991519	**1,05 × 10 m**	210 g/m²	rolled	**3**
96992519	**1,05 × 20 m**	210 g/m²	rolled	**2**

Staple fibre felts

Fleece with a unique manufacturing method for minimal dust generation during use.
Special finished, extra fluid absorbent felt mixture.
Extra heavy duty & extra strong.
Slip resistant waterproof back.
Multipurpose use and possibility of reusability.

First-class quality
Easy to use
High safety

Art.No.	Dimensions	Thickness	Packaging	Sales Unit
94262470	**1 × 25 m**	180 g/m²	rolled	**2**
94264970	**1 × 50 m**	180 g/m²	rolled	**1**



Covering fleeces

Soft nonwoven top layer, non-slip bottom layer with leak protection.
Multipurpose use and reusable.

-

Art.No.	Dimensions	Thickness	Packaging	Sales Unit
94260315	**1 × 3 m**	180 g/m²	folded	**10**
94260515	**1 × 5 m**	180 g/m²	rolled	**12**
94261015	**1 × 10 m**	180 g/m²	rolled	**6**
94262615	**1 × 25 m**	180 g/m²	rolled	**2**
94265115	**1 × 50 m**	180 g/m²	rolled	**1**
94261115	**1 × 10 m**	220 g/m²	rolled	**6**
94262215	**1 × 25 m**	220 g/m²	rolled	**2**



Protective LDPE doors

With an L-shaped zipper closure.
For protection against dust and dirt during renovation work. Waterproof and almost dustproof.
Suitable for passage widths from 60 cm to 110 cm.
Possibility of reusability - costs saving and environment friendly.

Thickness: 0,100 mm

Art.No.	Dimensions	Sales Unit
96962215	2,2 × 1,2 m	5



Tarpaulins

Robust tarpaulin with laminated micro fabric. Universally suitable in construction site environment, also for closing window openings or covering wood, trailers, pools, sandboxes and more.
Waterproof, tear resistant, UV resistant and long lasting use. Eyelets every 1m for tying down.
Possibility of reusability - costs saving and environment friendly.

Thickness: 0,075 mm

Art.No.	Dimensions	Sales Unit
96930615	1,5 × 6 m	15
96930215	2 × 3 m	20
96930315	3 × 4 m	10
96930415	4 × 6 m	5
96930715	5 × 12 m	2

Stretch foils

LDPE
Not pre-stretched
Transparent / black
Rolled on hard cardboard core



Thickness: 0,017 mm

Art.No.	Width	Length	Colour	Sales Unit
96969710	10 cm	150 m	transparent	5
96969510	50 cm	190 m	black	3
96969810	50 cm	190 m	transparent	3

Garbage bags

LDPE with regranulate

25 pcs / rolled

Art.No.	Volume	Material thickness	Quantity	Sales Unit
96950010	120 l	0,040 mm	25 ×	2
96951010	120 l	0,060 mm	25 ×	2
96952510	120 l	0,080 mm	25 ×	2

25 pcs / rolled

Art.No.	Volume	Material thickness	Quantity	Sales Unit
96956510	240 l	0,060 mm	10 ×	10

3 pcs / folded

Art.No.	Volume	Material thickness	Quantity	Sales Unit
96959010	**120 l**	0,090 mm	3 ×	**15**

prep

INDEX

Hand sanders	92
Sanding material	93
Wire brushes and Paint scrapers	95
Putty and Filling knives	96
Wall and Facade spatulas	99
Smoothing trowels	100
Plastering tools	101
Notched trowels	104
Caulking guns	105
Dry construction, Insulation and Tiling tools	106
Bowls and buckets	110
Wallpapering tools	111
Knives and Spare blades	112
Material mixers	114
Personal safety equipment	115

prep®

Surface preparation
and further accessories

HAND SANDERS

Essential for smoothing and preparing surfaces before painting.
Available in various grits for different finishes, ensuring a perfect surface for subsequent layers.

Hand sander
Stabile plastic body
With ergo knob for easy working with less effort
Plastic clip

Art.No.	Dimensions	Sales Unit
93380471	105 × 212 mm	5

Hand sander
Stabile plastic body
With U shaped float handle
With metal clip

Art.No.	Dimensions	Sales Unit
93330010	82 × 228 mm	3

Hand sander
Stabile plastic body
With U shaped float handle
With metal clip

Art.No.	Dimensions	Sales Unit
93330110	100 × 225 mm	5



Hand sander with telescopic pole adapter
Plastic body with a special handle that can be mounted on a telescopic pole – compatible with FIA and FIA-click cones
With metal screw clip

Art.No.	Dimensions	Sales Unit
93340210	82 × 228 mm	3

SANDING MATERIAL

Abrasive materials such as papers, cloths, meshes, and sponges offer a wide range of possibilities for different types of sanding.
The selection of the right type depends on the surface and the desired result.
High-quality abrasives help achieve a smooth and precise finish without unnecessary wear.

Sanding mesh
Silicium carbide grain
Glass fibre mesh
Especially good for gypsum plasters

Art.No.	Dimensions	Grit	Quantity	Sales Unit
93150810	**115 × 280 mm**	P80	5 ×	**10**
93151010	**115 × 280 mm**	P100	5 ×	**10**
93151210	**115 × 280 mm**	P120	5 ×	**10**
93151810	**115 × 280 mm**	P180	5 ×	**10**

Sanding mesh
Silicium carbide grain
Glass fibre mesh
Especially good for gypsum plasters

Art.No.	Dimensions	Grit	Quantity	Sales Unit
93130810	**93 × 280 mm**	P80	5 ×	**10**
93131010	**93 × 280 mm**	P100	5 ×	**10**
93131210	**93 × 280 mm**	P120	5 ×	**10**
93131810	**93 × 280 mm**	P180	5 ×	**10**

Sanding cloth
Alu-oxide
Waterproof
Suitable for universal use and heavy-duty applications

Art.No.	Dimensions	Grit	Sales Unit
93190410	**230 × 280 mm**	P40	**50**
93190610	**230 × 280 mm**	P60	**50**
93190810	**230 × 280 mm**	P80	**50**
93191010	**230 × 280 mm**	P100	**50**
93191210	**230 × 280 mm**	P120	**50**
93191810	**230 × 280 mm**	P180	**50**
93192410	**230 × 280 mm**	P240	**50**

Sanding paper
Alu-oxide
Flexible

Art.No.	Dimensions	Grit	Sales Unit
93218010	**230 × 280 mm**	P180	**50**
93224010	**230 × 280 mm**	P240	**50**

Sanding paper waterproof
Alu-oxide

Art.No.	Dimensions	Grit	Sales Unit
93380010	230 × 280 mm	P800	50
93399910	230 × 280 mm	P1000	50

Sanding paper
Alu-oxide

Art.No.	Dimensions	Grit	Sales Unit
93146010	230 × 280 mm	P60	50
93148010	230 × 280 mm	P80	50
93141210	230 × 280 mm	P120	50
93141810	230 × 280 mm	P180	50
93142410	230 × 280 mm	P240	50

Sanding pad
Alu-oxide
Soft foam body

Art.No.	Dimensions	Grit	Sales Unit
93306310	125 × 100 × 13 mm	P60	5
93306410	125 × 100 × 13 mm	P100	5
93306510	125 × 100 × 13 mm	P220	5

Sanding sponge
Alu-oxide
Medium hard foam body

Art.No.	Dimensions	Grit	Sales Unit
93305110	100 × 70 × 25 mm	P40	5
93305310	100 × 70 × 25 mm	P60	5
93305710	100 × 70 × 25 mm	P80	5
93305410	100 × 70 × 25 mm	P100	5
93305810	100 × 70 × 25 mm	P120	5
93305910	100 × 70 × 25 mm	P150	5
93305510	100 × 70 × 25 mm	P220	5

Sanding sponge contoured
Alu-oxide
Soft foam body
1 × right-angled edge, 1 × rounded edge, 2 × beveled edges

Art.No.	Dimensions	Grit	Sales Unit
93307310	100 × 68 × 26 mm	P80	5
93307510	100 × 68 × 26 mm	P120	5
93307710	100 × 68 × 26 mm	P180	5

WIRE BRUSHES AND PAINT SCRAPERS

Wire brushes and scrapers are designed to remove old layers of paint and dirt.
They allow surfaces to be quickly prepared for a new coat of paint.
When used correctly, they help minimize the risk of damaging the underlying material.

Multi-purpose wire brush
Plastic wire brush with non-slip surface and thumb rest
For rough cleaning of rust and light soiling
Corrugated wire for particularly smooth operation

Art.No.	Dimensions	Sales Unit
93410010	-	10

Wire brush
Steel wires
Plastic handle

Art.No.	Raws quantity	Sales Unit
93420410	4	12

Wire brush
Steel wires
Bended hardwood handle

Art.No.	Raws quantity	Sales Unit
93400610	6	12

Wire brush
Steel wires
Hardwood handle

Art.No.	Raws quantity	Sales Unit
93430510	5	10

De-rusting scraper
Steel blade
With edge and stiff blade riveted to handle

Art.No.	Width	Sales Unit
93440510	50 mm	12

Multipurpose spatula
Chisel ground stainless stiff blade for roller cleaning, wall cleaning, rust removing, nail removing, paint can opening etc.
Ergonomic 2 compound plastic handle
Through tang

Art.No.	Width	Sales Unit
91546010	60 mm	6

Paint scraper
Black steel blade
Plastic handle

Art.No.	Width	Sales Unit
93805010	100 mm	10

PUTTY AND FILLING KNIVES

Spatulas and spreaders are used for applying and spreading sealants, plaster, or adhesives.
They are essential for achieving smooth surfaces during renovation and construction work.
Various sizes and shapes allow for working on both small details and large surfaces.

Putty knife
Semi flexible
Forged steel blade
Double riveted hardwood handle

Art.No.	Width	Sales Unit
91100471	40 mm	10
91100671	60 mm	10
91100871	80 mm	10
91101071	100 mm	10
91101271	120 mm	10

Putty knife
Semi flexible
Rolled stainless steel blade
2K handle with great ergonomy

Art.No.	Width	Sales Unit
91712010	20 mm	12
91714010	40 mm	12
91716010	60 mm	12
91718010	80 mm	12
91719910	100 mm	12
91711210	120 mm	12
91711510	150 mm	12

Putty knife
Flexible
Steel blade
Natural wood handle

Art.No.	Width	Sales Unit
91170210	25 mm	12
91170410	40 mm	12
91170610	60 mm	12
91170810	80 mm	12
91171010	100 mm	12

Putty knife
Flexible
Stainless steel blade
Simple plastic handle

Art.No.	Width	Sales Unit
91090410	40 mm	12
91090610	60 mm	12
91090810	80 mm	12
91091010	100 mm	12

Drywall spatula
Semi flexible stainless steel blade
With PH2 bit
Ergonomic 2 compound plastic handle

Art.No.	Width	Sales Unit
91541510	150 mm	6

prep®



Filling knife set
Stainless steel with plastic handle
4pcs set

Art.No.	Width	Sales Unit
91000471	50/80/100/120 mm	10

Filling knife set
Plastic
4pcs set

Art.No.	Width	Sales Unit
91000171	50/80/100/120 mm	10

Filling knife
Semi flexible with sharp corners
Stainless steel blade
2K handle

Art.No.	Width	Sales Unit
91462071	200 mm	5
91462571	250 mm	5
91463071	300 mm	5

Square filling knife
Semi flexible with sharp corners
Steel blade
Plastic handle

Art.No.	Width	Sales Unit
91021610	160 mm	5
91022010	200 mm	5

WALL AND FACADE SPATULAS

Façade spatulas are sturdy tools designed for working on large surfaces. They help apply and spread materials evenly across building façades and interior walls.
Choosing the right spatula makes the job easier and improves the final surface quality.

Facade spatula AluStar 2.0
Stainless steel blade with thickness 0,3mm, very high flexibility and rounded corners
Ergonomic & light weight aluminium body and handle

Art.No.	Width	Blade thickness	Sales Unit
91490571	580 mm	0,3 mm	2



Facade spatula 3K
Stainless steel blade with round corners
Body made of profiled aluminium
3K handle

Art.No.	Width	Blade thickness	Sales Unit
91342510	250 mm	0,4 mm	5
91344010	400 mm	0,4 mm	5
91346010	600 mm	0,4 mm	1

Facade spatula
Stainless steel blade with sharp corners
Plastic handle

Art.No.	Width	Blade thickness	Sales Unit
91331510	150 mm	-	10
91332510	250 mm	-	10
91333510	350 mm	-	5
91334510	450 mm	-	5
91336010	600 mm	-	5

SMOOTHING TROWELS

Trowels are essential tools for the final finishing of plasters and walls. They ensure even spreading of material and a smooth surface. Ergonomic handles contribute to comfortable handling, even during extended use.

Smoothing trowel
Stainless steel blade
Aluminium support
2K ergonomic handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92121010	**280 × 130 mm**	0,7 mm	**5**

Smoothing trowel
Stainless steel blade
Aluminium support
Hardwood handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92140910	**270 × 130 mm**	0,7 mm	**5**

Smoothing trowel
Stainless steel blade
Plastic support and handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92130510	**270 × 130 mm**	0,7 mm	**5**

Smoothing trowel
ABS blade
Plastic support and handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92110010	**280 × 140 mm**	3 mm	**5**
92110110	**280 × 140 mm**	2 mm	**10**

Smoothing trowel „Venetian style“
Stainless steel blade
Aluminium support
Hardwood handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92140010	**200 × 90 × 80 mm**	0,7 mm	**5**

Swiss trowel
Stainless steel blade
Hardwood support with 7-point riveting
Hardwood handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92150210	480 × 130 mm	0,7 mm	5

Swiss trowel
Stainless steel blade
Plastic support
2K handle

Art.No.	Dimensions	Blade thickness	Sales Unit
92203610	360 × 130 mm	0,7 mm	5
92204810	480 × 130 mm	0,7 mm	5
92206010	600 × 130 mm	0,7 mm	5

PLASTERING TOOLS

Plastering tools allow for precise application of decorative plasters and detailed surface finishing.
They are essential for achieving a professional and highly aesthetic result.
Proper use enables the creation of both textured and smooth surfaces according to current design requirements.

Plasterer's spatula
Stainless steel blade
2K ergonomic handle

Art.No.	Width	Blade thickness	Sales Unit
92172110	80 mm	0,7 mm	5
92172210	100 mm	0,7 mm	5

Plasterer's spatula
Stainless steel blade
Wood handle

Art.No.	Width	Blade thickness	Sales Unit
92170610	60 mm	0,7 mm	10
92170810	80 mm	0,7 mm	10
92171010	100 mm	0,7 mm	10
92171210	120 mm	0,7 mm	10

Plasterer's spatula
Stainless steel blade
2K ergonomic handle

Art.No.	Width	Blade thickness	Sales Unit
92166610	160 mm	1 mm	5

Plasterer's spatula
Stainless steel blade
Wood handle

Art.No.	Width	Blade thickness	Sales Unit
92162410	140 mm	1 mm	5
92162610	160 mm	1 mm	10
92162810	180 mm	1 mm	10

Plasterer's trowel
Steel blade
Wood handle

Art.No.	Width	Blade thickness	Sales Unit
92160310	180 mm	1 mm	6

Plasterer's spatula - rounded end
Stainless steel blade
Wood handle

Art.No.	Width	Blade thickness	Sales Unit
92181910	140 mm	0,7 mm	10

Plasterer's spatula - corner
Stainless steel blade
Wood handle

Art.No.	Dimensions	Blade thickness	Shape	Sales Unit
92180010	80 × 60 × 60 mm	0,7 mm	inside corner	10
92180910	80 × 60 × 60 mm	0,7 mm	outside corner	10

Plastic float PUR
Polyurethane material
For plastering works

Art.No.	Dimensions	Sales Unit
92402610	260 × 140 mm	5
92403210	320 × 180 mm	2
92403610	420 × 220 mm	3

Sponge rubber spreading board
For grouting after tiling with grout

Art.No.	Dimensions	Cover thickness	Sales Unit
92214010	280 × 140 mm	9 mm	5

Plastic float with white felt cover
For wet plasters

Art.No.	Dimensions	Cover thickness	Sales Unit
92313010	280 × 140 mm	10 mm	5

Sponge rubber spreading board
For smoothing and spreading all types of plasters

Art.No.	Dimensions	Cover thickness	Sales Unit
92413010	280 × 140 mm	9 mm	3
92414010	280 × 140 mm	18 mm	5

Plastic float with coarse sponge cover
For rinsing of tiles after grouting

Art.No.	Dimensions	Cover thickness	Sales Unit
92440010	280 × 140 mm	30 mm	3

Hydro sponge spreading board
For cleaning tile surfaces and removing excess grout

Art.No.	Dimensions	Cover thickness	Note	Sales Unit
92254010	280 × 140 mm	30 mm	cutted	5
92253010	280 × 140 mm	30 mm	not-cutted	5

NOTCHED TROWELS

Notched trowels are specialized tools used for applying adhesives and fillers.
Their distinctive shape ensures even distribution of the material.
Different notch sizes allow for adjusting the thickness of the applied layer.

Notched trowel
Stainless steel blade
Wood handle

Art.No.	Dimensions	Blade thickness	Notch size	Sales Unit
94076610	**280 × 130 mm**	0,7 mm	6 × 6 mm	**5**
94076810	**280 × 130 mm**	0,7 mm	8 × 8 mm	**5**
94077010	**280 × 130 mm**	0,7 mm	10 × 10 mm	**5**
94077210	**280 × 130 mm**	0,7 mm	12 × 12 mm	**5**

Notched trowel
Stainless steel blade
Wood handle

Art.No.	Dimensions	Blade thickness	Notch size	Sales Unit
94078310	**480 × 130 mm**	0,7 mm	8 × 8 mm	**5**
94078410	**480 × 130 mm**	0,7 mm	10 × 10 mm	**5**
94078510	**480 × 130 mm**	0,7 mm	12 × 12 mm	**5**

Notched trowel
Stainless steel blade
Plastic handle

Art.No.	Dimensions	Blade thickness	Notch size	Sales Unit
94060410	**270 × 130 mm**	0,7 mm	4 × 4 mm	**5**
94060610	**270 × 130 mm**	0,7 mm	6 × 6 mm	**5**
94060810	**270 × 130 mm**	0,7 mm	8 × 8 mm	**5**
94061010	**270 × 130 mm**	0,7 mm	10 × 10 mm	**5**

CAULKING GUNS

The application of sealants and silicone materials is precise and convenient thanks to a caulking gun.
It simplifies work related to jointing, bonding, and insulation.
Modern models are equipped with a "fly-back" feature to prevent unwanted material discharge.

Half shell caulking gun
Notched push rod
Lacquered steel
For standard cartrige size

Art.No.	Cartrige size	Sales Unit
94102010	310 ml	6

Caulking gun
Robust design with excellent craftsmanship
Lacquered steel
For standard cartrige size

Art.No.	Cartrige size	Sales Unit
94103010	310 ml	6

Caulking gun
Professional gun
Design with "fly-back" protection against unintended material discharge
For standard cartrige size

Art.No.	Cartrige size	Sales Unit
94103410	310 ml	5

Caulking gun
With a special extended handle and "fly-back" protection against unintended material discharge
Lacquered metal
For standard cartrige size

Art.No.	Cartrige size	Sales Unit
94104210	310 ml	3

Caulking gun semi-closed
With dented rod
High quality steel
For standard cartrige size

Art.No.	Cartrige size	Sales Unit
94108010	310 ml	6

Caulking gun
Detachable aluminium body

Art.No.	Cartrige size	Sales Unit
94106310	600 ml	1

PU-foam gun
Suitable for PU foam cartridges
Includes two extension tubes and two nozzles for precise work

Art.No.	Cartrige size	Sales Unit
94109010	-	1

DRY CONSTRUCTION, INSULATION AND TILING TOOLS

Specialized tools for drywall construction, thermal insulation, and tiling enable efficient and high-quality material installation.
They help achieve long-term stability and a professional appearance of structures.

Drywall handsaw
Extra strong, hardened steel blade
Sharpened denting

Art.No.	Dimensions	Sales Unit
92621510	150 mm	3

Styrofoam and drywall plane
Lacquered metal body

Art.No.	Dimensions	Sales Unit
92610010	250 × 40 mm	2



Styrofoam hand sander
Metal rasp sanding surface
Plastic body

Art.No.	Dimensions	Note	Sales Unit
93357210	270 × 130 mm	1K handle	4
93354010	400 × 180 mm	1K handle	2
93359010	380 × 160 mm	2K handle	2

Styrofoam hand sander
Including P16 sanding sheet
HDF body
Plastic handle

Art.No.	Dimensions	Grit	Sales Unit
93383510	350 × 200 mm	P16	3

Styrofoam hand sander
Metal rasp sanding surface
Robust metal body and handle

Art.No.	Dimensions	Sales Unit
93701010	270 × 140 mm	3

Plaster & Cellular concrete grater
Especially for YTONG wall surfaces

Art.No.	Dimensions	Sales Unit
93714510	450 × 85 mm	2

Tile cleaning set
Including bottom grid and 2 cleaning rollers

Art.No.	Volume	Sales Unit
90290110	20 l	1

Jointing trowel
Silicon cover, plastic body
With angle shaped edges

Art.No.	Dimensions	Sales Unit
92192510	100 × 250 mm	5

Spacer wedges
Practical plastic wedges for tilers

Art.No.	Dimensions	Quantity	Sales Unit
90180010	small	100 ×	30
90190010	big	30 ×	30

Spacer crosses
Practical plastic crosses for tilers

Art.No.	Dimensions	Quantity	Sales Unit
90212010	2,0 mm	150 ×	30
90212510	2,5 mm	150 ×	30
90213010	3,0 mm	150 ×	30

Cleaning sponge
Viscose sponge
Suitable for tile cleaning after grouting

Art.No.	Dimensions	Sales Unit
90330010	165 × 110 × 60 mm	10

Cleaning sponge
Viscose
For cleaning dirt during renovation work
Particularly absorbent

Art.No.	Dimensions	Sales Unit
90310010	150 × 100 × 35 mm	5

Cleaning sponge
Synthetic sponge
For cleaning works

Art.No.	Dimensions	Sales Unit
90340010	150 × 100 × 50 mm	10

Plastic sole plates with nails
With 11 hardened nails
For easy and safe walking on wet floor coatings

Art.No.	Suitable for shoe sizes	Nal length	Sales Unit
92650010	41-46	33 mm	1



Pencil set
3pcs set
Ideal for DIYs and professionals at working

Art.No.	Dimensions	Quantity	Sales Unit
98200310	18 cm	3×	10

Tar-bitumen brush
Natural fibre
Heat resistant
With whole for handle/pole

Art.No.	Dimensions	Sales Unit
88022010	67×200 mm	10

Tool trolley
Practical and safe storing of tools
Comfortable retractable handle
Durable wheels

Art.No.	Dimensions	Sales Unit
90990110	59,5×38×42 cm	6

BOWLS AND BUCKETS

Containers for mixing plaster, render, and other building materials are essential for proper preparation of mixtures.
They ensure optimal consistency and easy application.
Durable container materials extend their lifespan and make cleaning after work easier.

Plater bowl
For mixing render and plaster
Made of plastic semi-flexible

Art.No.	Dimensions	Diameter	Sales Unit
94090110	heigh	120 mm	10
94091110	flat	150 mm	10

Plaster pot
Steel body
Wood handle

Art.No.	Dimensions	Sales Unit
92169910	180 mm	5

Plasterer's bucket
Plastic with metal handle

Art.No.	Dimensions	Sales Unit
84829910	12 l	5
84812010	20 l	5

Mortar box
Plastic

Art.No.	Dimensions	Sales Unit
84810410	45 l	3
84810610	60 l	3
84810910	90 l	3

WALLPAPERING TOOLS

Wallpapering tools include rollers, brushes, and pressing spatulas
for precise and convenient wallpaper application.
They help achieve a flawless result without bubbles or unevenness.
High-quality tools minimize the risk of damaging the wallpaper during application.

Plastic press-on spatula flexible
Flexible plastic design
For pressing wallpaper after pasting
Also for use with fiberglass or vinyl wallpaper

Art.No.	Dimensions	Sales Unit
95880010	28 cm	10

Wallpaper & floor scraper
Steel blade
300mm metal body and pole with plastic handle

Art.No.	Dimensions	Sales Unit
93728070	100 × 300 mm	10

Paperhanging brush wood
For pressing wallpaper after pasting
With punched nylon bristle and wooden handle

Art.No.	Dimensions	Sales Unit
95890010	25 × 300 mm	4

Seam roller PU- foam
Soft polyurethane foam
1K plastic handle

Art.No.	Width	Diameter	Sales Unit
95860110	40 mm	35 mm	10

Seam roller conical
Hard foam body
Conical shape
1K plastic handle

Art.No.	Width	Sales Unit
95860010	35 mm	10

Professional wallpaper scissors Optima
Stainless steel blades
ABS handles
Also suitable for left-handers

Art.No.	Dimensions	Sales Unit
95842710	28 cm	12

KNIVES AND SPARE BLADES

Sharp knives and replacement blades are key for precise cutting of various materials.
They are essential for wallpapering, painting, and other tasks.
Choosing the right knife increases work efficiency and reduces effort.

Snap-off knife
Plastic body and ergonomic 2K soft grip
With metal guide and fixing knob
Extra wide blade

Art.No.	Dimensions	Sales Unit
95640010	25 mm	10

Snap-off knife PrepBlack
Plastic body and ergonomic 2K soft grip
With metal guide
With automatic blade fixing and retracting device

Art.No.	Dimensions	Sales Unit
95651571	18 mm	20

Aluminium snap-off knife
Aluminium body
With metal guide
With automatic blade fixing

Art.No.	Dimensions	Sales Unit
95652010	18 mm	24

Snap-off knife
Plastic body and ergonomic 2K soft grip
With metal guide
With automatic blade fixing

Art.No.	Dimensions	Sales Unit
95651071	18 mm	10

Snap-off knife
Plastic body and ergonomic 2K soft grip
With metal guide
With automatic blade fixing

Art.No.	Dimensions	Sales Unit
95651010	18 mm	24

Snap-off knife
Plastic body
With metal guide
With manual blade fixing

Art.No.	Dimensions	Sales Unit
95690010	18 mm	24

Snap-off knife
Plastic body
With manual blade fixing

Art.No.	Dimensions	Sales Unit
95620010	18 mm	48

Replacement blades
10pcs in plastic box
Extra wide & strong

Art.No.	Dimensions	Thickness	Quantity	Sales Unit
95678010	25 mm	0,7 mm	10 ×	10



Replacement blades PrepBlack
10pcs in plastic box
Extra quality for long durability

Art.No.	Dimensions	Thickness	Quantity	Sales Unit
95681871	18 mm	0,4 mm	10 ×	20

Replacement blades
10pcs in plastic box
With Titan-Nitrite layer for heavy duty works

Art.No.	Dimensions	Thickness	Quantity	Sales Unit
95679071	18 mm	0,5 mm	10 ×	10

Replacement blades
10pcs in plastic box

Art.No.	Dimensions	Thickness	Quantity	Sales Unit
95670171	18 mm	0,4 mm	10 ×	10

MATERIAL MIXERS

Paint mixers ensure thorough mixing of coatings and other materials.
Proper consistency is crucial for even application.
A high-quality mixer helps eliminate air bubbles and ensures a homogeneous blend.

Plaster mixer
Especially for gypsum plasters
Zinc plated steel
SDS-Plus system

Art.No.	Dimensions	Max. loading	Sales Unit
94381619	100 × 500 mm	15 kg	6

Plaster mixer
Especially for gypsum plasters
Zinc plated steel

Art.No.	Dimensions	Max. loading	Sales Unit
94381517	100 × 400 mm	15 kg	6

Plaster mixer
Especially for gypsum plasters
Zinc plated steel
SDS-Plus system

Art.No.	Dimensions	Max. loading	Sales Unit
94351519	100 × 500 mm	20 kg	6

Plaster mixer
Especially for gypsum plasters
Zinc plated steel

Art.No.	Dimensions	Max. loading	Sales Unit
94371517	80 × 400 mm	10 kg	6
94372017	100 × 480 mm	20 kg	6

Paint mixer
For paints & low viscosity glues
Lacquered steel

Art.No.	Dimensions	Max. loading	Sales Unit
94301017	60 × 400 mm	10 kg	6
94301517	85 × 400 mm	15 kg	3
94302017	100 × 540 mm	20 kg	3

Paint mixer
For paints & low viscosity glues
Wooden

Art.No.	Dimensions	Sales Unit
94361010	450 mm	25

Paint mixer
For paints & low viscosity glues
Plastic

Art.No.	Dimensions	Sales Unit
94330010	275 mm	10
94334510	430 mm	50

Paint mixer
For paints & low viscosity glues
Stainless steel with soft-touch handle
Including convenient paint can opener

Art.No.	Dimensions	Sales Unit
94312810	280 mm	10



PERSONAL SAFETY EQUIPMENT

Personal protective equipment includes safety gear such as masks, gloves, and goggles for protection during painting and preparatory work.
They are essential for ensuring safety and health in the workplace.
Using high-quality protective items helps prevent injuries and long-term health damage.

Dust mask FFP2
2pcs/pack
With exhalation valve for easy breathing
CE: EN149:2001 + A1:2009

Art.No.	Size	Protection level	Quantity	Sales Unit
98625072	-	FFP2	2×	5

Dust mask FFP1
3pcs/pack
CE: EN149:2001 + A1:2009

Art.No.	Size	Protection level	Quantity	Sales Unit
98614172	-	FFP1	3×	5

Protective goggles
With rubber strap
With ventilation valve
CE: EN166:2001

Art.No.	Sales Unit
98640017	6

Painter's overall
Non-woven PE material
With protective hood
With ankle-, arm-, and waist bands

Art.No.	Size	Sales Unit
98680115	XL	10
98680215	XXL	10

Nitril gloves - GeckoGrip
Secure grip due microfoam coating
Excellent sensitivity
CE cat.2/EN388

Art.No.	Size	Sales Unit
98560110	M / #8	12
98560210	L / #9	12
98560310	XL / #10	12

Nitril gloves - PaintGrip
For works with paints, varnishes etc.
CE cat.2/EN388

Art.No.	Size	Sales Unit
98512210	L / #9	12
98512010	XL / #10	12

Nitril gloves - AquaGrip
Secure grip at works with fluids
Moisture repellent
CE cat.2/EN388

Art.No.	Size	Sales Unit
98570110	M / #8	12
98570210	L / #9	12
98570310	XL / #10	12

Latex gloves - WinterGrip
Secure grip and good tactile sensitivity
Excellent cold protection (acrylic terrycloth)
CE cat.2/EN388

Art.No.	Size	Sales Unit
98590210	L / #9	12
98590310	XL / #10	12

Nitril gloves - TopGrip
Secure grip
Moisture repellent
CE cat.2/EN388

Art.No.	Size	Sales Unit
98530110	M / #8	12
98530210	L / #9	12
98530310	XL / #10	12

Gloves - WorkGrip
For rough works
Cotton lining
CE cat.2/EN388

Art.No.	Size	Sales Unit
98581010	XL / #10	12

Painter's gloves - SensoGrip
Breathable polyester gloves with polyurethane covering
CE cat.2/EN388

Art.No.	Size	Sales Unit
98540210	L / #9	12
98540310	XL / #10	12
98540410	XXL / #11	12

Cotton gloves
Cotton gloves with latex dots for better grip
CE cat.1/EN420

Art.No.	Size	Sales Unit
98551010	XL / #10	12

INDEX

1

15901-301 . . . . . 20/2
15963-301 . . . . . 14/2
17253-301 . . . . . 16/2
17860-301 . . . . . 23/1
17860-301-55 . . . . 23/2
17901-301 . . . . . 20/2
17963-301 . . . . . 14/2

2

204010 . . . . . 61/4
204015 . . . . . 61/4
204020 . . . . . 61/4
204025 . . . . . 61/4
204030 . . . . . 61/4
218166 . . . . . 66/2
218177 . . . . . 66/2
218188 . . . . . 66/2
218189 . . . . . 66/2
218515 . . . . . 66/2
228030 . . . . . 62/1
228040 . . . . . 62/1
228050 . . . . . 62/1
228060 . . . . . 62/1
228070 . . . . . 62/1
228080 . . . . . 62/1
230010 . . . . . 58/5
230015 . . . . . 58/5
230020 . . . . . 58/5
234010 . . . . . 60/2
234015 . . . . . 60/2
234020 . . . . . 60/2
234025 . . . . . 60/2
234030 . . . . . 60/2
234040 . . . . . 60/2
234075 . . . . . 60/2
235010 . . . . . 57/2
235015 . . . . . 57/2
235020 . . . . . 57/2
235025 . . . . . 57/2
235030 . . . . . 57/2
235040 . . . . . 57/2
236010 . . . . . 60/3
236015 . . . . . 60/3
236020 . . . . . 60/3
236025 . . . . . 60/3
236030 . . . . . 60/3
236035 . . . . . 60/3
236040 . . . . . 60/3
236075 . . . . . 60/3
241312 . . . . . 65/3
25060-301 . . . . . 32/1
25233-301 . . . . . 18/1
25253-301 . . . . . 16/3
25530-301 . . . . . 38/1
25580-301 . . . . . 22/1
25590-301 . . . . . 21/2
25695-301 . . . . . 33/2
25960-301 . . . . . 15/3
263535-411 . . . . . 59/2
263550-411 . . . . . 59/2
263560-411 . . . . . 59/2
27060-301 . . . . . 32/1
27233-301 . . . . . 18/1
27233-301-55 . . . . 18/2
27253-301 . . . . . 16/3
27530-301 . . . . . 38/1
27580-301 . . . . . 22/1
27590-301 . . . . . 21/2
27695-301 . . . . . 33/2
27750-301 . . . . . 36/1
27900-301 . . . . . 20/4
27960-301 . . . . . 15/3
293540-411 . . . . . 60/1

3

325010 . . . . . 57/1
325015 . . . . . 57/1
325020 . . . . . 57/1
325025 . . . . . 57/1
325030 . . . . . 57/1
325040 . . . . . 57/1
358050-411 . . . . . 58/1
358060-411 . . . . . 58/1
358075-411 . . . . . 58/1
37901-301 . . . . . 20/1
37963-301-01 . . . . 14/1
38060-301 . . . . . 32/1
384010 . . . . . 61/1
384015 . . . . . 61/1
384020 . . . . . 61/1
384025 . . . . . 61/1
384030 . . . . . 61/1
384035 . . . . . 61/1
384040 . . . . . 61/1

4

40060-306 . . . . . 32/2
40233-306 . . . . . 18/3
40233-306-56 . . . . 18/4
40530-306-01 . . . . 38/2
40580-306 . . . . . 22/2
40695-306 . . . . . 33/3
40750-306 . . . . . 36/2
40895-301-55 . . . . 33/4
40900-306 . . . . . 21/1
40960-306 . . . . . 15/4
423550-411 . . . . . 59/3
423575-411 . . . . . 59/3
45233-301 . . . . . 18/3
45530-306-01 . . . . 38/2
45960-301 . . . . . 15/4
462820-411 . . . . . 62/2
462830-411 . . . . . 62/2
462840-411 . . . . . 62/2
462850-411 . . . . . 62/2
462860-411 . . . . . 62/2
462870-411 . . . . . 62/2
462880-411 . . . . . 62/2
462899-411 . . . . . 62/2
463530-411 . . . . . 59/1
463540-411 . . . . . 59/1
463550-411 . . . . . 59/1
463560-411 . . . . . 59/1
463580-411 . . . . . 59/1
465030-411 . . . . . 56/1
465050-411 . . . . . 56/1
466050-411 . . . . . 56/2
466080-411 . . . . . 56/2

5

50060-306-01 . . . . 32/3
50233-306-01 . . . . 19/1
50233-306-04 . . . . 19/1
50233-306-55 . . . . 19/2
50300-306-01 . . . . 41/1
50300-306-10 . . . . 41/1
50300-306-56 . . . . 41/3
50309-306-01 . . . . 41/2
50400-306-01 . . . . 40/2
50409-306-01 . . . . 40/3
50469-306-01 . . . . 40/1
50490-306-01 . . . . 39/2
50498-306-01 . . . . 39/3
50499-306-01 . . . . 39/1
50530-306-01 . . . . 38/3
50580-306-01 . . . . 22/3
50590-306-01 . . . . 21/3
50695-306-01 . . . . 34/1
50695-306-04 . . . . 34/1
50695-306-55 . . . . 34/2
50750-306-01 . . . . 36/3
50750-306-55 . . . . 36/4
50960-306-01 . . . . 16/1
532510-411 . . . . . 65/1
533510-411 . . . . . 59/4
535310-411 . . . . . 57/3
536010-411 . . . . . 56/3
55233-306-01 . . . . 19/1
55498-306-01 . . . . 39/3
55530-306-01 . . . . 38/3
55960-306-01 . . . . 16/1

6

60253-301 . . . . . 17/3
60300-306-01 . . . . 41/1
60300-306-20 . . . . 41/1
60400-306-04 . . . . 40/2
60490-306-01 . . . . 39/2
60963-301 . . . . . 15/2
61253-301 . . . . . 17/3
65233-306-04 . . . . 19/1
65530-306-04 . . . . 38/3

7

70300-306-01 . . . . 41/1
77253-301 . . . . . 17/1
77590-301-55 . . . . 21/4
77695-301 . . . . . 33/1
77900-301 . . . . . 20/3
77963-301 . . . . . 14/3

81

81123010 . . . . . 61/2
81124010 . . . . . 61/2
81125010 . . . . . 61/2
81126010 . . . . . 61/2
81128010 . . . . . 61/2
81129910 . . . . . 61/2
81202510 . . . . . 62/3
81203510 . . . . . 62/3
81205010 . . . . . 62/3
81206010 . . . . . 62/3
81207510 . . . . . 62/3
81209910 . . . . . 62/3
81262010 . . . . . 63/1
81262510 . . . . . 63/1
81263510 . . . . . 63/1
81265010 . . . . . 63/1
81266010 . . . . . 63/1
81267510 . . . . . 63/1
81269910 . . . . . 63/1
81313019 . . . . . 61/3
81314019 . . . . . 61/3
81315019 . . . . . 61/3
81317019 . . . . . 61/3
81319919 . . . . . 61/3
81623010 . . . . . 64/1
81624010 . . . . . 64/1
81625010 . . . . . 64/1
81626010 . . . . . 64/1
81627010 . . . . . 64/1
81663510 . . . . . 64/4
81665010 . . . . . 64/4
81666010 . . . . . 64/4
81667510 . . . . . 64/4
81685010 . . . . . 64/2
81802510 . . . . . 64/3
81804010 . . . . . 64/3
81805010 . . . . . 64/3
81806510 . . . . . 64/3
81807610 . . . . . 64/3

82

82591010 . . . . . 58/3
82591210 . . . . . 58/3
82591410 . . . . . 58/3
82600810 . . . . . 58/4
82601210 . . . . . 58/4
82601610 . . . . . 58/4
82602010 . . . . . 58/4
82630815 . . . . . 63/2
82670315 . . . . . 63/3
82750810 . . . . . 58/2
82751210 . . . . . 58/2

83

83680710 . . . . . 65/2
83681010 . . . . . 65/2
83681210 . . . . . 65/2
83681410 . . . . . 65/2
83681510 . . . . . 65/2
83800710 . . . . . 67/1
83827610 . . . . . 67/2
83850810 . . . . . 66/1
83851010 . . . . . 66/1
83851210 . . . . . 66/1
83854010 . . . . . 67/3
83867519 . . . . . 66/4
83877019 . . . . . 66/3

84

84151810 . . . . . 29/1
84152510 . . . . . 29/1
84141810 . . . . . 29/2
84142510 . . . . . 29/2
84201910 . . . . . 43/1
84202510 . . . . . 43/1
84321810 . . . . . 31/1
84322510 . . . . . 31/1
84345010 . . . . . 31/1
84421810 . . . . . 28/2
84422510 . . . . . 28/2
84427510 . . . . . 28/3
84471810 . . . . . 24/3
84472410 . . . . . 24/4
84472510 . . . . . 24/3
84472610 . . . . . 24/2
84481910 . . . . . 27/3
84482610 . . . . . 27/3
84491810 . . . . . 28/1
84492510 . . . . . 28/1
84502510 . . . . . 26/2
84512510 . . . . . 26/1
84522510 . . . . . 26/4
84538715 . . . . . 27/1
84538915 . . . . . 26/3
84582619 . . . . . 35/1
84582719 . . . . . 35/2
84587519 . . . . . 35/3
84800810 . . . . . 49/3
84801310 . . . . . 49/3
84801410 . . . . . 48/1
84802610 . . . . . 48/1
84802810 . . . . . 48/1
84803010 . . . . . 47/3
84810410 . . . . . 110/4
84810610 . . . . . 110/4
84810910 . . . . . 110/4
84812010 . . . . . 110/3
84815-302 . . . . . 47/4
84820810 . . . . . 49/2
84821410 . . . . . 49/2
84821710 . . . . . 49/2
84824410 . . . . . 49/2
84826-302 . . . . . 47/4
84829910 . . . . . 110/3
84832-302 . . . . . 47/4
84832710 . . . . . 47/1
84835110 . . . . . 49/1
84835210 . . . . . 48/2
84838010 . . . . . 48/3
84901310 . . . . . 50/4
84903010 . . . . . 50/4
84911310 . . . . . 50/4
84912010 . . . . . 50/4
84912010 . . . . . 50/4
84913010 . . . . . 50/4
84920010 . . . . . 50/3
84927-302 . . . . . 47/2
84930010 . . . . . 50/3
84962210 . . . . . 50/2
84966210 . . . . . 50/1

85

85056110 . . . . . 46/3
85253-302 . . . . . 45/2
85353-302 . . . . . 45/2
85453-302 . . . . . 45/3
85553-302 . . . . . 45/3
85653-302 . . . . . 45/3
85753-302 . . . . . 45/3
85852610 . . . . . 40/4
85882510 . . . . . 42/3
85903115 . . . . . 27/2
85913510 . . . . . 29/3
85913710 . . . . . 29/3
85953515 . . . . . 27/4
85953715 . . . . . 27/4

86

86153-302 . . . . . 46/1
86253-302 . . . . . 46/1
86340610 . . . . . 31/3
86340910 . . . . . 31/3
86341010 . . . . . 31/4
86341210 . . . . . 31/2
86341510 . . . . . 31/3
86341910 . . . . . 31/3
86343010 . . . . . 31/2
86353-302 . . . . . 46/2
86410910 . . . . . 25/2
86413010 . . . . . 25/3
86413910 . . . . . 25/1
86414610 . . . . . 25/3
86453-302 . . . . . 46/2
86581010 . . . . . 35/4
86591010 . . . . . 24/1
86653-302 . . . . . 46/2
86791010 . . . . . 42/4
86831119 . . . . . 43/2
86831210 . . . . . 43/2
86831310 . . . . . 43/2
86912115 . . . . . 42/2
86912315 . . . . . 42/1
86913515 . . . . . 41/4
86914115 . . . . . 41/4
86914715 . . . . . 39/4

87

87353-302 . . . . . 45/1
87753-302 . . . . . 46/2
87963-301 . . . . . 15/1

88

88022010 . . . . . 109/3

90

900000009 . . . . . 63/4
90180010 . . . . . 108/2
90190010 . . . . . 108/2
90212010 . . . . . 108/3
90212510 . . . . . 108/3
90213010 . . . . . 108/3
90290110 . . . . . 107/5
90310010 . . . . . 108/5
90330010 . . . . . 108/4

INDEX

90340010 . . . . . 108/6
90990110 . . . . . 109/4

91

91000171 . . . . . 98/2
91000471 . . . . . 98/1
91021610 . . . . . 98/4
91022010 . . . . . 98/4
91090410 . . . . . 97/3
91090610 . . . . . 97/3
91090810 . . . . . 97/3
91091010 . . . . . 97/3
91100471 . . . . . 96/3
91100671 . . . . . 96/3
91100871 . . . . . 96/3
91101071 . . . . . 96/3
91101271 . . . . . 96/3
91170210 . . . . . 97/2
91170410 . . . . . 97/2
91170610 . . . . . 97/2
91170810 . . . . . 97/2
91171010 . . . . . 97/2
91331510 . . . . . 99/3
91332510 . . . . . 99/3
91333510 . . . . . 99/3
91334510 . . . . . 99/3
91336010 . . . . . 99/3
91342510 . . . . . 99/2
91344010 . . . . . 99/2
91346010 . . . . . 99/2
91462071 . . . . . 98/3
91462571 . . . . . 98/3
91463071 . . . . . 98/3
91490571 . . . . . 99/1
91541510 . . . . . 97/4
91546010 . . . . . 96/1
91711210 . . . . . 97/1
91711510 . . . . . 97/1
91712010 . . . . . 97/1
91714010 . . . . . 97/1
91716010 . . . . . 97/1
91718010 . . . . . 97/1
91719910 . . . . . 97/1

92

92110010 . . . . . 100/4
92110110 . . . . . 100/4
92121010 . . . . . 100/1
92130510 . . . . . 100/3
92140010 . . . . . 100/5
92140910 . . . . . 100/2
92150210 . . . . . 101/1
92160310 . . . . . 102/3
92162410 . . . . . 102/2
92162610 . . . . . 102/2
92162810 . . . . . 102/2
92166610 . . . . . 102/1
92169910 . . . . . 110/2
92170610 . . . . . 101/4
92170810 . . . . . 101/4
92171010 . . . . . 101/4
92171210 . . . . . 101/4
92172110 . . . . . 101/3
92172210 . . . . . 101/3
92180010 . . . . . 102/5
92180910 . . . . . 102/5
92181910 . . . . . 102/4
92192510 . . . . . 108/1
92203610 . . . . . 101/2
92204810 . . . . . 101/2
92206010 . . . . . 101/2
92214010 . . . . . 103/2
92253010 . . . . . 103/6
92254010 . . . . . 103/6
92313010 . . . . . 103/3
92402610 . . . . . 103/1
92403210 . . . . . 103/1
92403610 . . . . . 103/1
92413010 . . . . . 103/4
92414010 . . . . . 103/4
92440010 . . . . . 103/5
92610010 . . . . . 106/4
92621510 . . . . . 106/3
92650010 . . . . . 109/1

93

93130810 . . . . . 93/2
93131010 . . . . . 93/2
93131210 . . . . . 93/2
93131810 . . . . . 93/2
93141210 . . . . . 94/2
93141810 . . . . . 94/2
93142410 . . . . . 94/2
93146010 . . . . . 94/2
93148010 . . . . . 94/2
93150810 . . . . . 93/1
93151010 . . . . . 93/1
93151210 . . . . . 93/1
93151810 . . . . . 93/1
93190410 . . . . . 93/3
93190610 . . . . . 93/3
93190810 . . . . . 93/3
93191010 . . . . . 93/3
93191210 . . . . . 93/3
93191810 . . . . . 93/3
93192410 . . . . . 93/3
93218010 . . . . . 93/4
93224010 . . . . . 93/4
93305110 . . . . . 94/4
93305310 . . . . . 94/4
93305410 . . . . . 94/4
93305510 . . . . . 94/4
93305710 . . . . . 94/4
93305810 . . . . . 94/4
93305910 . . . . . 94/4
93306310 . . . . . 94/3
93306410 . . . . . 94/3
93306510 . . . . . 94/3
93307310 . . . . . 94/5
93307510 . . . . . 94/5
93307710 . . . . . 94/5
93330010 . . . . . 92/2
93330110 . . . . . 92/3
93340210 . . . . . 92/4
93354010 . . . . . 107/1
93357210 . . . . . 107/1
93359010 . . . . . 107/1
93380010 . . . . . 94/1
93380471 . . . . . 92/1
93383510 . . . . . 107/2
93399910 . . . . . 94/1
93400610 . . . . . 95/3
93410010 . . . . . 95/1
93420410 . . . . . 95/2
93430510 . . . . . 95/4
93440510 . . . . . 95/5
93701010 . . . . . 107/3
93714510 . . . . . 107/4
93728070 . . . . . 111/2
93805010 . . . . . 96/2
93860-301 . . . . . 23/4

94

94060410 . . . . . 104/3
94060610 . . . . . 104/3
94060810 . . . . . 104/3
94061010 . . . . . 104/3
94076610 . . . . . 104/1
94076810 . . . . . 104/1
94077010 . . . . . 104/1
94077210 . . . . . 104/1
94078310 . . . . . 104/2
94078410 . . . . . 104/2
94078510 . . . . . 104/2
94090110 . . . . . 110/1
94091110 . . . . . 110/1
94102010 . . . . . 105/1
94103010 . . . . . 105/2
94103410 . . . . . 105/3
94104210 . . . . . 105/4
94106310 . . . . . 106/1
94108010 . . . . . 105/5
94109010 . . . . . 106/2
94260315 . . . . . 86/2
94260515 . . . . . 86/2
94261015 . . . . . 86/2
94261115 . . . . . 86/2
94262215 . . . . . 86/2
94262470 . . . . . 86/1
94262615 . . . . . 86/2
94264970 . . . . . 86/1
94265115 . . . . . 86/2
94301017 . . . . . 114/5
94301517 . . . . . 114/5
94302017 . . . . . 114/5
94312810 . . . . . 115/3
94330010 . . . . . 115/2
94334510 . . . . . 115/2
94351519 . . . . . 114/3
94361010 . . . . . 115/1
94371517 . . . . . 114/4
94372017 . . . . . 114/4
94381517 . . . . . 114/2
94381619 . . . . . 114/1

95

95620010 . . . . . 113/2
95640010 . . . . . 112/1
95651010 . . . . . 112/5
95651071 . . . . . 112/4
95651571 . . . . . 112/2
95652010 . . . . . 112/3
95670171 . . . . . 113/6
95678010 . . . . . 113/3
95679071 . . . . . 113/5
95681871 . . . . . 113/4
95690010 . . . . . 113/1
95842710 . . . . . 111/6
95860010 . . . . . 111/5
95860110 . . . . . 111/4
95860-301 . . . . . 23/3
95880010 . . . . . 111/1
95890010 . . . . . 111/3

96

96000310 . . . . . 74/1
96000410 . . . . . 74/1
96000510 . . . . . 74/1
96001976 . . . . . 73/1
96002576 . . . . . 73/1
96003076 . . . . . 73/1
96003876 . . . . . 73/1
96004110 . . . . . 74/1
96004210 . . . . . 74/1
96004310 . . . . . 74/1
96004410 . . . . . 74/1
96004510 . . . . . 74/1
96005076 . . . . . 73/1
96022076 . . . . . 72/2
96022676 . . . . . 72/2
96023176 . . . . . 72/2
96023976 . . . . . 72/2
96025176 . . . . . 72/2
96045010 . . . . . 72/1
96049110 . . . . . 72/1
96049210 . . . . . 72/1
96049310 . . . . . 72/1
96049410 . . . . . 72/1
96052476 . . . . . 71/1
96052976 . . . . . 71/1
96053776 . . . . . 71/1
96054976 . . . . . 71/1
96073176 . . . . . 70/1
96074076 . . . . . 70/1
96075276 . . . . . 70/1
96092676 . . . . . 70/2
96103876 . . . . . 77/1
96105076 . . . . . 77/1
96113076 . . . . . 77/2
96115076 . . . . . 77/2
96135076 . . . . . 77/3
96153076 . . . . . 76/3
96184476 . . . . . 75/1
96195076 . . . . . 82/1
96214810 . . . . . 82/2
96215019 . . . . . 82/2
96223876 . . . . . 76/1
96225076 . . . . . 76/1
96233276 . . . . . 70/3
96234076 . . . . . 70/3
96235276 . . . . . 70/3
96263819 . . . . . 75/3
96264919 . . . . . 75/3
96265019 . . . . . 75/3
96312010 . . . . . 80/2
96312310 . . . . . 80/2
96314010 . . . . . 80/2
96314510 . . . . . 80/2
96315010 . . . . . 80/2
96325010 . . . . . 80/3
96404810 . . . . . 79/2
96405010 . . . . . 79/2
96405110 . . . . . 79/2
96415010 . . . . . 79/1
96442519 . . . . . 81/1
96451919 . . . . . 80/1
96465019 . . . . . 81/2
96485019 . . . . . 81/3
96504810 . . . . . 82/3
96514810 . . . . . 82/3
96530010 . . . . . 79/3
96691010 . . . . . 73/3
96691810 . . . . . 73/3
96693010 . . . . . 73/3
96711010 . . . . . 73/3
96711810 . . . . . 73/3
96713010 . . . . . 73/3
96735576 . . . . . 75/2
96741176 . . . . . 76/2
96741476 . . . . . 76/2
96741876 . . . . . 76/2
96742176 . . . . . 76/2
96742476 . . . . . 76/2
96742776 . . . . . 76/2
96745576 . . . . . 76/2
96785076 . . . . . 71/2
96786076 . . . . . 71/2
96787076 . . . . . 71/2
96788076 . . . . . 71/2
96805676 . . . . . 73/2
96811076 . . . . . 73/2
96814076 . . . . . 73/2
96821076 . . . . . 73/2
96827076 . . . . . 73/2
96890310 . . . . . 83/5
96901010 . . . . . 85/1
96901610 . . . . . 85/1
96902110 . . . . . 84/4
96905010 . . . . . 85/1
96907010 . . . . . 85/1
96910010 . . . . . 84/3
96919010 . . . . . 83/3
96919210 . . . . . 83/1
96921210 . . . . . 83/3
96922010 . . . . . 83/4
96927510 . . . . . 83/2
96930215 . . . . . 87/2
96930315 . . . . . 87/2
96930415 . . . . . 87/2
96930615 . . . . . 87/2
96930715 . . . . . 87/2
96940510 . . . . . 84/3
96941210 . . . . . 84/3
96941810 . . . . . 84/2
96945010 . . . . . 84/1
96946010 . . . . . 84/1
96950010 . . . . . 88/2
96951010 . . . . . 88/2
96952510 . . . . . 88/2
96956510 . . . . . 88/3
96957071 . . . . . 78/3
96959010 . . . . . 89/1
96962215 . . . . . 87/1
96963510 . . . . . 83/5
96969510 . . . . . 88/1
96969710 . . . . . 88/1
96969810 . . . . . 88/1
96972510 . . . . . 78/1
96975010 . . . . . 78/1
96979910 . . . . . 78/1
96989910 . . . . . 78/2
96991519 . . . . . 85/3
96992519 . . . . . 85/3
96999815 . . . . . 85/2
96999915 . . . . . 85/2

97

97054110 . . . . . 71/3
97054210 . . . . . 71/3
97054310 . . . . . 71/3
97054510 . . . . . 71/3
97253-301-55 . . . . 17/2
97860-301 . . . . . 23/3
97963-301 . . . . . 14/4

98

98200310 . . . . . 109/2
98512010 . . . . . 116/4
98512210 . . . . . 116/4
98530110 . . . . . 117/2
98530210 . . . . . 117/2
98530310 . . . . . 117/2
98540210 . . . . . 117/4
98540310 . . . . . 117/4
98540410 . . . . . 117/4
98551010 . . . . . 117/5
98560110 . . . . . 116/3
98560210 . . . . . 116/3
98560310 . . . . . 116/3
98570110 . . . . . 116/5
98570210 . . . . . 116/5
98570310 . . . . . 116/5
98581010 . . . . . 117/3
98590210 . . . . . 117/1
98590310 . . . . . 117/1
98614172 . . . . . 115/5
98625072 . . . . . 115/4
98640017 . . . . . 116/1
98680115 . . . . . 116/2
98680215 . . . . . 116/2

WELL ADVISED.
WELL TAKEN CARE OF.

We are there for you nationwide. All our trade locations are personally advised and cared for. Our POS service also includes setup and instruction by our qualified field service experts.

Rota, Kana, Masq, Prep
Profesionální malířské nářadí

Ciret s. r. o.
K Silu 2487
393 01 Pelhřimov
Česká republika

Tel.: +420 565 327 582
info@ciret.cz
www.rkmp.de

Member of Storch-Ciret Group
www.ciret.eu