TJEP fastening systems

PRODUCT CATALOGUE

APRIL 2021



7 34° Framing Nailers

13 Anchor Nailers

19 21° Framing Nailer

25 High pressure

35 Coil Nailers

49 Haften Nailers

53 Corrugated Nailers

55 Concrete Nailers

59 Brad and finish nailers

73 Staplers

89 C-ringers

93 Accessories & Fuel cell

97 Compressors

109 Re-bar Binders

113 Re-bar Cutter

119 Service & Repairs

121 Conversion table

www.tjep.eu

KYOCERA



A GLOBAL COLLABORATION PARTNER

About Kyocera Unimerco

Kyocera Unimerco is a global manufacturer, distributor and service company.

The group includes a Tooling Division, which deals with consultancy and sales of tool solutions for machining and measurement and checking tools for the manufacturing industry, and a Fastening Division, which supplies a wide range of standard nailers, brad nailers and fastener nailers and accessories and attachment items for the construction industry.

More than 50 years of experience

The Danish company was founded in 1964 under the name UNIMERCO and its head office is in Sunds, near Herning.

In 2011, all activities were taken over by the Japanese company KYOCERA. This has created an even stronger company with an expanded product range, a wide network of companies and dealers throughout the world, and an ambitious growth plan.

The KYOCERA Corporation comprises more than 200 companies, 70.000 employees and generates sales of approximately DKK 80 billion.

OVERVIEW OF SYMBOLS

2	Supplied with 2 batteries	1	Supplied in a plastic case		Also available as chisel-diverted
1	Supplied with TJEP battery charger	1	Supplied in a cardboard box		TJEP fuel cell, yellow, 78 mm
2	Supplied with 2 rolls TJEP wire		Full head		TJEP fuel cell, orange, 165 mm
2	Leveres med 2 TJEP blades		D-head	-15°	TJEP fuel cell, red, 165 mm. Full function down to -15°C
2	Supplied with extra handle		Oil compressor	-15°	TJEP fuel cell, green, 165 mm. Full function down to -15°C
			Oil free compressor	-15°	TJEP fuel cell, purple, 165 mm. Full function down to -15°C

TJEP®

fastening systems



HIGH PRESSURE

Lightweight and compact tools for optimal ergonomics



NAILERS

Wide range of compressed air and gas-operated nailers



COMPRESSORS

Wide range for work applications both large and small



FASTENERS

Wide range for all areas of work



RE-BAR BINDERS

Effective and accurate for tying rebar and underfloor heating tubes



SERVICE

Professional service workshop with short turnaround times

THE CRAFTMAN'S PROFESSIONAL PARTNER

Scandinavia's widest selection of nailers

TJEP is the name of Scandinavia's largest range of fastening products. A complete range with standard nailers, coil nailers, brad nailers, fasteners and compressors for the professional workman.

TJEP has more than 50 years of experience with providing advice about, selling and servicing quality tools for the professional workman.

A complete range – of fasteners also

TJEP has a complete range of fasteners (nails, staplers, finish and brad nails) for TJEP nailers and for a wide range of the most widely used brands, such as Paslode, Duo-Fast, Senco, MAX etc.

Compressors and accessories

The range also includes a large number of high-quality compressors and accessories adapted to the needs of the various Pneumatic Nailers.

Re-bar binders and wire

The range also includes TJEP re-bar binders, wire and accessories that are well-suited to the tying of both rebar and underfloor heating pipes etc.

Details that make all the difference

We firmly believe that it is worth doing things properly and going the extra mile. That's why the cornerstones of our company's philosophy are high quality, professional advice and good customer service.

Contact

Monday - Thursday 07.00 am - 04.30 pm, Friday 07.00 am - 03.00 pm.
Telephone +45 9714 1440.

Read more at www.tjep.eu



3G NEW GENERATION OF TJEP GAS-TOOLS



TJEP GRF 34/90 GAS 3G



TJEP KA 4060 GAS 3G



TJEP HA-35 GAS 3G HAFTEN



TJEP ST-15/50 GAS 3G



TJEP CP-40 GAS 3G



TJEP TF-18/50 GAS 3G



TJEP VF-16/64 GAS 3G



TJEP TF-16/64 GAS 3G



TJEP AB-15/64 GAS 3G



TJEP PQZ-75 GAS 3G



TJEP FS-40 GAS 3G



TJEP PZ-16/50 GAS 3G

BATTERY POWERED

TJEP ROD CUTTER

Powerful rod cutters that can cut off re-bars flush with the concrete surface with minimal sparking. Also ideal for threaded rods and pipes as it does not leave any burrs. The machines are available as maximum 20 mm and 30 mm with accompanying blades.



BATTERY POWERED

TJEP C-RINGER

Fast and easy assembly of wire fencing and netting with these new battery-powered C-ringers. They are brilliantly balanced and can also be used for assembling mattresses, car seats and animal cages.





LATEST GENERATION OF SILENT COMPRESSORS

TJEP is now launching a brand-new compressor series that is definitely one of the quietest on the market. These silent compressors enable builders to start their workday earlier or finish later as the noise is far less bothersome to neighbours and passers-by. In addition, a silent compressor helps improve the working environment, particularly for construction projects where acoustics are often poor. A silent TJEP compressor minimises discomforts such as headache and fatigue compared to working involving conventional compressors.

The new compressor series includes compressors for every purpose, from the smallest 0.5 HP compressor with a 3.8-litre tank all the way up to a 3 HP compressor with a 50-litre tank. The smaller compressors are particularly well-suited for small tasks that don't require big tank capacity and wherever brad nailers, finish nailers and small staplers are used. For bigger tasks, the medium-sized or large compressors must be used, as their higher output, tank capacity and working pressure enable the use of big pneumatic nailers, and often up to two at the same time.

The TJEP Silent Series is characterised by the sound of silence from oil-free compressors with the familiar high level of TJEP quality that ensures builders trouble-free use. You can recognise the TJEP Silent Series by the Silent logo. Read more about the TJEP Silent compressor series from page xxx.



34° FRAMING NAILERS

NAILERS

8 TJEP GRF 34/90 GAS 3G

8 TJEP GRF 34/100 Excellent GAS

9 TJEP GRF 34/100 Excellent

10 TJEP GRF 34/90 LW

10 TJEP GRF 34/105

FASTENERS

11 TJEP GF 34° Strip Nails

12 TJEP GR 34° Strip Nails





TJEP GRF 34/90 GAS 3G



34°
L: 50-90 mm
Ø: 2.8-3.1 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Great balance
2. Adjustable depth control
3. Rubber pad – anti-skid
4. Rafter/belt hook
5. Li-ion battery – approx. 8000 shots per charge
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100205
EAN no.	5702551002056
Nail length	50-90 mm (50-80 mm ring nails)
Size (L×W×H)	381×108×377 mm
Weight	3.68 kg
Price	**€ 577.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Decra safety bracket	100849	**106.00**
Driver unit	875735	**64.30**
Flooring nose piece	100846	**69.95**
Lockring for No-mark	876679	**0.74**
No-mark	876677	**2.83**
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Battens, Chipboard, Decra roofing, Eaves, Fascia boards - wood, Hardieplank, Plywood, Raftering, Shuttering, Solid floors.

TJEP GRF 34/100 EXCELLENT GAS



34°
L: 63-100 mm
Ø: 2.8-3.3 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Great balance
2. Li-ion battery – approx. 8000 shots per charge
3. Battery indicator
4. Adjustable depth control
5. Belt hook
6. No-mark nose

SPECIFICATIONS

Item no.	100200
EAN no.	5702551002001
Nail length	63-100 mm
Size (L×W×H)	347×120×401 mm
Weight	4.10 kg
Price	**€ 793.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Driver unit	877857	**86.80**
No-mark	877867	**2.29**
Piston ring	876509	**6.75**
TJEP fuel cell, purple ring	100864	**13.70**

See additional accessories at p. 93

USED FOR

Battens, Chipboard, Laths, Plywood, Raftering, Shuttering.



TJEP GRF 34/100 EXCELLENT



34°
L: 50-100 mm
Ø: 2.8-3.8 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Compact design
2. Great balance
3. Adjustable air exhaust
4. Adjustable depth control
5. Single shot and bump fire
6. No-mark nose

SPECIFICATIONS

Item no.	100030
EAN no.	5702551000304
Nail length	50-100 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	449×141×364 mm
Weight	3.54 kg
Price	**€ 460.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	874017	**61.70**
Flooring nose piece	872198	**45.70**
Spare parts set	871063	**17.80**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Board, Chipboard, Eaves, Eaves board, Fascia boards - wood, Hardieplank, Laths, Outside siding, Plywood, Raftering, Shuttering.



Framing nailer from TJEP in exclusive black design!

The framing nailer is very powerful and can be used for most tasks. Perfect for raftering, roof battening, laths, boarding, flooring, siding etc.



TJEP GRF 34/90 LW



34°
L: 50-90 mm
Ø: 2.8-3.3 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Compact design
2. Light and handy – only 3.3 kg
3. Single shot and bump fire
4. Adjustable depth control
5. Adjustable air exhaust
6. No-mark nose

SPECIFICATIONS

Item no.	100099
EAN no.	5702551000991
Nail length	50-90 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	480×121×340 mm
Weight	3.30 kg
Price	**€ 325.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876390	**78.30**
Lockring for No-mark	874763	**0.74**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood, Hardieplank, Plywood, Raftering, Shuttering.

TJEP GRF 34/105



34°
L: 50-100 mm
Ø: 2.8-3.4 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Rear two-step loading
2. Adjustable air exhaust
3. Non-slip grip / less hand fatigue
4. Adjustable depth control
5. Single shot / bump fire
6. No-mark nose

SPECIFICATIONS

Item no.	100086
EAN no.	5702551000861
Nail length	50-100 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	474×112×368 mm
Weight	3.79 kg
Price	**€ 428.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	877326	**85.90**
Lockring for No-mark	874763	**0.74**
No-mark	874762	**5.90**
Sparepart kit for GRF 34/105	871135	**14.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood, Hardieplank, Laths, Plywood, Raftering, Shuttering, Valley gutters.



TJEP GF 34° STRIP NAILS

WILL FIT

TJEP	GN 100, GRF 34/90 GAS, GRF 34/90 LW, GRF 34/90, GRF 34/100 Excellent, GRF 34/100 Excellent GAS, GRF 34/100 HP, GRF 34/100 HP L, GRF 34/100, GRF 34/105 GAS, GRF 34/105, GRF 100 Compact XP

Other brands: See the Conversion table at p. 121

GF RING NAILS, FULL HEAD, HANDYBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 28/50*	833050	1,200	120	30.83	**37.00**
GF 28/63	833063	1,200	120	36.67	**44.00**
GF 28/75	833075	810	120	41.36	**33.50**
GF 31/90*	833090	810	120	55.56	**45.00**
GF 31/98	833098	810	120	61.73	**50.00**
GF 31/63	833364	1,200	120	154.17	**185.00**
GF 31/80	833381	810	120	185.19	**150.00**
GF 31/98	833398	810	120	238.27	**193.00**

**Not Recommended for GRF 34/90 GAS*

GF SMOOTH NAILS, FULL HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 31/90	833187	2,000	60	36.00	**72.00**

GF RING NAILS, FULL HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 28/63	833163	3,000	60	25.17	**75.50**
GF 28/75	833175	2,500	60	27.80	**69.50**
GF 28/80	833180	2,500	60	29.20	**73.00**
GF 31/80	833179	2,000	60	35.25	**70.50**
GF 31/90*	833189	2,000	60	36.00	**72.00**

**Not Recommended for GRF 34/90 GAS*

GF TWISTED NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 42/160*	833160	600	60	118.33	**71.00**

**Recommended only for Paslode 6625/160 framing nailer*

DE RING NAILS, DECRA, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
DE 25/50, black*	833051	1,200	120	57.08	**68.50**

**Recommended only for GRF 34/90 GAS with a DECRA safety bracket*

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

GALV. · GALV. 12µ+ · HDG · STAINLESS A4



TJEP GR 34° STRIP NAILS

WILL FIT

TJEP	GN 100, GRF 34/90 GAS, GRF 34/90 LW, GRF 34/90, GRF 34/100 Excellent, GRF 34/100 Excellent GAS, GRF 34/100 HP, GRF 34/100 HP L, GRF 34/100, GRF 34/105 GAS, GRF 34/105, GRF 100 Compact XP

Other brands: See the Conversion table at p. 121

GR RING NAILS, D-HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 31/75	834275	2,000	60	26.50	**53.00**
GR 31/80	834284	1,800	60	28.89	**52.00**
GR 28/51	834150	3,500	60	20.43	**71.50**
GR 34/100	834199	1,600	60	65.31	**104.50**
GR 28/50	834050	3,500	60	28.43	**99.50**
GR 28/63	834063	2,500	60	32.40	**81.00**
GR 28/75	834075	2,000	60	38.25	**76.50**
GR 31/90*	834090	1,800	60	51.11	**92.00**
GR 31/98	834098	1,800	60	56.39	**101.50**

**Not Recommended for GRF 34/90 GAS*

GR SMOOTH NAILS, D-HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 31/80	834282	1,800	60	26.67	**48.00**
GR 34/100	834299	1,600	60	45.00	**72.00**

GR SMOOTH NAILS, D-HEAD, JUMBOBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 28/63	834362	4,600	48	15.76	**72.50**
GR 28/75	834374	4,000	48	17.50	**70.00**
GR 28/80	834379	4,000	48	18.50	**74.00**
GR 31/90	834389	3,000	48	23.33	**70.00**
GR 31/90	834589	3,000	48	28.50	**85.50**

GR RING NAILS, D-HEAD, JUMBOBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 28/50	834350	6,000	48	13.33	**80.00**
GR 28/63	834363	4,600	48	16.74	**77.00**
GR 28/75	834375	4,000	48	20.00	**80.00**
GR 28/80	834380	4,000	48	20.00	**80.00**
GR 31/90*	834390	3,000	48	24.67	**74.00**
GR 31/98	834398	2,800	48	26.96	**75.50**
GR 28/63	834563	4,600	48	20.22	**93.00**
GR 28/75	834575	4,000	48	22.13	**88.50**
GR 28/80	834580	4,000	48	24.25	**97.00**
GR 31/80	834581	4,000	48	28.00	**112.00**
GR 31/90*	834590	3,000	48	30.33	**91.00**
GR 28/50	834850	6,000	48	20.08	**120.50**
GR 28/63	834863	4,600	48	24.89	**114.50**
GR 28/75	834875	4,000	48	29.75	**119.00**
GR 31/90*	834890	3,000	48	41.50	**124.50**
GR 31/98	834898	2,800	48	44.64	**125.00**

**Not Recommended for GRF 34/90 GAS*

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

BRIGHT · GALV. · GALV. 12µ+ · HDG



ANCHOR NAILERS

NAILERS

14 TJEP BC-60
15 TJEP KA-1
15 TJEP KA-1L
16 TJEP KA-2
16 TJEP KA 4060 GAS 3G

FASTENERS

14 TJEP BC Anchor Nails
17 TJEP KA Anchor Nails
17 TJEP AP Anchor Nails





TJEP BC-60



15°
L: 35-60 mm
Ø: 4.0 mm

BC Anchor Nails

1. Less reload, 100 nails per coil
2. Adjustment of magazine height
3. Ergonomic rubber grip
4. Adjustable air exhaust
5. Adjustable depth control
6. Plastic protection cap

SPECIFICATIONS

Item no.	100091
EAN no.	5702551000915
Nail length	35-60 mm
Air consumption per cycle	2.5 litres
Size (L×W×H)	278×100×317 mm
Weight	2.30 kg
Price	**€ 522.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	875119	**111.00**
Spare parts set	871095	**10.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal connector plates, Wind drag strip.

TJEP BC ANCHOR NAILS, 15°

WILL FIT

TJEP	BC-60

Other brands: See the Conversion table at p. 121

BC ANCHOR NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
BC 40/35	837135	1,600	60	30.63	**49.00**
BC 40/40	837141	1,600	60	33.75	**54.00**
BC 40/50	837151	1,200	60	38.75	**46.50**
BC 40/60	837161	800	60	43.75	**35.00**
BC 40/40	837041	1,600	60	45.63	**73.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

GALV. 12µ+ HDG



TJEP KA-1



34°
L: 40-50 mm
Ø: 4.0 mm

KA Anchor Nails, p. 17

1. Light and handy
2. Drives the nail in with short punches
3. No risk of ricochets
4. Shock-absorbing rubber handle
5. Extra wide rubber edge

SPECIFICATIONS

Item no.	100324
EAN no.	5702551003244
Nail length	40-50 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	277×112×254 mm
Weight	1.88 kg
Price	**€ 292.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	873114	**24.70**
Spare parts set	871057	**10.05**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal connector plates, Wind drag strip.

TJEP KA-1L



34°
L: 40-50 mm
Ø: 4.0 mm

KA Anchor Nails, p. 17

1. Takes two strips of nails
2. Drives the nail in with short punches
3. No risk of ricochets
4. Shock-absorbing rubber handle
5. Extra wide rubber edge

SPECIFICATIONS

Item no.	100323
EAN no.	5702551003237
Nail length	40-50 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	438×112×255 mm
Weight	2.04 kg
Price	**€ 302.00**

1


ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	873114	**24.70**
Spare parts set	871057	**10.05**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal connector plates, Wind drag strip.







TJEP KA-2



34°
L: 40-60 mm
Ø: 4.0 mm

KA Anchor Nails, p. 17

1. Light and handy
2. Drives the nail in with short punches
3. No risk of ricochets
4. Shock-absorbing rubber handle
5. Extra wide rubber edge

SPECIFICATIONS

Item no.	100329
EAN no.	5702551003299
Nail length	40-60 mm
Air consumption per cycle	4.6 litres
Size (L×W×H)	287×118×279 mm
Weight	2.36 kg
Price	**€ 313.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	873135	**37.90**
Spare parts set	871057	**10.05**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal connector plates, Wind drag strip.

TJEP KA 4060 GAS 3G



34°
L: 40-60 mm
Ø: 4.0 mm

AP Anchor Nails, p. 17
KA Anchor Nails, p. 17

1. Precise insertion in nail plates
2. Non-slip grip – extremely low recoil
3. Adjustable depth control
4. Rafter/belt hook
5. Rear two-step loading
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100255
EAN no.	5702551002551
Nail length	40-60 mm
Size (L×W×H)	425×108×393 mm
Weight	4.02 kg
Price	**€ 730.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
Driver unit	876201	**108.00**
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Metal connector plates, Wind drag strip.





TJEP KA ANCHOR NAILS, 34°

WILL FIT

TJEP	KA-1, KA-1L, KA-2, KA 4060 GAS

Other brands: See the Conversion table at p. 121

KA ANCHOR NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
KA 40/40	837140	2,400	52	31.04	**74.50**
KA 40/50	837150	1,800	52	35.00	**63.00**
KA 40/60	837160	1,600	52	38.44	**61.50**
KA 40/40	837040	2,400	52	39.79	**95.50**
KA 40/40	837340	2,400	52	176.04	**422.50**

TJEP AP ANCHOR NAILS, 34°

WILL FIT

TJEP	KA 4060 GAS

Other brands: See the Conversion table at p. 121

AP ANCHOR NAILS, FULL HEAD


Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
AP 40/40	837995	1,400	120	35.71	**50.00**
AP 40/50	837994	1,200	120	40.00	**48.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

GALV. 12µ+ HDG STAINLESS A4

TJEP TIP

On www.tjep.eu you can see which nails and accessories fit the specific tools.



Scan the code and visitwww.tjep.eu with your smart phone or tablet.





21° FRAMING NAILER

NAILERS

20 TJEP FH 21/90 GAS 2G

20 TJEP FH 21/90 LW

21 TJEP FH-130

21 TJEP FH-160

24 TJEP FH 21/90 GAS 2G Duplex

FASTENERS

22 TJEP FH 21° Strip Nails

24 TJEP FH Duplex nails





TJEP FH 21/90 GAS 2G



21°
L: 50-90 mm
Ø: 2.8-3.1 mm

FH 21° Strip Nails, p. 22

1. Rafter/belt hook
2. Non-slip grip
3. Rear two-step loading
4. Rubber pad – anti-skid
5. Adjustable depth control
6. Well-balanced

SPECIFICATIONS

Item no.	100875
EAN no.	5702551008751
Nail length	50-90 mm
Size (L×W×H)	366 × 108 × 375 mm
Weight	3.53 kg
Price	**€ 568.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Driver unit	875645	**69.90**
Lockring for No-mark	874763	**0.74**
No-mark	876678	**2.83**
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood, Plywood, Raftering, Shuttering, Valley gutters.

TJEP FH 21/90 LW



21°
L: 50-90 mm
Ø: 2.8-3.1 mm

FH 21° Strip Nails, p. 22

1. Single shot / bump fire
2. Rafter/belt hook
3. Adjustable air exhaust
4. Rear two-step loading
5. Adjustable depth control

SPECIFICATIONS

Item no.	100098
EAN no.	5702551000984
Nail length	50-90 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	540 × 121 × 335 mm
Weight	3.30 kg
Price	**€ 325.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver Unit	874718	**121.00**
Lockring for No-mark	874763	**0.74**
No-mark set	871039	**15.50**
Spare parts set	871052	**9.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood, Laths, Plywood, Raftering, Shuttering, Valley gutters.





TJEP FH-130



21°
L: 90-130 mm
Ø: 3.1-4.1 mm

FH 21° Strip Nails, p. 22

1. Top load
2. Non-slip grip
3. Low noise
4. Very low recoil
5. Adjustable depth control
6. Extra handle on the side of the tool

SPECIFICATIONS

Item no.	100089
EAN no.	5702551000892
Nail length	90-130 mm
Air consumption per cycle	4.4 litres
Size (L×W×H)	571×154×457 mm
Weight	6.17 kg
Price	**€ 1,085.00**

2 1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	873712	**80.40**
Spare parts set	871062	**21.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Laths, Raftering.

TJEP FH-160



21°
L: 100-160 mm
Ø: 3.8-5.0 mm

FH 21° Strip Nails, p. 22

1. Top load
2. Non-slip grip
3. Low noise
4. Very powerful
5. Adjustable depth control
6. Extra handle on the side of the tool

SPECIFICATIONS

Item no.	100088
EAN no.	5702551000885
Nail length	100-160 mm
Air consumption per cycle	5.4 litres
Size (L×W×H)	620×158×518 mm
Weight	7.11 kg
Price	**€ 1,320.00**

2 1

ACCESSORIES

See accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Laths, Raftering.



TJEP FH 21° STRIP NAILS

WILL FIT

TJEP	FH-130, FH-160, FH 4 21°, FH 21/90 GAS, FH 21/90 LW, FH 21/90, FH 21/100 HP

Other brands: See the Conversion table at p. 121

FH SMOOTH NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 38/130	107403	1,250	60	73.60	**92.00**
FH 42/160	838260	660	60	100.00	**66.00**

FH RINGNAIL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 28/63	838063	1,000	120	20.50	**20.50**
FH 28/75	838075	960	120	23.96	**23.00**
FH 31/90*	838090	800	120	31.25	**25.00**
FH 38/120	838033	1,400	60	59.29	**83.00**
FH 38/130	107409	1,250	60	78.80	**98.50**
FH 28/50	838150	1,100	120	27.73	**30.50**
FH 28/63	838163	1,000	120	34.00	**34.00**
FH 28/75	838175	960	120	38.54	**37.00**
FH 31/90*	838190	800	120	50.00	**40.00**
FH 38/130	107464	1,250	60	161.20	**201.50**

**Not Recommended for FH 21/90*

FH RING NAILS - JUMBOBOX, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 31/90*	838790	2,000	48	49.25	**98.50**

**Without CE approval*

FH TWISTED NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 42/160	838160	660	60	140.15	**92.50**

FH RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 28/55	838855	1,000	120	93.00	**93.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

BRIGHT · GALV. · HDG · STAINLESS A2



DUPLEX

Gas nailer with high impact force!



The gas nailer TJEP FH 21/90 Duplex is the latest 21° gas nailer in the TJEP range. With its high impact force it is ideal for nailing moulds, linings, flooring and sheet materials etc. The advantage of the nail gun is that it uses double-head nails, making it easier to pull out the nails. The nailer can also shoot 21° ring nails.







TJEP FH 21/90 GAS 2G DUPLEX



21°
L: 50-90 mm
Ø: 3.3 mm

FH Duplex nails

1. Rafter/belt hook
2. Non-slip grip
3. Rear two-step loading
4. Rubber pad – anti-skid
5. Adjustable depth control
6. Well-balanced

SPECIFICATIONS

Item no.	100876
EAN no.	5702551008768
Nail length	50-90 mm
Size (L×W×H)	366×108×375 mm
Weight	3.53 kg
Price	**€ 975.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Driver unit	875645	**69.90**
Driver unit	877601	**53.60**
Lockring for No-mark	874763	**0.74**
No-mark	876678	**2.83**
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Shuttering.

TJEP FH DUPLEX NAILS, 21°

WILL FIT

TJEP	FH 21/90 GAS Duplex

FH SMOOTH NAILS, DUPLEX, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 33/75	838990	2,000	60	80.50	**161.00**
FH 33/85	838992	2,000	60	89.25	**178.50**

BRIGHT



HIGH PRESSURE

NAILERS

27 TJEP GRF 34/100 HP 2G
27 TJEP PC 90 HP 2G
28 MAKITA AN510H HP
28 MAKITA AN711H HP
29 MAKITA AN935H HP
29 MAKITA AN250HC HP
31 MAKITA AF550H HP
31 MAKITA AT450H HP
32 MAKITA AR411HR HP

COMPRESSOR

34 TJEP 9/20 HP

FASTENERS

30 TJEP CPPW Concrete Pins
30 TJEP CPPW Concrete Pins
32 TJEP HP Screws
33 TJEP CPAW Concrete Pins
33 TJEP FB nails

HIGH PRESSURE



THE »ORANGE« FROM TJEP

Specially developed for hard drywall

Recommended by leading manufacturers



TJEP HP COIL SCREW

Hard Drywall. 2.000 pcs., Finish: Orange Dura, extra durable. CE-marked according to EN 14566

3,9/32 *Item no. 839966* ***3,9/41*** *Item no. 839968*

SCREWDRIVER

MAKITA AR411HR HP

Small og handy for mounting plasterboard using plast-collated screws. Low weight. Adjustable depth control. Safety bracket integrated in nose. Screw length: 25-41 mm

Item no 100198

**Patent application pending. Registered community design.*





TJEP GRF 34/100 HP 2G



34°
L: 50-100 mm
Ø: 2.8-3.4 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

1. Light and handy
2. Single shot and bump fire
3. No-mark nose
4. Tool-free adjustable depth control

SPECIFICATIONS

Item no.	100180
EAN no.	5702551001806
Nail length	50-100 mm
Air consumption per cycle	2.1 litres
Size (L×W×H)	355×112×319 mm
Weight	2.70 kg
Price	**€ 795.00**

1

ACCESSORIES

Description	Item no.	Price
Lockring for No-mark	874763	**0.74**
No-mark	874762	**5.90**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Chipboard, Eaves board, Fascia boards - wood, Laths, Outside siding, Plywood, Raftering, Shuttering.

TJEP PC 90 HP 2G



15°
L: 45-90 mm
Ø: 2.5-3.3 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Light and handy
2. Single shot and bump fire
3. Adjustment of magazine height
4. No-mark nose
5. Plastic protection cap
6. For both wire- and plastic-collated nails

SPECIFICATIONS

Item no.	100174
EAN no.	5702551001745
Nail length	45-90 mm
Air consumption per cycle	1.84 litres
Size (L×W×H)	289×130×313 mm
Weight	2.60 kg
Price	**€ 819.00**

1

ACCESSORIES

Description	Item no.	Price
No-mark	877718	**6.00**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Eaves board, Fascia boards - wood, Outside siding, Shuttering.





MAKITA AN510H HP



15°
L: 25-50 mm
Ø: 1.8-2.1 mm

MX Coil Nails, p. 37

1. Single shot / bump fire
2. Adjustable depth control
3. Rubber handle
4. Adjustable air exhaust
5. No-mark nose
6. Plastic protection cap

SPECIFICATIONS

Item no.	100193
EAN no.	0088381079747
Nail length	25-50 mm
Size (L×W×H)	260×111×255 mm
Weight	1.40 kg
Price	**€ 1,122.00**

1

ACCESSORIES

Description	Item no.	Price
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Eaves board, Fascia boards - wood, Metal, Outside siding.

MAKITA AN711H HP



15°
L: 45-75 mm
Ø: 2.1-2.5 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Single shot / bump fire
2. Adjustable depth control
3. Rubber handle
4. Adjustable air exhaust
5. No-mark nose
6. Plastic protection cap

SPECIFICATIONS

Item no.	100189
EAN no.	0088381082495
Nail length	45-75 mm
Size (L×W×H)	293×146×288 mm
Weight	2.10 kg
Price	**€ 1,122.00**

1

ACCESSORIES

Description	Item no.	Price
No-mark set	899642	**4.31**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Chipboard, Eaves board, Fascia boards - wood, Outside siding, Packing, Pallets, Plywood, Shuttering.



MAKITA AN935H HP



15°
L: 45-90 mm
Ø: 2.5-3.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Single shot / bump fire
2. Adjustable magazine height
3. Adjustable depth control
4. No-mark nose
5. Plastic protection cap

SPECIFICATIONS

Item no.	100190
EAN no.	0088381808019
Nail length	45-90 mm
Size (L×W×H)	330×125×299 mm
Weight	2.60 kg
Price	**€ 1,177.00**

1

ACCESSORIES

Description	Item no.	Price
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Battens, Board, Chipboard, Eaves board, Fascia boards - wood, Outside siding, Packing, Pallets, Plywood, Shuttering.



MAKITA AN250HC HP



0°
L: 15-25 mm
Ø: 3.0 mm

CPPW Concrete Pins, p. 30

1. Lightweight and handy
2. Powerful
3. Rubber handle
4. Small nose – only 19 mm
5. No-mark nose
6. Rotatable belt hook

SPECIFICATIONS

Item no.	100195
EAN no.	0088381605106
Nail length	15-25 mm
Size (L×W×H)	295×128×291 mm
Weight	2.10 kg
Price	**€ 1,177.00**

1

ACCESSORIES

Description	Item no.	Price
No-mark set	899645	**9.20**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Concrete, Drywall steel rails.

Ø: 3.0 mm

With plastic washer – for concrete!



TJEP CPPW CONCRETE PINS, 0°

WILL FIT

MAKITA	AN250HC HP concrete

Other brands: See the Conversion table at p. 121

CPPW CONCRETE-/STEELPIN

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CPPW 30/15*	839278	1,000	240	87.00	**87.00**
CPPW 30/19	839280	1,000	240	97.00	**97.00**
CPPW 30/22	839282	1,000	240	102.50	**102.50**
CPPW 30/25	839284	1,000	240	106.00	**106.00**

**Fastening wood on concrete or steel foundation.*

Ø: 3.4 mm



TJEP CPPW CONCRETE PINS, 0°

WILL FIT

MAX	HN120

CPPW CONCRETE-/STEELPIN, STEPPOINT

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CPPW 34/30	839504	1,000	96	138.00	**138.00**
CPPW 34/35	839507	1,000	96	151.00	**151.00**
CPPW 34/50	839510	1,000	96	160.00	**160.00**

CPPW TWISTED CONCRETE-/STEELPIN

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CPPW 34/38*	839522	1,000	96	73.50	**73.50**
CPPW 34/50*	839524	1,000	96	82.50	**82.50**
CPPW 34/65*	839526	1,000	96	111.50	**111.50**

**Fastening wood on concrete or steel foundation.*

GALV.





MAKITA AF550H HP



0°
L: 15-50 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Safety bracket integrated in nose
2. No-mark nose
3. Adjustable depth control
4. Rotatable belt hook
5. Rubber handle
6. Low weight

SPECIFICATIONS

Item no.	100191
EAN no.	0088381092883
Brads length	15, 19, 25, 30, 35, 38, 40, 45, 50 mm
Size (L×W×H)	228×61×235 mm
Weight	1.20 kg
Price	**€ 785.00**

1

ACCESSORIES


Description	Item no.	Price
No-mark set	899730	**3.44**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP Swivel plug	123084	**42.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Panelling.

MAKITA AT450H HP



Wire thickness 1,3×1,0 mm

BE-90 Staples, p. 78

1. Single shot / bump fire
2. Safety bracket integrated in nose
3. No-mark nose
4. Adjustable depth control
5. Rotatable belt hook
6. Rubber handle

SPECIFICATIONS

Item no.	100107
EAN no.	088381092869
Staples length	25-50 mm
Size (L×W×H)	261×115×269 mm
Weight	1.40 kg
Price	**€ 785.00**

ACCESSORIES

See accessories at p. 93
See the compressors overview at p. 103





MAKITA AR411HR HP



0°
L: 25-41 mm
Ø: 3.5-3.9 mm

HP Screws

1. Safety bracket integrated in nose
2. No-mark nose
3. Adjustable depth control
4. Rotatable belt hook
5. Rubber handle
6. Low weight

SPECIFICATIONS

Item no.	100198
EAN no.	0088381641173
Skrew Length	25-41 mm
Size (L×W×H)	276×120×316 mm
Weight	2.00 kg
Price	**€ 1,177.00**

1

ACCESSORIES

Description	Item no.	Price
No-mark set	899652	**6.30**
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Plasterboard.

TJEP HP SCREWS, 0°

WILL FIT

MAKITA	AR411HR HP

Other brands: See the Conversion table at p. 121

HP SCREWS FINE THREAD, HARD DRYWALL

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
HP 3,9/32*	839966	2,000	128	26.00	**52.00**
HP 3,9/41*	839968	2,000	112	28.25	**56.50**

**With CE approval EN 14566* CE

HP SCREWS COMBI, DRYWALL/STEEL/WOOD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
HP 3,9/28*	839987	2,000	128	17.00	**34.00**
HP 3,9/32*	839983	2,000	128	19.25	**38.50**
HP 3,9/41*	839985	2,000	112	20.25	**40.50**

**With CE approval EN 14566* CE

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

BLACK PHOSPHATE ORANGE DURA





TJEP CPAW CONCRETE PINS, 0°

WILL FIT

MAX	HN120

CPAW CONCRETE-/STEELPIN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CPAW 34/19	839248	1,000	96	116.50	**116.50**
CPAW 34/22	839250	1,000	96	119.00	**119.00**

TJEP FB NAILS, 15°

WILL FIT

MAKITA	AN610H HP coil

Other brands: See the Conversion table at p. 121

FB STEEL NAIL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FB 23/30*	839538	6,000	40	36.17	**217.00**
FB 29/38*	839540	6,000	40	36.42	**218.50**

**With CE approval EN 14566* CE

FB STEEL NAIL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FB 25/27	839548	3,600	100	62.36	**224.50**

GALV. 12µ+ RUSTFRI (130M) MECH. GALV.

HIGH PRESSURE

TJEP 9/20 HP
COMPRESSOR





TJEP 9/20 HP

- 3 "Power Modes", Normal - Power - Silent
- Lightweight – only 13,8 kg
- 2 sockets for 11 bar + 2 sockets for 25 bar

SPECIFICATIONS

Item no.	123074
EAN no.	5702551230749
Size (L×W×H)	450 × 317 × 363 mm
Weight	13.80 kg
Cylinders	2
Horsepower	1.5 kW / 2 HP
Max pressure	42 bar
Tank	2 × 4,5 litres
Noise (LpA, 4m)	59 - 62 dB
Price	**€ 2,411.50**

ACCESSORIES

Description	Item no.	Price
TJEP HP airhose, 15 m	123089	**151.60**
TJEP HP Hose reel, 30 m	123090	**316.00**
TJEP HP reduction valve	123082	**75.50**
TJEP HP reduction valve, with coupling	123083	**109.20**







COIL NAILERS

NAILERS

36 TJEP TA-45
37 TJEP MX-50
38 TJEP ZE-65
38 TJEP ZE-65 Excellent
39 TJEP ZE-75 Excellent
41 TJEP PC 65
41 TJEP PC 66
42 TJEP PC-90
42 TJEP PC-90 Excellent
44 TJEP CN-57
44 TJEP CN-70
45 TJEP CN-80
45 TJEP CN-90
46 CN-130
46 TJEP CN-100 EPAL

FASTENERS

36 TJEP TA Coil Nails
37 TJEP MX Coil Nails
40 TJEP ZE Coil Nails
43 TJEP PC Coil Nails
47 TJEP CN Coil Nails





TJEP TA-45



15°
L: 19-45 mm
Ø: 3.0 mm

TA Coil Nails

1. Adjustable air exhaust
2. Single shot / bump fire
3. Non-slip grip
4. Adjustment of magazine height
5. Protection plate – non-slip
6. Adjustable depth control

SPECIFICATIONS

Item no.	100345
EAN no.	5702551003459
Nail length	19-45 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	294 × 116 × 276 mm
Weight	2.20 kg
Price	**€ 347.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	871724	**37.90**
Spare parts set	871056	**5.60**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Building paper, Metal, Roofing felt, Wire screen.

TJEP TA COIL NAILS, 15°

WILL FIT

TJEP	TA-45

Other brands: See the Conversion table at p. 121

TA ROOFING FELT NAILS, RING, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
TA 30/19	836119	3,840	96	8.72	**33.50**
TA 30/22	836122	3,360	120	9.08	**30.50**
TA 30/25	836125	2,880	120	10.42	**30.00**
TA 30/32	836132	1,920	144	10.94	**21.00**
TA 30/19	836019	3,840	96	11.07	**42.50**
TA 30/22	836022	3,360	120	11.01	**37.00**
TA 30/25	836025	2,880	120	12.85	**37.00**
TA 30/38	836038	1,920	120	18.49	**35.50**
TA 30/25	836325	2,880	120	31.42	**90.50**

GALV. HDG STAINLESS A2





TJEP MX-50



15°
L: 25-50 mm
Ø: 2.1 mm

MX Coil Nails

1. Adjustable air exhaust
2. Single shot / bump fire
3. Adjustment of magazine height
4. Low noise
5. No-mark nose
6. Adjustable depth control

SPECIFICATIONS

Item no.	100050
EAN no.	5702551000502
Nail length	25-50 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	260×108×302 mm
Weight	1.50 kg
Price	**€ 368.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	871514	**37.90**
No-mark set	871043	**8.90**
Spare parts set	871055	**5.60**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal, Outside siding, Shuttering.

TJEP MX COIL NAILS, 15°

WILL FIT

TJEP	MX-50
MAKITA	AN510H HP coil

Other brands: See the Conversion table at p. 121

MX RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MX 21/25	839025	4,000	60	16.38	**65.50**
MX 21/30	839030	3,200	60	17.66	**56.50**
MX 21/35	839035	3,200	60	19.06	**61.00**
MX 21/40	839040	2,400	60	19.58	**47.00**
MX 21/45	839045	2,400	60	20.83	**50.00**
MX 21/50	839050	2,400	60	22.50	**54.00**
MXW 21/45* **	836945	13,000	40	7.15	**93.00**
MXW 21/50* **	836950	13,000	40	7.92	**103.00**

**Without CE approval*
***Wire collated*

MX RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MX 21/25	839325	4,000	60	34.88	**139.50**
MX 21/35	839335	3,200	60	43.13	**138.00**
MX 21/50	839350	2,400	60	56.88	**136.50**

MX RING NAILS WITH BLUNT POINT, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MX 21/45	839046	2,400	60	20.83	**50.00**

MX RING NAILS WITH BLUNT POINT, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MX 21/45	839346	2,400	60	50.00	**120.00**


CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

BRIGHT HDG STAINLESS A4





TJEP ZE-65



0°
L: 32-65 mm
Ø: 2.1-2.5 mm

ZE Coil Nails, p. 40

1. Single shot / bump fire
2. Adjustable air exhaust
3. Rafter/belt hook
4. plastic-collated 0° coil nails
5. No-mark nose
6. Adjustable depth control

SPECIFICATIONS

Item no.	100143
EAN no.	5702551001431
Nail length	32-65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	300×145×316 mm
Weight	2.30 kg
Price	**€ 495.00**

1

ACCESSORIES


Description	Item no.	Price
Decra Safety bracket	850251	**198.00**
Driver unit	875220	**64.30**
No-mark set	871046	**15.50**
Quadro safety bracket	850253	**198.00**
Spare parts set	871096	**5.60**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Decra roofing, Eaves board, Fascia boards - wood, Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.

TJEP ZE-65 EXCELLENT



0°
L: 32-65 mm
Ø: 2.1-3.0 mm

ZE Coil Nails, p. 40

1. Lightweight and compact
2. Single shot / bump fire
3. Adjustable air exhaust
4. Rafter/belt hook
5. No-mark nose
6. Adjustable depth control

SPECIFICATIONS

Item no.	100147
EAN no.	5702551001479
Nail length	32-65 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	293×151×333 mm
Weight	2.13 kg
Price	**€ 595.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	877977	**76.50**
No-mark	878056	**1.71**
O-ring	877976	**1.01**

See additional accessories at p. 93
See the compressors overview at p. 103


USED FOR

Decra roofing, Eaves board, Fascia boards - wood, Ivarplank Cedral, Outside siding, Shuttering.





TJEP ZE-75 EXCELLENT



0°
L: 35-75 mm
Ø: 2.1-3.0 mm

ZE Coil Nails, p. 40

1. Lightweight and compact
2. Single shot / bump fire
3. Adjustable air exhaust
4. Rafter/belt hook
5. No-mark nose
6. Adjustable depth control

SPECIFICATIONS

Item no.	100149
EAN no.	5702551001493
Nail length	35-75 mm
Air consumption per cycle	2.75 litres
Size (L×W×H)	317×151×367 mm
Weight	2.98 kg
Price	**€ 655.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	878024	**85.10**
No-mark	878056	**1.71**
O-ring	878023	**1.15**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Eaves board, Fascia boards - wood, Ivarplank
Cedral, Outside siding, Shuttering.

TJEP ZE-65 • TJEP ZE-75

EXCELLENT

COIL NAILERS

Strong impact power in a compact design.
Lightweight and compact. Single shot / bump fire.





TJEP ZE COIL NAILS, 0°

WILL FIT

TJEP	ZE-65 Excellent, ZE-65, ZE-75 Excellent

Other brands: See the Conversion table at p. 121

ZE RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 21/40	835240	1,950	69	11.28	**22.00**
ZE 21/50	835250	1,950	69	12.56	**24.50**
ZE 25/45	835245	1,950	69	13.33	**26.00**
ZE 25/50	835251	1,950	69	14.10	**27.50**
ZE 25/65	835265	1,300	69	16.54	**21.50**
ZE 25/75	835275	1,300	69	19.23	**25.00**
ZE 21/35	835035	2,600	69	18.27	**47.50**
ZE 21/40	835040	1,950	69	19.49	**38.00**
ZE 21/45	835045	1,950	69	20.77	**40.50**
ZE 21/50	835050	1,950	69	22.05	**43.00**
ZE 25/50	835051	1,950	69	23.33	**45.50**
ZE 25/65	835065	1,300	69	28.08	**36.50**
ZE 25/75	835075	1,300	69	36.15	**47.00**
ZE28/55	835056	4,500	21	67.89	**305.50**

ZE RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 21/50	835350	1,950	69	57.18	**111.50**
ZE 25/50*	835450	1,950	69	55.13	**107.50**
ZE 25/50	835351	1,950	69	75.13	**146.50**
ZE 25/65*	835465	1,300	69	68.85	**89.50**
ZE 25/65	835365	1,300	69	94.62	**123.00**
ZE 25/75	835375	1,300	69	110.77	**144.00**

**Stainless A2*

ZE RING NAILS, DECRA, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 25/50, black	835252	1,950	69	46.15	**90.00**
ZE 25/50, red	835253	1,950	69	46.15	**90.00**

ZE RING NAILS, PLASTER, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 25/35	835135	2,600	69	17.12	**44.50**
ZE 25/45	835145	1,950	69	19.49	**38.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

BRIGHT · GALV. · HDG · STAINLESS A4





TJEP PC 65



15°
L: 38-65 mm
Ø: 2.3-2.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Single shot / bump fire
2. Adjustable air exhaust
3. Adjustable depth control
4. No-mark nose for tongue and groove
5. Plastic protection cap

SPECIFICATIONS

Item no.	100051
EAN no.	5702551000519
Nail length	38-65 mm
Size (L×W×H)	272×127×317 mm
Weight	2.50 kg
Price	**€ 555.00**

1

ACCESSORIES

Description	Item no.	Price
No-mark	870969	**3.57**
Spare parts set	871064	**13.35**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Eaves board, Fascia boards - wood, Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.

TJEP PC 66



15°
L: 38-65 mm
Ø: 2.5-3.1 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Single shot / bump fire
2. Adjustable air exhaust
3. Rafter/belt hook
4. Adjustable depth control
5. No-mark nose for tongue and groove
6. Plastic protection cap

SPECIFICATIONS

Item no.	100055
EAN no.	5702551000557
Nail length	38-65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	268×128×306 mm
Weight	2.05 kg
Price	**€ 555.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874816	**75.70**
No-mark set	871040	**15.50**
Spare parts set	871054	**10.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Eaves board, Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.



TJEP PC-90



15°
L: 45-90 mm
Ø: 2.5-3.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Single shot / bump fire
2. Adjustment of magazine height
3. Adjustable depth control
4. No-mark nose
5. Rafter/belt hook
6. Plastic protection cap

SPECIFICATIONS

Item no.	100057
EAN no.	5702551000571
Nail length	45-90 mm
Air consumption per cycle	2.9 litres
Size (L×W×H)	311×132×357 mm
Weight	3.00 kg
Price	**€ 512.00**

1

ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	**14.50**
Driver unit	874315	**85.50**
No-mark set	871040	**15.50**
Spare parts set	871053	**34.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.



TJEP PC-90 EXCELLENT



15°
L: 50-90 mm
Ø: 2.5-3.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

1. Great balance
2. Single shot / bump fire
3. Adjustment of magazine height
4. Adjustable depth control
5. No-mark nose
6. Plastic protection cap

SPECIFICATIONS

Item no.	100034
EAN no.	5702551000342
Nail length	50-90 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	375×125×369 mm
Weight	3.80 kg
Price	**€ 545.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	877807	**112.00**
No-mark	877796	**3.30**
O-ring f/ driver unit	870611	**0.74**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Chipboard, Eaves board, Fascia boards - wood, Hardieplank, Ivarplank Cedral, Outside siding, Packing, Pallets, Plywood, Raftering, Shuttering.





TJEP PC COIL NAILS, 15°

WILL FIT

TJEP	PC-90 Excellent, PC-90, PC 65, PC 66, PC 90 HP
MAKITA	AN610H HP coil, AN711H HP coil, AN911H HP coil, AN935H HP coil

Other brands: See the Conversion table at p. 121

PC RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PC 25/38	839038	3,200	48	24.22	**77.50**
PC 25/50	839051	2,400	48	27.29	**65.50**
PC 25/65	839065	1,600	48	32.19	**51.50**
PC 28/65	839066	1,600	48	37.50	**60.00**
PC 28/75	839075	1,600	48	41.56	**66.50**
PC 28/90	839090	1,600	48	49.69	**79.50**

PC RING NAILS, FLAT HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PC 25/51	839451	2,400	48	86.46	**207.50**
PC 25/66	839466	1,600	48	108.75	**174.00**
PC 25/76	839476	1,600	48	124.38	**199.00**

PC RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PC 25/55	839455	2,400	48	72.08	**173.00**
PC 25/55*	839457	2,400	48	55.42	**133.00**
PC 25/65**	839465	1,600	48	108.75	**174.00**

**Stainless A2*
***Not Recommended for PC-90, PC-90 Excellent, PC 90 HP*

CE All TJEP nails for bearing structures are CE-marked. CE-marked according to EN 14592 / EUROCODE 5.

HDG STAINLESS A4

COIL NAILER

TJEP PC-90 EXCELLENT

Strong impact power in a compact design.
Lightweight and compact.
Single shot / bump fire.







TJEP CN-57



15°
L: 25-57 mm
Ø: 2.1-2.3 mm

CN Coil Nails, p. 47

1. Adjustable air exhaust
2. Robust magazine
3. Ergonomic rubber grip
4. 300 - 350 shots before reload
5. Plastic protection cap

SPECIFICATIONS

Item no.	100046
EAN no.	5702551000465
Nail length	25-57 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	302×132×285 mm
Weight	2.67 kg
Price	**€ 485.00**

1

ACCESSORIES

Description	Item no.	Price
Driver Unit	875420	**82.10**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Packing, Pallets.

TJEP CN-70



15°
L: 45-70 mm
Ø: 2.1-2.9 mm

CN Coil Nails, p. 47

1. Single shot / bump fire
2. Robust magazine
3. Ergonomic rubber grip
4. 225 - 300 shots before reload
5. Plastic protection cap

SPECIFICATIONS

Item no.	100048
EAN no.	5702551000489
Nail length	45-70 mm
Air consumption per cycle	2.9 litres
Size (L×W×H)	307×131×317 mm
Weight	3.80 kg
Price	**€ 512.00**

1

ACCESSORIES

Description	Item no.	Price
Driver Unit	875514	**108.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Packing, Pallets.



TJEP CN-80



15°
L: 50-83 mm
Ø: 2.5-3.3 mm

CN Coil Nails, p. 47

1. Adjustable air exhaust
2. Robust magazine
3. Ergonomic rubber grip
4. 250 - 300 shots before reload
5. Plastic protection cap

SPECIFICATIONS

Item no.	100049
EAN no.	5702551000496
Nail length	50-83 mm
Air consumption per cycle	2.74 litres
Size (L×W×H)	361×132×307 mm
Weight	3.81 kg
Price	**€ 530.00**

1

ACCESSORIES

Description	Item no.	Price
Driver Unit	877456	**113.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Packing, Pallets.

TJEP CN-90



15°
L: 45-90 mm
Ø: 2.5-3.3 mm

CN Coil Nails, p. 47

1. Single shot / bump fire
2. Robust magazine
3. Ergonomic rubber grip
4. 250 - 300 shots before reload
5. Plastic protection cap

SPECIFICATIONS

Item no.	100044
EAN no.	5702551000441
Nail length	45-90 mm
Air consumption per cycle	2.87 litres
Size (L×W×H)	355×149×368 mm
Weight	3.68 kg
Price	**€ 568.00**

1

ACCESSORIES

Description	Item no.	Price
Driver Unit	877486	**106.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Packing, Pallets.



CN-130



15°
L: 65-130 mm
Ø: 2.5-3.8 mm

CN Coil Nails, p. 47

1. Single shot / bump fire
2. Robust magazine
3. Ergonomic rubber grip
4. 120 - 300 shots before reload
5. Plastic protection cap

SPECIFICATIONS

Item no.	100042
EAN no.	5702551000427
Nail length	65-130 mm
Air consumption per cycle	3.8 litres
Size (L×W×H)	346×156×465 mm
Weight	5.88 kg
Price	**€ 1,050.00**

1

ACCESSORIES

See accessories at p. 93
See the compressors overview at p. 103

USED FOR

Packing, Pallets.



TJEP CN-100 EPAL



15°
L: 70-90 mm
Ø: 3.1-3.4 mm

CN Coil Nails, p. 47

1. Downwards exhaust
2. Robust magazine
3. Well-balanced with string-relief
4. Silencer
5. Ergonomic rubber grip
6. Plastic protection cap

SPECIFICATIONS

Item no.	100357
EAN no.	5702551003572
Nail length	70-90 mm
Air consumption per cycle	4.68 litres
Size (L×W×H)	338×153×418 mm
Weight	5.14 kg
Price	**€ 830.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876451	**112.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Pallets.



TJEP CN COIL NAILS, 15°

WILL FIT

TJEP	CN-57, CN-70, CN-80, CN-90, CN-100 EPAL, CN-130, PC-90 Excellent, PC-90, PC 65, PC 66, PC 90 HP, TS 65P
MAKITA	AN610H HP coil, AN711H HP coil, AN911H HP coil, AN935H HP coil

Other brands: See the Conversion table at p. 121

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CN 25/50	836250	9,000	42	7.72	**69.50**
CN 25/55	836255	9,000	42	8.33	**75.00**
CN 25/65	836265	7,200	40	9.93	**71.50**
CN 28/70	836270	6,000	40	13.08	**78.50**
CN 28/75	836275	4,500	42	14.44	**65.00**
CN 28/80	836280	4,500	42	15.22	**68.50**
CN 31/90	836292	4,000	42	20.63	**82.50**

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CN 25/50	836550	9,000	42	10.06	**90.50**
CN 25/55	836555	9,000	42	11.33	**102.00**
CN 25/60	836560	9,000	42	12.11	**109.00**
CN 25/64	836564	7,200	40	12.99	**93.50**
CN 25/68	836568	6,000	42	14.08	**84.50**
CN 28/80	836580	4,500	42	19.22	**86.50**
CN 31/90	836590	4,000	42	26.00	**104.00**
CN 38/110	836510	1,440	60	66.67	**96.00**
CN 38/130*	836530	1,440	60	72.22	**104.00**

**Without CE approval*

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CN 25/50	836050	9,000	40	12.44	**112.00**
CN 25/50	836051	1,650	135	150.91	**249.00**
CN 25/65	836065	7,200	40	16.11	**116.00**
CN 25/65	836066	1,650	108	189.39	**312.50**
CN 25/75	836075	6,000	40	18.58	**111.50**
CN 25/75	836076	1,650	90	244.24	**403.00**
CN 31/90	836090	4,000	42	33.13	**132.50**
CN 31/90	836091	1,350	81	39.26	**53.00**

CN TWISTED NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CN 28/80	836281	4,500	42	15.22	**68.50**
CN 28/85	836285	4,500	42	16.11	**72.50**
CN 31/90	836293	4,000	42	20.63	**82.50**

CN RING NAILS, LENS HEAD


Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CN 25/50	836350	9,000	40	42.61	**383.50**
CN 25/55	836355	7,200	40	45.28	**326.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.


BRIGHT · GALV. 12µ+ · HDG · STAINLESS A2

TJEP TIP

On www.tjep.eu you can find technical data and manuals for the various nailers.



Scan the code and visitwww.tjep.eu with your smart phone or tablet.





HAFTEN NAILERS

NAILERS

50 TJEP HA-35 GAS 3G Haften
51 TJEP PC-66 Haften
52 TJEP PC-50 Haften

FASTENERS

51 TJEP HA ring nails
52 TJEP PC ring nails





TJEP HA-35 GAS 3G HAFTEN

TJEP HA-35 GAS 3G
HAFTEN





22°
L: 22-35 mm
Ø: 2.5-2.8 mm

HA ring nails, p. 51

1. Smooth no-mark nose
2. Adjustable depth control
3. Belt hook
4. Non-slip grip
5. Top load
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100250
EAN no.	5702551002506
Nail length	22-35 mm
Size (L×W×H)	327 × 137 × 310 mm
Weight	2.48 kg
Price	**€ 730.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Metal, Tin roofs, zinc sheathing.





TJEP HA RING NAILS, 22°

WILL FIT

TJEP	HA-35 GAS Haften

Other brands: See the Conversion table at p. 121

HA RING NAILS, HAFTEN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
HA 28/25	839814	2,000	182	29.50	**59.00**
HA 28/25	839802	900	420	43.33	**39.00**
HA 28/32	839812	2,000	182	49.75	**99.50**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

HDG STAINLESS A2

TJEP PC-66 HAFTEN



15°
L: 25-65 mm
Ø: 2.5-2.9 mm

PC ring nails, p. 52

1. Single shot / bump fire
2. Adjustable air exhaust
3. Belt hook
4. Adjustable depth control
5. No-mark nose
6. Plastic protection cap

SPECIFICATIONS

Item no.	100056
EAN no.	5702551000564
Nail length	25-65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	268×128×306 mm
Weight	2.05 kg
Price	**€ 638.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874816	**75.70**
Spare parts set	871054	**10.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal, Tin roofs, zinc sheathing.





TJEP PC-50 HAFTEN



15°
L: 25-50 mm
Ø: 2.2-3.5 mm

PC ring nails

1. Single shot / bump fire
2. Adjustable air exhaust
3. Rafter/belt hook
4. Adjustable depth control
5. Non-slip grip

SPECIFICATIONS

Item no.	100028
EAN no.	5702551000281
Nail length	25-50 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	258×136×305 mm
Weight	1.93 kg
Price	**€ 485.00**

1

ACCESSORIES

See accessories at p. 93
See the compressors overview at p. 103

USED FOR

Metal, Tin roofs, zinc sheathing.

TJEP PC RING NAILS, 15°

WILL FIT

TJEP	PC-50 Haften, PC-66 Haften

Other brands: See the Conversion table at p. 121

PC RING NAILS, HAFTEN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PC 25/25	839804	3,600	100	26.67	**96.00**
PC 25/25	839807	3,600	100	36.25	**130.50**
PC 25/35	839809	3,600	100	40.69	**146.50**

HDG STAINLESS A2



CORRUGATED NAILERS

NAILERS

54 TJEP CO-15

FASTENERS

54 TJEP CO Corrugated Nails
54 TJEP WN Corrugated Nails





TJEP CO-15



0° L: 9-15 mm
B: 25.4 mm

CO Corrugated Nails

1. Robust
2. Very powerful
3. Adjustable air exhaust
4. Single shot / bump fire
5. Quick removal of 'trapped' brad

SPECIFICATIONS

Item no.	100332
EAN no.	5702551003329
Nail length	9-15 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	301×82×283 mm
Weight	2.41 kg
Price	**€ 390.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	871917	**52.70**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Corner joint, Frames.

TJEP CO CORRUGATED NAILS, 0°

WILL FIT

TJEP	CO-15

Other brands: See the Conversion table at p. 121

CO CORRUGATED NAILS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CO, 13 mm	839808	8,400	90	25.39	**213.30**

TJEP WN CORRUGATED NAILS, 0°

WILL FIT

PASLODE	PCF12

WN CORRUGATED NAILS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
WN, 12,5 mm	839810	9,000	80	25.89	**233.00**

BRIGHT



CONCRETE NAILERS

NAILERS

56 TJEP CP-40 GAS 3G
57 TJEP ST-15/50 GAS 3G
58 TJEP ST-15/50

FASTENERS

56 TJEP CPX Concrete Pins
58 TJEP ST-50 Concrete Nails





TJEP CP-40 GAS 3G



0°
L: 15-40 mm
Ø: 2.6-3.0 mm

CPX Concrete Pins

1. Compact design
2. Adjustable depth control
3. Support bracket
4. Battery indicator and quick charge function
5. Rafter/belt hook
6. Quick removal of 'trapped' brad

SPECIFICATIONS

Item no.	100245
EAN no.	5702551002452
Nail length	15-40 mm
Size (L×W×H)	327 × 130 × 385 mm
Weight	3.80 kg
Price	**€ 620.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Long magazine	878165	**118.00**
Magnetic no-mark	875795	**26.30**
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Concrete, Drywall steel rails, Shuttering.

TJEP CPX CONCRETE PINS, 0°

WILL FIT

TJEP	CP-40 GAS, CP-40

Other brands: See the Conversion table at p. 121

CPX CONCRETE PIN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
CPX 26/16*	839216	500	10	53.00	**26.50**
CPX 26/20*	839219	500	10	56.00	**28.00**
CPX 26/25*	839224	500	10	58.00	**29.00**
CPX 26/30*	839229	500	10	62.00	**31.00**
CPX 26/35*	839234	500	10	67.00	**33.50**
CPX 26/40*	839239	500	10	82.00	**41.00**

**With fire protection evaluation approval*

CPX STEEL-/CONCRETE PIN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
CPX 30/15*	839215	500	10	71.00	**35.50**
CPX 30/20*	839220	500	10	76.00	**38.00**
CPX 30/25*	839225	500	10	81.00	**40.50**
CPX 30/30*	839230	500	10	87.00	**43.50**
CPX 30/35*	839235	500	10	92.00	**46.00**

**With fire protection evaluation approval*

GALV. MECH. GALV.





TJEP ST-15/50 GAS 3G

0°
L: 15-50 mm
Ø: 1.8 mm

ST-50 Concrete Nails, p. 58

1. No-mark nose
2. Safety bracket integrated in nose
3. Adjustable depth control
4. Non-slip grip
5. Rafter/belt hook
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100240
EAN no.	5702551002407
Brads length	15-50 mm
Size (L×W×H)	350×86×286 mm
Weight	2.30 kg
Price	**€ 524.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Driver unit	877373	**107.00**
No-mark	877380	**5.90**
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Skirting.

TJEP ST-15/50 GAS 3G

CONCRETE FINISH NAILER

Smart design.
Excellent ergonomics and balance.
Long battery lifetime with Li-Ion.

3G

QUICK-GUIDE

CHOOSE THE CORRECT FINISH NAILS

Item no.	Finish nail length	Workpc. thickness
842220	20 mm	10-14 mm
842225	25 mm	14-18 mm
842230	30 mm	18-25 mm
842235	35 mm	25-30 mm
842240	40 mm	30-35 mm
842250	50 mm	40-45 mm
842262	Assortment	See above

Recommended finish nail lengths – may vary depending on stone / concrete quality, strength and age.





TJEP ST-15/50



0°
L: 15-50 mm
Ø: 1.8 mm

ST-50 Concrete Nails

1. Safety bracket integrated in nose
2. No-mark nose
3. Exhaust in bottom cover
4. Adjustable depth control
5. Non-slip grip
6. Dry fire lock-out

SPECIFICATIONS

Item no.	100426
EAN no.	5702551004265
Finish length	15-50 mm
Air consumption per cycle	1.2 litres
Size (L×W×H)	271×73×254 mm
Weight	1.50 kg
Price	**€ 209.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874616	**42.90**
No-mark set, green	871077	**8.90**
No-mark set, orange	871076	**8.90**
Spare parts set	871066	**6.70**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Concrete, Skirting.

TJEP ST-50 CONCRETE NAILS, 0°

WILL FIT

TJEP	ST-15/50 GAS, ST-15/50, ST-50 concrete

Other brands: See the Conversion table at p. 121

ST-50 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
ST-50, 20 mm	842220	3,000	10	10.17	**30.50**
ST-50, 25 mm	842225	3,000	10	10.50	**31.50**
ST-50, 30 mm	842230	3,000	10	11.83	**35.50**
ST-50, 35 mm*	842235	1,500	10	15.33	**23.00**
ST-50, 40 mm	842240	1,500	10	16.00	**24.00**
ST-50, 50 mm	842250	1,500	10	17.67	**26.50**

**Not Recommended for ST-15/50*

ST-50 FINISH NAILS, ASSORTMENT

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
ST-50	842262	2,400	10	14.79	**35.50**



400 of each length: 20, 25, 30, 35, 40 & 50 mm

GALV.



BRAD AND FINISH NAILERS

NAILERS

60 TJEP TF-18/30 E
61 TJEP TF-18/40
61 TJEP TF-18/45
62 TJEP F-18/50
62 TJEP TF-18/50 GAS 3G
63 TJEP TF-18/55
64 TJEP VF-16/64 GAS 3G
65 TJEP F-16/50
65 TJEP TF-16/50F
66 TJEP TF-16/63B
66 TJEP TF-16/64 GAS 3G
68 TJEP AB-15
68 TJEP AB-15/50
69 TJEP AB-15/64 GAS 3G
70 TJEP VD-15/50
71 TJEP TT-65

FASTENERS

63 TJEP TF-18 Brads
64 TJEP VF-16 Finish Nails
67 TJEP TF-16 Finish Nails
69 TJEP AB-15 Finish Nails
70 TJEP VD-15 Finish Nails
71 TJEP TT Finish Nails

Electric nailer

A handy electric brad nailer suitable for mounting of glazing beads, panelling and miscellaneous finish carpentry.

Easily turns finish nails in soft as well as hard wood



TJEP TF-18/30 E

TJEP TF-18/30 E
BRAD NAILER





0°
L: 12-30 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Only weighs 1.4 kg
2. Quick removal of 'trapped' brad
3. No-mark nose

SPECIFICATIONS

Item no.	100424
EAN no.	5702551004241
Brads length	12, 15, 19, 25, 30 mm
Size (L×W×H)	206 × 55 × 192 mm
Weight	1.40 kg
Price	**€ 340.00**

1

ACCESSORIES

See accessories at p. 93

USED FOR

Architraves, Panelling.





TJEP TF-18/40



0°
L: 15-40 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Rubber rollers protect the glass
2. Adjustable angle
3. Special safety bracket – the brad is clinched
4. Precise insertion into groove
5. Adjustable depth control
6. Empty magazine indicator

SPECIFICATIONS

Item no.	100440
EAN no.	5702551004401
Brads length	15, 19, 25, 30, 35, 38, 40 mm
Air consumption per cycle	1 litres
Size (L×W×H)	285 × 68 × 222 mm
Weight	1.28 kg
Price	**€ 513.00**

1


ACCESSORIES

Description	Item no.	Price
Driver unit	100902	**65.80**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Glazing beads.



TJEP TF-18/45



0°
L: 12-45 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Safety bracket integrated in nose
2. No-mark nose
3. Exhaust in bottom cover
4. Adjustable depth control
5. Belt hook
6. Dry fire lock-out

SPECIFICATIONS

Item no.	100421
EAN no.	5702551004210
Brads length	12, 15, 19, 25, 32, 35, 38, 45 mm
Air consumption per cycle	0.5 litres
Size (L×W×H)	227 × 53 × 227 mm
Weight	1.10 kg
Price	**€ 198.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874517	**27.40**
No-mark set	871078	**8.90**
Spare parts set	871067	**7.85**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Panelling.





TJEP F-18/50



0°
L: 15-50 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Adjustable air exhaust
2. Single shot / bump fire
3. No-mark nose
4. Adjustable depth control
5. Empty magazine indicator
6. Quick removal of 'trapped' brad

SPECIFICATIONS

Item no.	100419
EAN no.	5702551004197
Brads length	15, 19, 25, 30, 32, 35, 38, 40, 50 mm
Air consumption per cycle	0.609 litres
Size (L×W×H)	260 × 65 × 235 mm
Weight	1.29 kg
Price	**€ 148.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	870285	**54.10**
No-mark set	871081	**8.90**
Spare parts set	871069	**12.30**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Panelling.

TJEP TF-18/50 GAS 3G



0°
L: 12-50 mm
Ø: 1.2 mm

TF-18 Brads, p. 63

1. Quick removal of 'trapped' brad
2. Adjustable depth control
3. No-mark nose
4. Battery indicator and quick charge function
5. Belt hook
6. Empty magazine indicator

SPECIFICATIONS

Item no.	100220
EAN no.	5702551002209
Finish length	12, 15, 19, 25, 30, 32, 35, 38, 40, 45, 50 mm
Size (L×W×H)	350 × 86 × 285 mm
Weight	2.40 kg
Price	**€ 492.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
Driver Unit	876200	**37.90**
No-mark set	871089	**8.90**
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**


See additional accessories at p. 93

USED FOR

Architraves, Glazing beads, Panelling.



Ø: 1.2 mm



TJEP TF-18/55



0°
L: 15-55 mm
Ø: 1.2 mm

TF-18 Brads

1. Safety bracket integrated in nose
2. Adjustable air exhaust
3. Adjustable depth control
4. No-mark nose
5. Belt hook
6. Side load

SPECIFICATIONS

Item no.	100428
EAN no.	5702551004289
Brads length	15, 19, 25, 35, 38, 40, 45, 50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	262×68×262 mm
Weight	1.50 kg
Price	**€ 220.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876739	**49.60**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Panelling.

TJEP TF-18 BRADS, 0°

WILL FIT

TJEP	90/F-18, F-18/50, TF-18/30 E, TF-18/40, TF-18/45, TF-18/50 GAS, TF-18/55
MAKITA	AF550H HP brad

Other brands: See the Conversion table at p. 121

TF-18 BRADS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
TF-18, 12 mm*	842012	5,000	20	0.76	**3.80**
TF-18, 15 mm	842015	5,000	20	0.90	**4.50**
TF-18, 19 mm	842019	5,000	16	1.20	**6.00**
TF-18, 22 mm	842022	5,000	16	1.30	**6.50**
TF-18, 25 mm	842025	5,000	16	1.46	**7.30**
TF-18, 30 mm	842030	5,000	12	1.80	**9.00**
TF-18, 32 mm	842032	5,000	12	1.96	**9.80**
TF-18, 35 mm*	842035	5,000	8	2.10	**10.50**
TF-18, 38 mm	842038	5,000	8	2.26	**11.30**
TF-18, 40 mm	842040	5,000	8	2.40	**12.00**
TF-18, 45 mm	842045	5,000	8	2.70	**13.50**
TF-18, 50 mm	842050	5,000	8	3.00	**15.00**
TF-18, 15 mm	842016	5,000	20	5.30	**26.50**
TF-18, 19 mm	842021	5,000	16	7.20	**36.00**
TF-18, 22 mm	842023	5,000	16	6.50	**32.50**
TF-18, 25 mm	842026	5,000	16	7.50	**37.50**
TF-18, 30 mm	842031	5,000	12	9.90	**49.50**
TF-18, 32 mm	842033	5,000	12	11.40	**57.00**
TF-18, 38 mm	842039	5,000	8	13.50	**67.50**

Not Recommended for 90/F-18

GALV. STAINLESS A4





TJEP VF-16/64 GAS 3G



20°
L: 32-64 mm
Ø: 1.6 mm

VF-16 Finish Nails

1. Quick removal of 'trapped' brad
2. Adjustable depth control
3. Rear two-step loading
4. Belt hook
5. No-mark nose
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100230
EAN no.	5702551002308
Brads length	32-64 mm
Size (L×W×H)	350×96×270 mm
Weight	2.20 kg
Price	**€ 524.00**

2 | 1 | 1

ACCESSORIES

Description	Item no.	Price
Driver unit	875913	**29.70**
No-mark set	871087	**8.90**
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP VF-16 FINISH NAILS, 20°

WILL FIT

TJEP	VF-16/64 GAS

Other brands: See the Conversion table at p. 121

VF-16 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
VF-16, 32 mm	842432	2,000	12	6.50	**13.00**
VF-16, 38 mm	842438	2,000	12	7.00	**14.00**
VF-16, 45 mm	842445	2,000	12	8.00	**16.00**
VF-16, 51 mm	842451	2,000	8	8.65	**17.30**
VF-16, 63 mm	842463	2,000	8	10.25	**20.50**
VF-16, 32 mm	842433	2,000	12	27.25	**54.50**
VF-16, 38 mm	842439	2,000	12	32.50	**65.00**
VF-16, 51 mm	842452	2,000	8	43.25	**86.50**

GALV. STAINLESS A4





TJEP F-16/50

0°
L: 15-50 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 67

1. Empty magazine indicator
2. Adjustable air exhaust
3. No-mark nose
4. Adjustable depth control
5. Quick removal of 'trapped' brad
6. Single shot / bump fire

SPECIFICATIONS

Item no.	100416
EAN no.	5702551004166
Finish length	15-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	246×62×247 mm
Weight	1.46 kg
Price	**€ 148.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	870215	**29.70**
No-mark set	871081	**8.90**
Spare parts set	871069	**12.30**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP TF-16/50F

0°
L: 15-50 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 67

1. Safety bracket integrated in nose
2. Silencer
3. Adjustable air exhaust
4. Adjustable depth control
5. Dry fire lock-out
6. No-mark nose

SPECIFICATIONS

Item no.	100413
EAN no.	5702551004135
Finish length	15-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	262×68×262 mm
Weight	1.40 kg
Price	**€ 198.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874480	**32.90**
No-mark set, green	871077	**8.90**
No-mark set, orange	871076	**8.90**
Spare parts set	871065	**6.70**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.





TJEP TF-16/63B



0°
L: 19-63 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 67

1. Dry fire lock-out
2. Adjustable exhaust
3. Adjustable depth control
4. Non-slip grip
5. No-mark nose
6. Safety bracket integrated in nose

SPECIFICATIONS

Item no.	100467
EAN no.	5702551004678
Finish length	19-63 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	297×68×283 mm
Weight	1.50 kg
Price	**€ 220.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876291	**82.10**
No-mark set, green	871077	**8.90**
No-mark set, orange	871076	**8.90**
Spare parts set	871131	**7.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP TF-16/64 GAS 3G



0°
L: 18-64 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 67

1. Quick removal of ‘trapped’ brad
2. No-mark nose
3. Belt hook
4. Rear two-step loading
5. Adjustable depth control
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100225
EAN no.	5702551002254
Brads length	18-64 mm
Size (L×W×H)	350×96×270 mm
Weight	2.20 kg
Price	**€ 492.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
Driver unit	875827	**29.70**
No-mark set	871087	**8.90**
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

Ø: 1.6 mm



TJEP TF-16 FINISH NAILS, 0°

WILL FIT

TJEP	F-16/50, F-16/63, TF-16/38, TF-16/50F, TF-16/63B, TF-16/64 GAS

Other brands: See the Conversion table at p. 121

TF-16 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
TF-16, 19 mm	842119	5,000	8	2.10	**10.50**
TF-16, 25 mm	842125	5,000	8	2.76	**13.80**
TF-16, 32 mm	842132	5,000	6	3.50	**17.50**
TF-16, 38 mm	842138	2,500	8	4.00	**10.00**
TF-16, 45 mm	842145	2,500	8	4.80	**12.00**
TF-16, 50 mm	842150	2,500	8	5.40	**13.50**
TF-16, 63 mm	842163	2,500	6	6.80	**17.00**
TF-16, 18 mm	842118	5,000	8	10.40	**52.00**
TF-16, 25 mm	842126	5,000	8	15.20	**76.00**
TF-16, 32 mm	842133	5,000	6	20.20	**101.00**
TF-16, 38 mm	842139	2,500	8	23.60	**59.00**
TF-16, 50 mm	842151	2,500	8	31.00	**77.50**

GALV. STAINLESS A4




3G

TJEP TF-16/64 GAS 3G
FINISH NAILER

Smart design. Excellent ergonomics and balance.
Long battery lifetime with Li-Ion.







TJEP AB-15



34°
L: 25-64 mm
Ø: 1.8 mm

AB-15 Finish Nails, p. 69

1. Adjustable air exhaust
2. Rear two-step loading
3. No-mark nose
4. Quick removal of 'trapped' brad
5. Non-slip grip

SPECIFICATIONS

Item no.	100414
EAN no.	5702551004142
Finish length	25-64 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	349×85×314 mm
Weight	1.95 kg
Price	**€ 265.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	871117	**29.30**
Glass protection plate	861062	**105.00**
No-mark set	871045	**8.90**
Spare parts set	871060	**8.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP AB-15/50



34°
L: 25-50 mm
Ø: 1.8 mm

AB-15 Finish Nails, p. 69

1. Adjustable depth control
2. Safety bracket integrated in nose
3. No-mark nose
4. Exhaust in bottom cover
5. Non-slip grip
6. Rear two-step loading

SPECIFICATIONS

Item no.	100422
EAN no.	5702551004227
Finish length	25-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	305×73×258 mm
Weight	1.50 kg
Price	**€ 265.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876634	**73.80**
Glass protection plate	870284	**72.80**
No-mark	876638	**5.90**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.



Ø: 1.8 mm



Normal head



Lens head



TJEP AB-15/64 GAS 3G



34°
L: 25-64 mm
Ø: 1.8 mm

AB-15 Finish Nails

1. 15° and 90° No-mark nose
2. Adjustable depth control
3. Quick removal of 'trapped' brad
4. Rear two-step loading
5. Belt hook
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100235
EAN no.	5702551002353
Brads length	25-64 mm
Size (L×W×H)	350×135×305 mm
Weight	2.32 kg
Price	**€ 524.00**

ACCESSORIES

Description	Item no.	Price
Driver unit	875926	**29.70**
No-mark Gummianschlag 90°	877372	**0.74**
No-mark set	871086	**8.90**
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP AB-15 FINISH NAILS, 34°

WILL FIT

TJEP	AB-15, AB-15/50, AB-15/64 GAS

Other brands: See the Conversion table at p. 121

AB-15 FINISH NAILS, WITH GLUE

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
AB-15, 25 mm	842525	4,000	4	9.50	**38.00**
AB-15, 32 mm	842532	4,000	4	10.50	**42.00**
AB-15, 38 mm	842538	4,000	4	11.75	**47.00**
AB-15, 45 mm	842545	4,000	4	12.88	**51.50**
AB-15, 50 mm	842550	4,000	4	13.63	**54.50**
AB-15, 64 mm	842564	4,000	4	17.38	**69.50**

AB-15 FINISH NAILS, WITH GLUE, LENS HEAD

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
AB-15, 25 mm	842526	4,000	4	25.13	**100.50**
AB-15, 32 mm	842533	4,000	4	30.38	**121.50**
AB-15, 38 mm	842539	4,000	4	35.13	**140.50**
AB-15, 50 mm	842551	4,000	4	44.13	**176.50**
AB-15, 64 mm*	842565	4,000	4	43.13	**172.50**

**Stainless A2*



No-mark 90°
Perfect for soft or painted surfaces.
Makes no marks!

GALV. STAINLESS A4

Ø: 1.8 mm





TJEP VD-15/50



26°
L: 25-50 mm
Ø: 1.8 mm

VD-15 Finish Nails

1. Safety bracket integrated in nose
2. Adjustable air exhaust
3. Dry fire lock-out
4. No-mark nose
5. Adjustable depth control

SPECIFICATIONS

Item no.	100415
EAN no.	5702551004159
Finish length	25-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	276×68×261 mm
Weight	1.38 kg
Price	**€ 220.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	870816	**43.70**
No-mark set, green	871077	**8.90**
No-mark set, orange	871076	**8.90**
Spare parts set	871065	**6.70**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

TJEP VD-15 FINISH NAILS, 26°

WILL FIT

TJEP	VD-15/50

Other brands: See the Conversion table at p. 121

VD-15 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
VD-15, 25 mm	842725	3,000	6	8.00	**24.00**
VD-15, 32 mm	842732	3,000	6	8.83	**26.50**
VD-15, 38 mm	842738	3,000	6	9.83	**29.50**
VD-15, 45 mm	842745	3,000	4	10.83	**32.50**
VD-15, 50 mm	842750	3,000	4	12.00	**36.00**

GALV.

Ø: 2.5 mm



Ideal for pine wood flooring!



TJEP TT-65



0°
L: 65 mm
Ø: 2.5 mm

TT Finish Nails

1. Adjustable air exhaust
2. Dry fire lock-out
3. Side load
4. Extra nose piece for tongue, 45°
5. Empty magazine indicator

SPECIFICATIONS

Item no.	100471
EAN no.	5702551004715
Finish length	65 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	318 × 92 × 293 mm
Weight	2.55 kg
Price	**€ 253.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	874414	**58.50**
Spare parts set	871058	**7.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Solid floors.

Attention!
Always follow the directions of the flooring supplier when selecting nails, finish nails or staples for mounting floor boards.

TJEP TT FINISH NAILS, 0°

WILL FIT

TJEP	TT-65

Other brands: See the Conversion table at p. 121

TT FINISH NAILS


Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
TT, 65 mm	111065	5,000	100	18.10	**90.50**



GALV.

TJEP TIP

On www.tjep.eu you can see
the latest news and products.



Scan the code and visitwww.tjep.eu
with your smart phone or tablet.






STAPLERS

NAILERS

74 TJEP PG-50/14
75 TJEP 80/16
76 TJEP 90/40
76 TJEP BN 90/40
77 TJEP BE-90/40
78 TJEP 90/F-18
79 TJEP ES-500/40
81 TJEP PZ-16/50
81 TJEP PZ-16/50 GAS 3G
82 TJEP PQZ-64
82 TJEP PQZ-75 GAS 3G
84 TJEP MF-14/160
85 TJEP TW-16/38 LW
86 TJEP FS-40 GAS 3G

FASTENERS

74 TJEP PG-50 Staples
75 TJEP BE-80 Staples
78 TJEP BE-90 Staples
80 TJEP ES-500 Staples
80 TJEP PB-18 Staples
83 TJEP PZ-16 Staples
83 TJEP PQ-15 Staples
84 TJEP MF-14 Staples
85 TJEP TW-16 Staples
87 TJEP FS-40 Staples
87 TJEP PE-30 Staples
88 TJEP PH-50 Staples
88 TJEP RA-11 Staples




Wire thickness: 1.3 mm

Flat wire staples – ideal for foil!



TJEP PG-50/14



Wire thickness 1.3×0.5 mm

PG-50 Staples

1. Adjustable air exhaust
2. Rear loading
3. Non-slip grip

SPECIFICATIONS

Item no.	100686
EAN no.	5702551006863
Staples length	6-16 mm
Air consumption per cycle	0.3 litres
Size (L×W×H)	225×45×155 mm
Weight	0.80 kg
Price	**€ 104.00**

1

ACCESSORIES

Description	Item no.	Price
Spare parts set	871130	**7.85**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Building paper, Underlayment, Vapor barrier.

TJEP PG-50 STAPLES



WILL FIT

TJEP	DF-50/14, PG-50/14

Other brands: See the Conversion table at p. 121

PG-50 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PG-50, 6 mm	841506	9,000	10	2.11	**19.00**
PG-50, 8 mm	841508	7,000	10	2.36	**16.50**
PG-50, 10 mm	841510	5,000	10	2.70	**13.50**
PG-50, 12 mm	841512	4,000	10	3.00	**12.00**
PG-50, 14 mm	841514	4,000	10	3.25	**13.00**

PG-50 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PG-50, 14 mm	841524	5,000	10	10.10	**50.50**


GALV. STAINLESS A4

Wire thickness: 0.9 - 0.7 mm





TJEP 80/16



Wire thickness 0.9 × 0.7 mm

BE-80 Staples

1. Long slim nose
2. Rear loading
3. Non-slip grip

SPECIFICATIONS

Item no.	100680
EAN no.	5702551006801
Staples length	6 - 16 mm
Air consumption per cycle	0.3 litres
Size (L×W×H)	158 × 43 × 221 mm
Weight	0.84 kg
Price	**€ 93.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	870131	**16.45**
Spare parts set	871071	**3.40**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Building paper, Underlayment, Vapor barrier.

TJEP BE-80 STAPLES



WILL FIT

TJEP	80/16 auto, 80/16

Other brands: See the Conversion table at p. 121

BE-80 STAPLES


Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
BE-80, 6 mm	841306	12,000	10	1.50	**18.00**
BE-80, 8 mm	841308	9,000	10	1.61	**14.50**
BE-80, 10 mm	841310	7,500	10	1.71	**12.80**
BE-80, 12 mm	841312	6,000	10	1.75	**10.50**
BE-80, 14 mm	841314	6,000	10	2.17	**13.00**
BE-80, 16 mm	841316	4,500	10	2.33	**10.50**

GALV.





TJEP 90/40



Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 78

1. Adjustable air exhaust
2. Single shot / bump fire
3. Rear loading
4. Adjustable depth control
5. No-mark nose
6. Empty magazine indicator

SPECIFICATIONS

Item no.	100690
EAN no.	5702551006900
Staples length	12-40 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	247 × 63 × 246 mm
Weight	1.46 kg
Price	**€ 148.00**

1

ACCESSORIES


Description	Item no.	Price
Driver unit	870314	**29.70**
Spare parts set	871069	**12.30**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Frames.

TJEP BN 90/40



Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 78

1. Exhaust in bottom cover
2. Suitable for grooves
3. Adjustable depth control
4. Dry fire lock-out
5. Safety bracket integrated in nose

SPECIFICATIONS

Item no.	100692
EAN no.	5702551006924
Staples length	12-40 mm
Air consumption per cycle	0.5 litres
Size (L×W×H)	235 × 53 × 218 mm
Weight	1.26 kg
Price	**€ 198.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	877202	**43.30**
No-mark set	871134	**8.90**
Spare parts set	871132	**7.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Frames, Wood ceilings.





TJEP BE-90/40



Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 78

1. Exhaust in bottom cover
2. Suitable for rear grooves
3. Adjustable depth control
4. Dry fire lock-out
5. Safety bracket integrated in nose

SPECIFICATIONS

Item no.	100694
EAN no.	5702551006948
Staples length	12-40 mm
Air consumption per cycle	1.2 litres
Size (L×W×H)	271 × 73 × 244 mm
Weight	1.70 kg
Price	**€ 220.00**

1

ACCESSORIES


Description	Item no.	Price
Driver unit	877306	**52.70**
No-mark	877208	**1.28**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Wood ceilings.

Hidden nailing in rear groove,
i.e. no visible nail heads on the ceiling.






Wire thickness: 1.3 × 1.0 mm



TJEP 90/F-18



TF-18 Brads, p. 63
BE-90 Staples

1. Adjustable air exhaust
2. Single shot / bump fire
3. Adjustable depth control
4. Empty magazine indicator
5. Quick removal of 'trapped' brad
6. No-mark nose

SPECIFICATIONS

Item no.	100418
EAN no.	5702551004180
Staples length	12-40 mm
Brads length	12, 15, 18, 19, 25, 30, 32, 35, 38, 40, 50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	247 × 62 × 246 mm
Weight	1.46 kg
Price	**€ 160.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	870417	**29.70**
No-mark set	871081	**8.90**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Architraves, Board, Frames, Panelling, Skirting.

TJEP BE-90 STAPLES



WILL FIT

TJEP	90/40, 90/F-18, BE-90/40, BN 90/40
MAKITA	AT450H HP stapler

Other brands: See the Conversion table at p. 121

BE-90 STAPLES, WITH GLUE


Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
BE-90, 12 mm	840112	8,000	6	3.00	**24.00**
BE-90, 18 mm	840118	6,000	6	4.00	**24.00**
BE-90, 25 mm	840125	4,000	6	5.13	**20.50**
BE-90, 30 mm	840130	3,500	6	5.14	**18.00**
BE-90, 35 mm	840135	3,000	6	5.50	**16.50**
BE-90, 40 mm	840140	2,500	6	6.60	**16.50**
BE-90, 30 mm	840131	3,500	6	28.71	**100.50**
BE-90, 35 mm	840136	3,000	6	34.67	**104.00**
BE-90, 40 mm	840141	2,500	6	38.20	**95.50**

GALV. STAINLESS A4



ES 500/40

TJEP ES-500/40



Wire thickness 1.3 × 1.0 mm

PB-18 Staples, p. 80
ES-500 Staples, p. 80

1. Belt hook
2. Silencer
3. Adjustable air exhaust
4. Adjustable depth control
5. bottom load
6. No-mark nose

SPECIFICATIONS

Item no.	100682
EAN no.	5702551006825
Staples length	20-40 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	262 × 68 × 252 mm
Weight	1.46 kg
Price	**€ 209.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876016	**26.90**
No-mark set	871047	**8.90**
Spare parts set	871097	**7.85**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Frames, Insulation wire, Metal.

STAPLER



Wire thickness: 1.3 × 1.0 mm



Wire thickness: 1.2 × 1.0 mm



TJEP ES-500 STAPLES

Width: 10.8 mm



WILL FIT

TJEP	ES-500/40

Other brands: See the Conversion table at p. 121

ES-500 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
ES-500, 20 mm	841720	3,600	6	5.14	**18.50**
ES-500, 25 mm	841725	3,000	6	5.93	**17.80**
ES-500, 30 mm	841730	2,400	6	6.88	**16.50**
ES-500, 35 mm	841735	2,000	6	7.75	**15.50**
ES-500, 40 mm	841740	2,000	6	8.50	**17.00**
ES-500, 40 mm	841741	2,000	6	27.50	**55.00**

TJEP PB-18 STAPLES

Width: 10.3 mm



WILL FIT

TJEP	ES-500/40, I-18/38

Other brands: See the Conversion table at p. 121

PB-18 STAPLES, WITH GLUE


Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PB-18, 12 mm	840312	6,000	6	3.25	**19.50**
PB-18, 16 mm	840316	3,500	6	3.94	**13.80**
PB-18, 19 mm	840319	3,500	6	4.57	**16.00**
PB-18, 22 mm	840322	3,000	6	4.83	**14.50**
PB-18, 25 mm	840325	3,000	6	5.17	**15.50**
PB-18, 28 mm	840328	2,500	6	6.20	**15.50**
PB-18, 32 mm	840332	2,000	6	6.25	**12.50**
PB-18, 38 mm	840338	2,000	6	7.25	**14.50**
PB-18, 25 mm	840326	3,000	6	24.33	**73.00**

GALV. STAINLESS A2





TJEP PZ-16/50



Wire thickness 1.6 × 1.4 mm

PZ-16 Staples, p. 83

1. Adjustable air exhaust
2. Quick removal of 'trapped' brad
3. Top load
4. Incl. special nose for flooring
5. Single shot / bump fire

SPECIFICATIONS

Item no.	100699
EAN no.	5702551006993
Staples length	19-50 mm
Air consumption per cycle	2.5 litres
Size (L×W×H)	344 × 87 × 291 mm
Weight	2.30 kg
Price	**€ 368.00**

1

ACCESSORIES


Description	Item no.	Price
Driver unit	100901	**110.00**
Spare parts set	871064	**13.35**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Chipboard, Fermacell, Fermacell Powerpanel, Flashing of steel, Frames, Insulation wire, Lamella floors, Wind plaster.

TJEP PZ-16/50 GAS 3G



Wire thickness 1.6 X 1.4 mm

PZ-16 Staples, p. 83

1. Li-ion battery – approx. 8000 shots per charge
2. Battery indicator and quick charge function
3. Quick removal of 'trapped' brad
4. Adjustable depth control
5. Rafter/belt hook

SPECIFICATIONS

Item no.	100270
EAN no.	5702551002704
Staples length	25-50 mm
Size (L×W×H)	364 × 86 × 279 mm
Weight	2.47 kg
Price	**€ 683.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP fuel cell, yellow ring, 78 mm	100851	**8.40**

See additional accessories at p. 93

USED FOR

Fermacell, Fermacell Powerpanel, Flashing of steel, Gypsum fiberboard, Insulation wire, Wind plaster.





TJEP PQZ-64

PQ: 11.3 mm, PZ: 10.8 mm

32-64 mm

Wire thickness
PQ: 1.9×1.7 mm
PZ: 1.6×1.4 mm

PZ-16 Staples, p. 83
PQ-15 Staples, p. 83

1. Adjustable air exhaust
2. Quick removal of 'trapped' staple
3. Top load
4. Incl. special nose for flooring
5. Single shot / bump fire

SPECIFICATIONS

Item no.	100697
EAN no.	5702551006979
Staples length	32-64 mm
Air consumption per cycle	2.7 litres
Size (L×W×H)	353×106×331 mm
Weight	2.86 kg
Price	**€ 413.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	885018	**91.60**
Spare parts set	871068	**14.50**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Board, Chipboard, Fermacell, Fermacell Powerpanel, Flashing of steel, Frames, Insulation wire, Lamella floors, Wind plaster.

TJEP PQZ-75 GAS 3G

PQ: 11.3 mm, PZ: 10.8 mm

35-75 mm

Wire thickness
PQ: 1.9×1.7 mm
PZ: 1.6×1.4 mm

PZ-16 Staples, p. 83
PQ-15 Staples, p. 83

1. Great balance
2. Non-slip grip – extremely low recoil
3. Adjustable depth control
4. Belt hook
5. Li-ion battery – approx. 8000 shots per charge
6. Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100265
EAN no.	5702551002650
Staples length	35-75 mm
Size (L×W×H)	373×108×351 mm
Weight	3.96 kg
Price	**€ 768.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Chipboard, Fermacell, Fermacell Powerpanel, Flashing of steel, Gypsum fiberboard, Insulation wire, Wind plaster.

Wire thickness: 1.6 × 1.4 mm



Wire thickness: 1.9 × 1.7 mm



TJEP PZ-16 STAPLES

Width: 10.8 mm



WILL FIT

TJEP	PQZ-64, PQZ-75 GAS, PZ-16/50 GAS, PZ-16/50

Other brands: See the Conversion table at p. 121


PZ-16 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PZ-16, 25 mm	840225	12,500	64	6.20	**77.50**
PZ-16, 32 mm	840232	11,000	64	7.00	**77.00**
PZ-16, 38 mm	840238	9,500	64	7.74	**73.50**
PZ-16, 45 mm	840245	8,000	64	8.69	**69.50**
PZ-16, 50 mm	840250	6,500	64	9.62	**62.50**
PZ-16, 64 mm	840264	6,000	64	13.33	**80.00**
PZ-16, 38 mm	840239	4,000	96	57.00	**228.00**
PZ-16, 50 mm	840251	3,000	96	72.17	**216.50**
PZ-16, 64 mm	840265	3,000	96	92.83	**278.50**

PZ-16 STAPLES, WITH GLUE, CD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PZ-16, 19 mm*	840218	17,300	63	8.21	**142.00**
PZ-16, 22 mm*	840221	17,300	57	8.84	**153.00**
PZ-16, 28 mm*	840227	12,000	63	9.92	**119.00**
PZ-16, 32 mm*	840231	10,400	42	11.01	**114.50**

**Without CE approval*



Standard
(from the front)

Chisel-diverted
(from the side)

TJEP PQ-15 STAPLES

Width: 11.3 mm



WILL FIT

TJEP	PQZ-64, PQZ-75 GAS

Other brands: See the Conversion table at p. 121

PQ-15 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PQ-15, 38 mm	840638	9,400	32	9.04	**85.00**
PQ-15, 44 mm	840644	7,400	32	10.20	**75.50**
PQ-15, 50 mm	840650	7,150	32	10.84	**77.50**
PQ-15, 57 mm	840657	6,250	32	12.64	**79.00**
PQ-15, 63 mm	840663	5,750	32	13.48	**77.50**
PQ-15, 75 mm	840675	4,700	32	15.96	**75.00**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.


GALV. GALV. 12µ+ STAINLESS A4



Wire thickness: 2.0 × 1.8 mm



TJEP MF-14/160



Wire thickness 2.0 × 1.8 mm

MF-14 Staples

1. Robust
2. Adjustable air exhaust
3. Adjustable depth control
4. Quick removal of 'trapped' brad
5. Non-slip grip

SPECIFICATIONS

Item no.	100689
EAN no.	5702551006894
Staples length	65-160 mm
Air consumption per cycle	4.4 litres
Size (L×W×H)	400 × 138 × 470 mm
Weight	6.25 kg
Price	**€ 1,030.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	876403	**188.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Insulation.

TJEP MF-14 STAPLES



WILL FIT

TJEP	MF-14/150, MF-14/160

Other brands: See the Conversion table at p. 121

MF-14 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MF-14, 75 mm	841876	2,400	40	93.96	**225.50**
MF-14, 100 mm	841891	1,800	53	114.72	**206.50**
MF-14, 130 mm	841898	1,400	69	140.36	**196.50**
MF-14, 150 mm	841899	1,100	72	157.73	**173.50**

CE All TJEP nails for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.


STAINLESS A2

Wire thickness: 1.6 × 1.4 mm





TJEP TW-16/38 LW



Wire thickness 1.6 × 1.4 mm

TW-16 Staples

1. Adjustable safety bracket
2. Top load
3. Non-slip grip
4. Lightweight model – compact design
5. Quick removal of 'trapped' staple

SPECIFICATIONS

Item no.	100698
EAN no.	5702551006986
Staples length	13-38 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	360 × 78 × 236 mm
Weight	2.60 kg
Price	**€ 335.00**

1

ACCESSORIES

Description	Item no.	Price
Driver unit	877401	**58.00**

See additional accessories at p. 93
See the compressors overview at p. 103

USED FOR

Building paper.

TJEP TW-16 STAPLES



WILL FIT

TJEP	TW-16/38 LW, TW-16/38

Other brands: See the Conversion table at p. 121

TW-16 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
TW-16, 16 mm	841616	9,900	72	8.03	**79.50**
TW-16, 22 mm	841622	7,250	72	9.31	**67.50**
TW-16, 25 mm	841625	6,600	72	10.08	**66.50**
TW-16, 32 mm	841632	4,650	48	12.69	**59.00**
TW-16, 38 mm	841638	4,000	72	13.63	**54.50**


GALV.



TJEP FENCING STAPLER
FS-40 GAS 3G

Gas-powered stapler for fastening wire fences etc. Perfect for the demanding tasks, and no need for compressors and hoses. The stapler is well-balazanced and extremely powerful, ensuring perfect insertion, even in hardwood.

Depth of drive can be adjusted, so the stable can be inserted fully or the thread can be allowed some clearance.



The heavy-duty staples are hot-dip galvanised (HDG) and treated with a special long-life coating, ensuring maximum corrosion protection and, thus, maximum tool life.


The special design of the staples with divergent D-tips ensures great holding power, far superior to manual staples.



Including extra nose for mounting in softwood!



TJEP FS-40 GAS 3G



Wire thickness 3.15 mm

FS-40 Staples, p. 87

1. Great balance
2. Non-slip grip – extremely low recoil
3. Adjustable depth control
4. Top load
5. Smooth no-mark nose
6. Belt hook

SPECIFICATIONS

Item no.	100260
EAN no.	5702551002605
Staples length	25-40 mm
Size (L×W×H)	373×108×356 mm
Weight	3.93 kg
Price	**€ 805.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP all-season fuel cell, red ring, 165 mm	100856	**11.65**
TJEP fuel cell, orange ring, 165 mm	100853	**8.40**

See additional accessories at p. 93

USED FOR

Insulation wire, Wire fencing.

Ø: 3.15 mm



Wire thickness: 0.6-0.8 mm



TJEP FS-40 STAPLES

Width: 12.8 mm



WILL FIT

TJEP	FS-40 GAS

FS-40 STAPLES

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FS-40, 33 mm	841988	1,500	96	83.33	**125.00**
FS-40, 40 mm	841990	1,500	96	85.67	**128.50**

TJEP PE-30 STAPLES

Width: 8.5 mm



WILL FIT

Paslode	1000 S-30 SR

PE-30 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PE-30, 8 mm	841108	20,000	6	1.75	**35.00**
PE-30, 10 mm	841110	15,000	6	1.93	**29.00**
PE-30, 12 mm	841112	10,000	6	2.10	**21.00**
PE-30, 16 mm	841116	10,000	6	2.35	**23.50**
PE-30, 10 mm	841111	10,000	8	6.95	**69.50**
PE-30, 12 mm	841113	10,000	8	7.75	**77.50**

GALV. HDG STAINLESS A2

Wire thickness: 0.6 - 1.2 mm



TJEP PH-50 STAPLES

Width: 5.2 mm



WILL FIT

Paslode	1000-N-50 SR, PN 50

PH-50 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PH-50, 6 mm	841006	20,000	6	1.83	**36.50**
PH-50, 10 mm	841010	10,000	6	2.15	**21.50**
PH-50, 12 mm	841012	10,000	6	2.35	**23.50**
PH-50, 16 mm	841016	7,500	6	2.87	**21.50**
PH-50, 19 mm	841019	7,500	6	3.13	**23.50**

Wire thickness: 1.3 × 0.5 mm



TJEP RA-11 STAPLES

Width: 10.6 mm



WILL FIT

DUO-FAST	HT 11
Rapid	11E, 54, 211

RA-11 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
RA-11 3/8	841400	5,000	10	2.06	**10.30**

GALV.



C-RINGERS

C-RINGERS

90 TJEP CR 8/11-24

91 TJEP CR 5/9-24

FASTENERS

91 C-rings





TJEP CR 8/11-24

TJEP CR 5/9-24

C-RINGER





C-rings, p. 91

1. Workpc. thickness of 8-11 mm
2. Great balance
3. Quick fixation

SPECIFICATIONS

Item no.	115994
EAN no.	5702551159941
Size (L×W×H)	344 × 203 × 249 mm
Weight	2.58 kg
Workpc. thickness	8 - 11 mm
Price	**€ 1,400.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP Battery 18V	115986	**164.30**
TJEP battery charger for TJEP C-ringer	115988	**104.90**

USED FOR

Insulation wire, Mattresses and car seats, Poultrycages, traps etc., Wire fencing.

Fastest model on the market – without cord!





TJEP CR 5/9-24



C-rings

1. Workpc. thickness of 5-9 mm
2. Great balance
3. Quick fixation

SPECIFICATIONS

Item no.	115993
EAN no.	5702551159934
Size (L×W×H)	344 × 203 × 249 mm
Weight	2.58 kg
Workpc. thickness	5 - 9 mm
Price	**€ 1,400.00**

2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP Battery 18V	115986	**164.30**
TJEP battery charger for TJEP C-ringer	115988	**104.90**

USED FOR

Insulation wire, Mattresses and car seats, Poultrycages, traps etc., Wire fencing.

C-RINGS

WILL FIT

TJEP	CR 5/9-24, CR 8/11-24


C-RINGS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
C-rings	115995	10,000	150	12.08	**120.80**

STAINLESS A2

TJEP TIP

On www.tjep.eu you can see the entire TJEP product range.



Scan the code and visitwww.tjep.eu with your smart phone or tablet.





ACCESSORIES & FUEL CELL

Accessories for TJEP nailers and staplers



12 pcs. pr. box



TJEP FUEL CELL, orange ring

Item no.	100853
EAN no.	5702551008539
Price/pcs.	**€ 8.40**

WILL FIT

TJEP PQZ-75 GAS, GRF 34/90 GAS, FH 21/90 GAS, CP-40 GAS, KA 4060 GAS, FH 21/90 GAS duplex, FS-40 GAS, **PASLODE** IM 350/90



TJEP FUEL CELL, green ring

Item no.	100858
EAN no.	5702551008584
Price/pcs.	**€ 11.65**

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/105 GAS



TJEP FUEL CELL, purple ring

Item no.	100864
EAN no.	5702551008645
Price/pcs.	**€ 13.70**

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/100 Excellent GAS



TJEP ALL-SEASON FUEL CELL, red ring

Item no.	100856
EAN no.	5702551008560
Price/pcs.	**€ 11.65**

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/90 GAS, FH 21/90 GAS, CP-40 GAS, KA 4060 GAS, PQZ-75 GAS, FH 21/90 GAS duplex, FS-40 GAS, **PASLODE** IM 350/90



TJEP FUEL CELL, yellow ring

Item no.	100851
EAN no.	5702551008515
Price/pcs.	**€ 8.40**

WILL FIT

TJEP AB-15/64 GAS, VF-16/64 GAS, TF-18/50 GAS, TF-16/64 GAS, PZ-16/50 GAS, HA-35 GAS Haften, ST-15/50 GAS, **PASLODE** IM 50 F18, IM 65 F16, IM 65A F16, IM 200 A/35 Haften, IM 200 S16



OK GAS FUEL CELL

Item no.	100862
EAN no.	4260358111018
Price/pcs.	**€ 16.95**

WILL FIT

PASLODE IM90i, IM100i, PPN 50i



TJEP ALL SEASON OIL

Item no.	106228
EAN no.	5702551062289
Price	**€ 8.50**

WILL FIT

All TJEP Gas and pneumatic nailers





TJEP LI-ION BATTERY

Item no.	100290
EAN no.	5702551002902
Price	**€ 98.60**

WILL FIT

All TJEP 3G Gas nailers
and GRF 34/100 Excellent GAS



TJEP BATTERY CHARGER FOR TJEP LI-ION BATTERY

Item no.	100292
EAN no.	5702551002926
Price	**€ 88.00**

WILL FIT

All TJEP 3G Gas nailers
and GRF 34/100 Excellent GAS



TJEP CLEANER

Item no.	100890
EAN no.	5702551008904
Price	**€ 11.65**

WILL FIT

All TJEP Gas nailers



TJEP BATTERY, 1,65 Ah NiMh

Item no.	100842
EAN no.	5702551008423
Price	**€ 58.00**

WILL FIT

All TJEP 1G and 2G Gas nailers



TJEP BATTERY CHARGER, 1,65 Ah NiMh

Item no.	100840
EAN no.	5702551008409
Price	**€ 23.30**

WILL FIT

All TJEP 1G and 2G Gas nailers



TJEP CAR ADAPTOR FOR TJEP CHARGER

Item no.	100843
EAN no.	5702551008430
Price	**€ 7.40**

WILL FIT

TJEP battery charger 1,65 Ah NiMh



DECRA SAFETY BRACKET

Item no.	850251
EAN no.	5702558502511
Price	**€ 198.00**

WILL FIT

TJEP ZE 65



QUADRO SAFETY BRACKET

Item no.	850253
EAN no.	5702558502535
Price	**€ 198.00**

WILL FIT

TJEP ZE 65



FLOORING NOSE PIECE

Item no.	100846
EAN no.	5702551008461
Price	**€ 69.95**

WILL FIT

TJEP GRF 34/90 GAS



FLOORING NOSE PIECE

Item no.	872198
EAN no.	5702558721981
Price	**€ 45.70**

WILL FIT

TJEP GRF 100 Compact XP,
TJEP GRF 34/100 Excellent



DECRA SAFETY BRACKET

Item no.	100849
EAN no.	5702551008492
Price	**€ 106.00**

WILL FIT

TJEP GRF 34/90 GAS




MAGNETIC NO-MARK

Item no.	875795
EAN no.	5702558757959
Price	**€ 26.30**

WILL FIT

TJEP CP-40 GAS 3G





COMPRESSORS

98 TJEP 6/15-1 Compact
98 TJEP 4/5-2 Silent
99 TJEP 6/10-2 Silent
99 TJEP 8/10-2 Silent
100 TJEP 10/250-1
100 TJEP 17/15-2 Silent
101 TJEP 20/25-2
101 TJEP 20/30-2
102 TJEP 24/30-4 Silent
102 TJEP 50/30-4 Silent
103 Compressors overview
104 Accessories



*See our **High Pressure** Compressor on page 34*

Small and handy – only 10 kg!



TJEP 6/15-1 COMPACT

- Light and handy
- Wight only 10 kg

SPECIFICATIONS

Item no.	123027
EAN no.	5702551230275
Size (L×W×H)	330 × 300 × 440 mm
Weight	10.00 kg
Cylinders	1
Horsepower	1.1 kW / 1.5 HP
Max pressure	8 bar
Effective air	130 litres/min
Displacement	160 litres/min
Tank	6 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	90 dB
Price	**€ 274.00**

Enjoy the sound of silence! Perfect for small nailers



NEW

TJEP 4/5-2 SILENT

- Extremely silent
- Easy to transport
- Ball valve for easy drain of tank.

SPECIFICATIONS

Item no.	123054
EAN no.	5702551230541
Size (L×W×H)	385 × 385 × 370 mm
Weight	12.00 kg
Cylinders	2
Horsepower	0.4 kW / 0.5 HP
Max pressure	9 bar
Effective air	25 litres/min
Displacement	49 litres/min
Tank	3,8 litres
Noise (LpA, 4m)	56 dB
Noise (LwA)	69 dB
Price	**€ 284.00**

Low noise level – only 59 dB!



TJEP 6/10-2 SILENT

- Low noise level
- Easy to carry
- Rugged design

SPECIFICATIONS

Item no.	123026
EAN no.	5702551230268
Size (L×W×H)	400 × 330 × 330 mm
Weight	18.00 kg
Cylinders	2
Horsepower	0.6 kW / 0.75 HP
Max pressure	10,5 bar
Effective air	120 litres/min
Displacement	150 litres/min
Tank	6 litres
Noise (LpA, 4m)	59 dB
Noise (LwA)	80 dB
Price	**€ 654.00**

Rest your ears with this quiet model for small and medium-sized nailers!



TJEP 8/10-2 SILENT

- Extremely silent
- Ball valve for easy drain of tank.
- Two outlets

SPECIFICATIONS

Item no.	123056
EAN no.	5702551230565
Size (L×W×H)	485 × 485 × 415 mm
Weight	21.50 kg
Cylinders	2
Horsepower	0.7 kW / 1.0 HP
Max pressure	9 bar
Effective air	76 litres/min
Displacement	131 litres/min
Tank	8 litres
Noise (LpA, 4m)	58 dB
Noise (LwA)	71 dB
Price	**€ 383.50**



TJEP 10/250-1

- Pressure reducing valve
- Manometer
- Puncture-proof wheel

SPECIFICATIONS

Item no.	123044
EAN no.	5702551230442
Size (L×W×H)	420 × 340 × 660 mm
Weight	19.50 kg
Cylinders	1
Horsepower	1.8 kW / 2.5 HP
Max pressure	10 bar
Effective air	210 litres/min
Displacement	250 litres/min
Tank	10 litres
Noise (LpA, 4m)	70 dB
Noise (LwA)	95 dB
Price	**€ 362.00**

ACCESSORIES

Description	Item no.	Price
K01 compressor oil, 1 litre	106240	**23.50**
Oil dipstick f/TJEP oil lubricated compressors	106242	**12.70**



TJEP 17/15-2 SILENT

- Extremely silent
- Compact design with 2 tanks
- Ergonomic telescopic handle

SPECIFICATIONS

Item no.	123060
EAN no.	5702551230602
Size (L×W×H)	525 × 485 × 585 mm
Weight	26.50 kg
Cylinders	2
Horsepower	1.1 kW / 1.5 HP
Max pressure	10 bar
Effective air	105 litres/min
Displacement	130 litres/min
Tank	17 litres
Noise (LpA, 4m)	66 dB
Noise (LwA)	80 dB
Price	**€ 583.00**



TJEP 20/25-2

- High performance - Up to 10,5 bar
- Ball valve for easy drain of tank.
- Telescopic handle and puncture-proof wheel

SPECIFICATIONS

Item no.	123021
EAN no.	5702551230213
Size (L×W×H)	520×430×790 mm
Weight	40.00 kg
Cylinders	2
Horsepower	1.8 kW / 2.5 HP
Max pressure	10,5 bar
Effective air	200 litres/min
Displacement	260 litres/min
Tank	20 litres
Noise (LpA, 4m)	70 dB
Noise (LwA)	95 dB
Price	**€ 1,256.00**

ACCESSORIES

Description	Item no.	Price
Puncture-proof wheel	106244	**36.00**



TJEP 20/30-2

- Telescopic handle
- Ball valve for easy drain of tank.
- Puncture-proof wheel

SPECIFICATIONS

Item no.	123052
EAN no.	5702551230527
Size (L×W×H)	520×430×790 mm
Weight	45.00 kg
Cylinders	2
Horsepower	2.2 kW / 3 HP
Max pressure	10,5 bar
Effective air	280 litres/min
Displacement	360 litres/min
Tank	20 litres
Noise (LpA, 4m)	72 dB
Noise (LwA)	95 dB
Price	**€ 770.50**

ACCESSORIES

Description	Item no.	Price
K01 compressor oil, 1 litre	106240	**23.50**
Oil dipstick f/TJEP oil lubricated compressors	106242	**12.70**
Puncture-proof wheel	106244	**36.00**

Silent and compact – with high performance!



TJEP 24/30-4 SILENT

- Extremely silent
- High performance
- Two outlets

SPECIFICATIONS

Item no.	123064
EAN no.	5702551230640
Size (L×W×H)	818 × 363 × 545 mm
Weight	51.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
Effective air	240 litres/min
Displacement	406 litres/min
Tank	24 litres
Noise (LpA, 4m)	68,20 dB
Noise (LwA)	82,20 dB
Price	**€ 824.50**

Perfect for large projects!



TJEP 50/30-4 SILENT

- Extremely silent
- High performance – two outlets
- Large tank capacity

SPECIFICATIONS

Item no.	123066
EAN no.	5702551230664
Size (L×W×H)	890 × 457 × 672 mm
Weight	63.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
Effective air	240 litres/min
Displacement	406 litres/min
Tank	50 litres
Noise (LpA, 4m)	68,8 dB
Noise (LwA)	82,8 dB
Price	**€ 938.00**

TJEP fastening systems



		6/15-1 123027	4/5-2 123054	6/10-2 123026	8/10-2 123056	10/250-1 123044	17/15-2 123060	20/25-2 123021	20/30-2 123052	24/30-4 123064	50/30-4 123066	9/20 HP 123074
34° FRAMING NAILERS	100099 GRF 34/90 LW	●	●	●	●	●	●	●	●	●	●	●
	100086 GRF 34/105	●	●	●	●	●	●	●	●	●	●	●
	100030 GRF 100 Excellent	●	●	●	●	●	●	●	●	●	●	●
ANCHOR NAILERS	100091 BC 60	●	●	●	●	●	●	●	●	●	●	●
	100324 KA 1	●	●	●	●	●	●	●	●	●	●	●
	100323 KA 1L	●	●	●	●	●	●	●	●	●	●	●
	100329 KA 2	●	●	●	●	●	●	●	●	●	●	●
21° FRAMING NAILERS	100098 FH 21/90 LW	●	●	●	●	●	●	●	●	●	●	●
	100089 FH 130	●	●	●	●	●	●	●	●	●	●	●
	100088 FH 160	●	●	●	●	●	●	●	●	●	●	●
HIGH PRESSURE	100180 GRF 34/100 HP	●	●	●	●	●	●	●	●	●	●	●
	100181 GRF 34/100 HP L	●	●	●	●	●	●	●	●	●	●	●
	100174 PC 90 HP	●	●	●	●	●	●	●	●	●	●	●
	100193 AN510H HP	●	●	●	●	●	●	●	●	●	●	●
	100194 AN610H HP	●	●	●	●	●	●	●	●	●	●	●
	100189 AN711H HP	●	●	●	●	●	●	●	●	●	●	●
	100190 AN935H HP	●	●	●	●	●	●	●	●	●	●	●
	100195 AN250HC HP	●	●	●	●	●	●	●	●	●	●	●●
	100191 AF550H HP	●	●	●	●	●	●	●	●	●	●	●●
	100198 AR411HR HP	●	●	●	●	●	●	●	●	●	●	●
COIL NAILERS	100345 TA 45	●	●	●	●	●	●	●●	●●	●●	●●	●
	100050 MX 50	●	●	●	●	●	●	●●	●●	●●	●●	●●
	100143 ZE 65	●	●	●	●	●	●	●	●	●	●	●
	100147 ZE 65 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100149 ZE 75 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100051 PC 65	●	●	●	●	●	●	●	●	●	●	●
	100055 PC 66	●	●	●	●	●	●	●	●	●	●	●
	100034 PC 90 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100057 PC 90	●	●	●	●	●	●	●	●	●	●	●
	100046 CN 57	●	●	●	●	●	●	●	●	●	●	●
	100048 CN 70	●	●	●	●	●	●	●	●	●	●	●
	100049 CN 80	●	●	●	●	●	●	●	●	●	●	●
	100044 CN 90	●	●	●	●	●	●	●	●	●	●	●
	100357 CN 100 EPAL	●	●	●	●	●	●	●	●	●	●	●
	100042 CN-130	●	●	●	●	●	●	●	●	●	●	●
HAFTEN NAILERS	100028 PC 50 Haften	●	●	●	●	●	●	●●	●●	●●	●●	●●
	100056 PC 66 Haften	●	●	●	●	●	●	●	●	●	●	●
CORRUGATED NAILERS	100332 CO-15	●	●	●	●	●	●	●●	●●	●●	●●	●●
CONCRETE NAILERS	100426 ST-15/50	●	●	●	●	●	●	●●	●●	●●	●●	●●
BRAD AND FINISH NAILERS	100440 TF-18/40	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100421 TF-18/45	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100419 F-18/50	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100428 TF-18/55	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100417 VD-18/50	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100416 F-16/50	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100413 TF-16/50F	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100467 TF-16/63B	●	●	●	●	●●	●●	●●	●●	●●	●●	●●
	100414 AB-15	●	●	●	●	●●	●●	●●	●●	●●	●●	●●
	100422 AB-15/50	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100415 VD-15/50	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100471 TT-65	●	●	●	●	●	●	●	●	●	●	●
STAPLERS	100686 PG-50/14	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100680 80/16	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100670 80/16 auto	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100690 90/40	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100692 BN-90/40	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100694 BE-90/40	●	●	●	●	●	●	●	●	●●	●●	●●
	100418 90/F-18	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
	100682 ES-500/40	●	●	●	●	●	●	●	●	●	●●	●
	100699 PZ-16/50	●	●	●	●	●	●	●	●	●	●	●
	100697 PQZ-64	●	●	●	●	●	●	●	●	●	●	●
	100689 MF-14/160	●	●	●	●	●	●	●	●	●	●	●
	100698 TW-16/38 LW	●	●	●	●	●	●	●●	●●	●●	●●	●●

Instructions for selecting a compressor. The overview is used as a guide for selecting a compressor.
This guide is based on an exhaust pressure of 7 bar and a maximum shoot speed of 50 shots / min.
Faster shoots or with a higher output pressure, it is recommended that you select a larger compressor.

- ● *Not recommendable*
- ● *Recommendable for minor tasks with low rate of shoot approx. 20 shots/min.*
- ● *Recommendable for this nailer type*
- ●● *Can normally run with two nailers at once*



ACCESSORIES
COMPRESSORS



REPAIRING KIT,
female-coupling f/TJEP HP airhose

Item no.	123680
EAN no.	5702551236802
Price	**€ 41.40**



REPAIRING KIT,
male-coupling f/TJEP HP airhose

Item no.	123681
EAN no.	5702551236819
Price	**€ 13.90**



TJEP HP REDUCTION VALVE

Item no.	123082
EAN no.	5702551230824
Price	**€ 75.50**



TJEP HP REDUCTION VALVE,
with coupling

Item no.	123083
EAN no.	5702551230831
Price	**€ 109.20**



TJEP HP SWIVEL PLUG*

Item no.	123084
EAN no.	5702551230848
Price	**€ 42.50**

**Do not fit Makita AR411HR HP*



SHORT HOSE SET F /TJEP HP HOSE REEL

Item no.	106246
EAN no.	5702551062463
Price	**€ 27.60**



TJEP HP AIRHOSE

Item no.	123089
EAN no.	5702551230893
Length	15 m
Price	**€ 151.60**



TJEP HP HOSE REEL

Item no.	123090
EAN no.	5702551230909
Length	30 m
Price	**€ 316.00**



OIL DIPSTICK
f/TJEP oil lubricated compressors

Item no.	106242
EAN no.	5702551062425
Price	**€ 12.70**



K01 COMPRESSOR OIL, 1 litre

Item no.	106240
EAN no.	5709535881003
Price	**€ 23.50**



PUNCTURE-PROOF WHEEL

Item no.	106244
EAN no.	5702551062449
Price	**€ 36.00**



TJEP PUR SPIRAL HOSE,
6.5/10 mm X 7.5 /

Item no.	106285
EAN no.	5702551062852
Length	6 m
Price	**€ 58.50**



TJEP SUPERFLEX AIR HOSE,
1/4" with nipple and coupling

Item no.	106082
EAN no.	5702551060827
Length	10 m
Price	**€ 44.50**



TJEP AIR HOSE,
8/14 mm poly with nipple and coupling

Item no.	106095
EAN no.	5702551060957
Length	20 m
Price	**€ 52.00**



TJEP HOSE REEL,
8/14 mm poly with nipple and coupling

Item no.	106096
EAN no.	5702551060964
Length	30 m
Price	**€ 113.50**



TJEP AUTOMATIC HOSE REEL,
9.5/13.0 mm PUR hose

Item no.	106293
EAN no.	5702551062937
Length	30 m
Price	**€ 320.10**



TJEP WOVEN NYLON EXT. HOSE, 1/4" with coupling / nipple

Item no.	106281
EAN no.	5702551062814
Length	10 m
Price	**€ 59.00**



TJEP WOVEN NYLON EXT. HOSE, 3/8" with coupling / nipple

Item no.	106282
EAN no.	5702551062821
Length	10 m
Price	**€ 75.70**



TJEP SUPERSOFT HOSE 3/8",
with nipple & quick-release coupling

Item no.	106283
EAN no.	5702551062838
Length	10 m
Price	**€ 46.50**



TJEP SUPERSOFT HOSE 3/8",
with nipple & quick-release coupling

Item no.	106284
EAN no.	5702551062845
Length	20 m
Price	**€ 68.50**



TJEP REGULATOR 1/4",
0-10 bar incl. pressure gauge

Item no.	106277
EAN no.	5702551062777
Price	**€ 20.10**



TJEP FILTER REGULATOR,
1/4" 0-10 bar incl. pressure gauge

Item no.	106278
EAN no.	5702551062784
Price	**€ 42.50**



TJEP PRESSURE GAUGE,
0-10 bar 1/8"

Item no.	106279
EAN no.	5702551062791
Price	**€ 6.40**



TJEP TIRE INFLATOR,
w/ pressure gauge 0-12 bar

Item no.	106280
EAN no.	5702551062807
Price	**€ 61.10**



SELF-VENTING REGULATOR,
1/4", 16-6 bar

Item no.	106090
EAN no.	5702551060902
Price	**€ 69.00**



TJEP TEFLON THREAD SEAL TAPE, 12mm × 0.75 mm

Item no.	106275
EAN no.	5702551062753
Price	**€ 2.60**



TJEP AIR BLOW GUN,
w/ 6 angled pipe and nipple

Item no.	106287
EAN no.	5702551062876
Price	**€ 14.50**



TJEP AIR BLOW GUN,
w/ universal bike adapter & nipple

Item no.	106288
EAN no.	5702551062883
Price	**€ 22.60**





TJEP SODA BLASTER,
w/ 1.3 ltr. canister

Item no.	106289
EAN no.	5702551062890
Price	**€ 68.50**



TJEP 5 LTR. SODA CANISTER

Item no.	106290
EAN no.	5702551062906
Price	**€ 25.70**



TJEP Y-CONNECTOR,
w/2 couplers series 007

Item no.	106276
EAN no.	5702551062760
Price	**€ 32.50**



TJEP IN-LINE LUBRICATOR,
IG1K 1/4" 4 ml

Item no.	106286
EAN no.	5702551062869
Price	**€ 33.60**



TJEP SWIVEL BALL JOINT NIPPLE,
1/4" male x 1/4" female thread

Item no.	106291
EAN no.	5702551062913
Price	**€ 14.50**



TJEP SWIVEL BALL JOINT NIPPLE,
3/8" male x 3/8" female thread

Item no.	106292
EAN no.	5702551062920
Price	**€ 27.00**



TJEP HOSE CLAMP 13-15, 5 pcs.

Item no.	106271
EAN no.	5702551062715
Price	**€ 3.50**



TJEP HOSE CLAMP 15-17, 5 pcs.

Item no.	106272
EAN no.	5702551062722
Price	**€ 3.50**



TJEP ADJ. HOSE CLAMP 8-12,
5 pcs.

Item no.	106273
EAN no.	5702551062739
Price	**€ 6.00**



TJEP ADJ. HOSE CLAMP 10-16,
5 pcs.

Item no.	106274
EAN no.	5702551062746
Price	**€ 6.30**



TJEP QUICK-RELEASE COUPLING, 6 Hose connector

Item no.	106257
EAN no.	5702551062579
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING, 8mm Hose connector

Item no.	106258
EAN no.	5702551062586
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING, 10. Hose Connector

Item no.	106259
EAN no.	5702551062593
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING, 13 Hose connector

Item no.	106260
EAN no.	5702551062609
Price	**€ 11.70**



TJEP COUPLING NIPPLE,
6 Hose connector

Item no.	106267
EAN no.	5702551062678
Price	**€ 3.60**



TJEP COUPLING NIPPLE,
8 Hose connector

Item no.	106268
EAN no.	5702551062685
Price	**€ 3.60**



TJEP COUPLING NIPPLE,
9 hose connector

Item no.	106269
EAN no.	5702551062692
Price	**€ 3.75**



TJEP COUPLING NIPPLE,
13 hose connector

Item no.	106270
EAN no.	5702551062708
Price	**€ 5.00**



TJEP COUPLING NIPPLE,
1/4” male thread

Item no.	106264
EAN no.	5702551062647
Price	**€ 3.75**



TJEP COUPLING NIPPLE,
3/8” male thread

Item no.	106265
EAN no.	5702551062654
Price	**€ 3.90**



TJEP COUPLING NIPPLE,
1/2” male thread

Item no.	106266
EAN no.	5702551062661
Price	**€ 4.90**



TJEP COUPLING NIPPLE,
1/4” female thread

Item no.	106261
EAN no.	5702551062616
Price	**€ 3.90**



TJEP COUPLING NIPPLE,
3/8” female thread

Item no.	106262
EAN no.	5702551062623
Price	**€ 3.90**



TJEP COUPLING NIPPLE,
1/2” female thread

Item no.	106263
EAN no.	5702551062630
Price	**€ 5.20**



TJEP QUICK-RELEASE COUPLING,
1/4” female thread

Item no.	106251
EAN no.	5702551062517
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING,
3/8” female thread

Item no.	106252
EAN no.	5702551062524
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING,
1/2” female thread

Item no.	106253
EAN no.	5702551062531
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING,
1/4” male thread

Item no.	106254
EAN no.	5702551062548
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING,
3/8” male thread

Item no.	106255
EAN no.	5702551062555
Price	**€ 11.70**



TJEP QUICK-RELEASE COUPLING,
1/2” male thread

Item no.	106256
EAN no.	5702551062562
Price	**€ 11.70**



RE-BAR BINDERS

RE-BAR BINDERS

110 TJEP ULTRA GRIP 25
110 TJEP ULTRA GRIP 40
111 TJEP ULTRA GRIP 58
111 Accessories


TYING WIRE

112 TJEP ULTRA GRIP WIRE
112 TJEP wire
112 Tying wire





TJEP ULTRA GRIP 25



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 112

1. 18V brushless motors
2. Sealed gearbox for extra power
3. Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
4. Longer and narrower handle for better ergonomics
5. 18V 4Ah Li-ion slide-in battery
6. Connector for electronic extension

SPECIFICATIONS

Item no.	124012
EAN no.	5702551240120
Size (L×W×H)	281 × 109 × 300 mm
Weight	2.50 kg
Workpc. thickness	8-25 mm
Ties per coil	160-220
Price	**€ 1,960.00**

2 2 1 1


ACCESSORIES

Description	Item no.	Price
Holster	124203	**64.50**
TJEP battery charger for TJEP ULTRA GRIP	124205	**150.50**
TJEP extension bar	124202	**221.50**
TJEP Lithium-Ion battery 4,0Ah	124204	**138.85**

USED FOR

Floor Heating, Rebar.

TJEP ULTRA GRIP 40



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 112

1. 18V brushless motors
2. Sealed gearbox for extra power
3. Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
4. Longer and narrower handle for better ergonomics
5. 18V 4Ah Li-ion slide-in battery
6. Connector for electronic extension

SPECIFICATIONS

Item no.	124002
EAN no.	5702551240021
Size (L×W×H)	297 × 109 × 300 mm
Weight	2.60 kg
Workpc. thickness	12-40 mm
Ties per coil	120-160
Price	**€ 1,960.00**

2 2 1 1


ACCESSORIES

Description	Item no.	Price
Holster	124203	**64.50**
TJEP battery charger for TJEP ULTRA GRIP	124205	**150.50**
TJEP extension bar	124202	**221.50**
TJEP Lithium-Ion battery 4,0Ah	124204	**138.85**

USED FOR


Floor Heating, Rebar.





ACCESSORIES
RE-BAR

TJEP ULTRA GRIP 58



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 112

1. 18V brushless motors
2. Sealed gearbox for extra power
3. Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
4. Longer and narrower handle for better ergonomics
5. 18V 4Ah Li-ion slide-in battery
6. Connector for electronic extension

SPECIFICATIONS

Item no.	124022
EAN no.	5702551240229
Size (L×W×H)	312×109×310 mm
Weight	2.80 kg
Workpc. thickness	30-58 mm
Ties per coil	80-96
Price	**€ 2,068.00**

2 2 1 1

ACCESSORIES

Description	Item no.	Price
Holster	124203	**64.50**
TJEP battery charger for TJEP ULTRA GRIP	124205	**150.50**
TJEP extension bar	124202	**221.50**
TJEP Lithium-Ion battery 4,0Ah	124204	**138.85**

USED FOR

Floor Heating, Rebar.



TJEP LITHIUM-ION BATTERY 4,0AH

Item no.	124204
EAN no.	5702551242049
Price	**€ 138.85**



TJEP BATTERY CHARGER FOR TJEP ULTRA GRIP

Item no.	124205
EAN no.	5702551242056
Price	**€ 150.50**



HOLSTER

Item no.	124203
EAN no.	5702551242032
Price	**€ 64.50**



TJEP EXTENSION BAR

Item no.	124202
EAN no.	5702551242025
Price	**€ 221.50**





TJEP ULTRA GRIP WIRE

WILL FIT

TJEP	RE-BAR XP 25 Binder, RE-BAR XP 40 Binder, ULTRA GRIP 25, ULTRA GRIP 40, ULTRA GRIP 58

ULTRA GRIP WIRE

Dimension	Item no.	Pcs./box	Box/pal.	Price/pcs.	Price/box
ULTRA GRIP WIRE	124152	20	96	3.39	**67.80**
ULTRA GRIP WIRE	124153	40	48	3.20	**128.00**
ULTRA GRIP WIRE	124157	40	48	11.26	**450.50**
ULTRA GRIP WIRE	124155	40	48	10.55	**421.80**

TJEP WIRE

WILL FIT

TJEP	RE-BAR 25 Binder, RE-BAR 40 Binder

EP WIRE

Dimension	Item no.	Pcs./box	Box/pal.	Price/pcs.	Price/box
EP WIRE	124150	50	40	3.01	**150.50**
Wire, 0.8 mm	124151	50	40	3.01	**150.50**

TYING WIRE

WILL FIT

MAX	RB650A, RB655

TYING WIRE, 1.5 MM

Dimension	Item no.	Pcs./box	Box/pal.	Price/pcs.	Price/box
Tying wire, 1.5 mm	114395	50	50	3.50	**174.90**

BRIGHT · GALV. · STAINLESS A4 · POLYESTER



RE-BAR CUTTER

114 TJEP RC20A

115 TJEP RC30A

115 TJEP C16A

116 TJEP C16

116 Diamond DC-16W

117 Diamond DC-20W

117 RC-16BN





TJEP RC20A

TJEP RC20A
ROD CUTTER



- Rod cutting of re-bars up to Ø20 mm
- Low weight, fast and efficient
- Removable side handle

SPECIFICATIONS

Item no.	102944
EAN no.	5702551029442
Size (L×W×H)	438 × 133 × 83 mm
Weight	3.50 kg
Workpc. thickness	10 - 20 mm
Price	**€ 1,468.00**

2 2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP Battery 6,0 Ah Li-ion	103964	**265.00**
TJEP battery charger for TJEP RC20A & RC30A	103965	**137.80**
TJEP RC20 Blade	102942	**45.60**

USED FOR

Pipes, Rebar, Threaded rods.







TJEP RC30A

- Minimum of sparks
- Low weight, fast and efficient
- Removable side handle

SPECIFICATIONS

Item no.	102946
EAN no.	5702551029466
Size (L×W×H)	445 × 133 × 83 mm
Weight	3.50 kg
Workpc. thickness	10 - 30 mm
Price	**€ 1,685.00**

2 2 1 1

ACCESSORIES

Description	Item no.	Price
TJEP Battery 6,0 Ah Li-ion	103964	**265.00**
TJEP battery charger for TJEP RC20A & RC30A	103965	**137.80**
TJEP RC30 Blade	102948	**58.50**

USED FOR

Pipes, Rebar, Threaded rods.



TJEP C16A

- Bolt cutting head for efficient and economical cutting
- Cuts up to 16 mm rebar/wire
- Cutting speed about 1 to 3 sec., High cutting performance

SPECIFICATIONS

Item no.	102998
EAN no.	5702551029985
Size (L×W×H)	490 × 395 × 135 mm
Weight	8.60 kg
Workpc. thickness	16 mm
Cutting force	10 t.
Voltage	18V / 4 Ah
Price	**€ 2,870.00**

2 1 2 1

ACCESSORIES

Description	Item no.	Price
Cutting blade, Lower	876864	**72.90**

USED FOR

Pipes, Rebar, Threaded rods.





TJEP C16

- Powerful, quick and efficient cutting rebar
- Bolt cutting head for efficient and economical cutting
- Cuts up to 16 mm rebar/wire

SPECIFICATIONS

Item no.	102992
EAN no.	5702551029923
Size (L×W×H)	520 × 120 × 130 mm
Weight	9.10 kg
Workpc. thickness	16 mm
Cutting force	10 t.
Motor power	1100W / 230V
Price	**€ 2,720.00**

2 1

ACCESSORIES

Description	Item no.	Price
Cutting blade, Lower	876864	**72.90**

USED FOR

Pipes, Rebar, Threaded rods.

DIAMOND DC-16W

- Cutting force: 13 MPa
- Cutting speed: approx. 2,5 sec.
- Cutter blades: Reversible


SPECIFICATIONS

Item no.	102970
EAN no.	5702551029701
Size (L×W×H)	460 × 270 × 115 mm
Weight	8.00 kg
Price	**€ 1,660.00**

USED FOR

Pipes, Rebar, Threaded rods.





DIAMOND DC-20W

- Cutting force: 15 MPa
- Cutting speed: approx. 3 sec.
- Cutter blades: Reversible

SPECIFICATIONS

Item no.	102971
EAN no.	5702551029718
Size (L×W×H)	500 × 150 × 135 mm
Weight	10.50 kg
Price	**€ 1,759.00**

USED FOR

Pipes, Rebar, Threaded rods.

RC-16BN

- Simple, fast and inexpensive
- Cuts and bend steel and re-bars, without tool change.
- Special designed head makes the knife last longer.

SPECIFICATIONS


Item no.	102960
EAN no.	5702551029602
Size	1320 × 120 mm
Weight	14.00 kg
Performance Cutting	max. 14 (16) mm 450N/mm²
Bending angle	max. 180°
Price	**€ 482.00**

USED FOR

Rebar.

TJEP TIP

On www.tjep.eu you can see how to change the fuel cell and how you clean your gasnailer.




Scan the code and visitwww.tjep.eu with your smart phone or tablet.





SERVICE & REPAIRS



SERVICE & REPAIRS

All tools supplied by TJEP are quality products, that are manufactured from high-grade materials and are subject to stringent checks with a view to ensuring that the tools can be used for many years without problems. However, professional service and maintenance of your tools are necessary to ensure effective and continuous operation on the construction site.

We have serviced and repaired Pneumatic nailers, gas-operated nailers and re-bar tiers for more than 50 years. That's why, in terms of providing servicing for a very wide selection of tools such as those supplied by TJEP, Paslode, DUO-FAST and MAX tools, we have the most experience in the industry.

Authorised TJEP service workshop

The servicing workshop gathers this experience from the servicing of many thousands of tools every year and compares it with the technical developments in tool manufacture.

This experience and continuous technical updating means, that you are always ensured of competent service of your tools – in brief, when your tool is returned to you, you can be sure that it is fully functional.

It is important to note that you should only use nails, brads and fasteners that comply with the specifications laid down for the tool in question. If fasteners are used, that do not fulfill the specifications for the tool in question, it may be dangerous to use the tool and there is a risk that accidents involving personal injury may occur.

Should the tool be sent for service?

We have a dedicated team ready to service your tools, but as there are many issues that can be resolved over the telephone, we recommend that you call us on one of the contact numbers on this page, before you send the tool for repair. By doing so, you avoid being without the tool unnecessarily.

Where should tools be sent to?

TJEP/MAKITA NAILERS
Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

TJEP HP COMPRESSOR*
Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

TJEP RE-BAR BINDERS
Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

**(TJEP 9/20 HP, Item No. 123074)*



CONVERSION TABLE

Which nails fit which nailers?

Only the most common products are listed
– call us on +45 97 14 14 40 for further information.

TJEP FASTENERS	P.	TJEP / MAKITA	P.	OTHER BRANDS
GF 34° STRIP NAILS Full head	11	GN 100 GRF 34/90 GAS GRF 34/90 LW GRF 34/90 GRF 34/100 EXCELLENT GRF 34/100 EXCELLENT GAS GRF 34/100 HP GRF 34/100 HP L GRF 34/100 GRF 34/105 GAS GRF 34/105 GRF 100 COMPACT XP	- 8 10 - 9 8 27 - - - 10 -	**BEA** D 90S-680E, D 100-934C, **DEWALT** DCN 690M2, DCN 690N, DCN 692P2, **HOLZHER** 3533, **MAX** GS-690 CH, **PASLODE** GN 5350, F-350, F-400, IM 90I, IM 100I, IM 350/90, PSN98, PSN100, **SENCO** A900FN, FP601, FP701XP, GT90CH, S900FN
GR 34° STRIP NAILS D-head	12	GN 100 GRF 34/90 GAS GRF 34/90 LW GRF 34/90 GRF 34/100 EXCELLENT GRF 34/100 EXCELLENT GAS GRF 34/100 HP GRF 34/100 HP L GRF 34/100 GRF 34/105 GAS GRF 34/105 GRF 100 COMPACT XP	- 8 10 - 9 8 27 - - - 10 -	**BEA** D 90S-680E, D 100-934C, **DEWALT** DCN 690M2, DCN 690N, DCN 692P2, **HITACHI** NR 90 GC2, **HOLZHER** 3533, **KMR** 3890, **MAX** GS 690 CH, SN 883, SN 890 CH, **PASLODE** F-350, F-400, GN 5350, IM 90I, IM 100I, IM 350/80, IM 350/90, PSN98, PSN100, **SENCO** A900FN, FP601, FP651, FP701XP, GT90CH, S900FN, SIDINGPRO40, SN90CXP, SN951DO, SN951XP, SP80, SP801
BC ANCHOR NAILS 15°, Full head	14	BC-60	14	**MAX** HN-65J
KA ANCHOR NAILS 34°, Full head	17	KA-1 KA-1L KA-2 KA 4060 GAS	15 15 16 16	**BEA** R60943E, **KMR** 3822, **PASLODE** BS 4040, F250S-PP, PSN 50NP, **SENCO** 4PRO-BS 4060, GT60NN, MC60-34
AP ANCHOR NAILS 34°, Full head	17	KA 4060 GAS	16	**BEA** R60943E, **KMR** 3822, **PASLODE** BS 4040, F250S-PP, PSN 50NP, **SENCO** 4PRO-BS 4060, GT60NN, MC60-34
FH 21° STRIP NAILS Full head Lens head	22	FH-130 FH-160 FH 4 21° FH 21/90 GAS FH 21/90 LW FH 21/90 FH 21/100 HP	21 21 - 20 20 - -	**BEA** R20/90S-683LE, R20/90S-682SE, R100-952C, R130-957, R160-962E, **HAUBOLD** CN 350, CN 400, NSP 350 F, RN 130 R, SN 90 D, **HOLZHER** 3548, 3534, 3535, 3536, 3555, 3735, **MAX** GS 690 RH, HS 130, SN 890 RH, **PREBENA** 8F-RK100, 10X-RK130, 10X-RK160, **SENCO** FP602, FP652, GT90FRH, SN1302, SN1602, SP800, STN130
FH DUPLEX NAILS 21°, Full head	24	FH 21/90 GAS DUPLEX	24	
CPPW CONCRETE PINS 0°, Ø: 3.0 mm	30	AN250HC HP CONCRETE	29	**MAX** HN25C, HN120
CPPW CONCRETE PINS 0°, Ø: 3.4 mm	30			**MAX** HN120
HP SCREWS 0°, Ø: 3.9 mm	32	AR411HR HP	32	**MAX** HVR41, **HITACHI** WF4H2
CPAW CONCRETE PINS 0°, Full head	33			**MAX** HN120
FB NAILS 15°, Full head	33	AN610H HP COIL	-	**MAX** HN65
TA COIL NAILS 15°, Full head	36	TA-45	36	**AERFAST** ANC45R, **BASSO** NR31/45, **BEA** 552 DC, 554 DC, 555 DC, SN500, **DEWALT** D51321, **HAUBOLD** DRN 45, RN 15, RNC 45 R, **HITACHI** NV45AB, **HOLZHER** 3516, **MAX** CN 40, CN 450R, **PASLODE** 3175/45, **PREBENA** 4X-CNZ45, **SENCO** RP 450, RP 455, SCN 40R
MX COIL NAILS 15°, Full head Lens head	37	MX-50 AN510H HP COIL	37 28	**BEA** 567 DC, **HAUBOLD** RNC 50 M1, **HOLZHER** 3508, **MAX** CN 238, CN 452, HN 50, HN 75, HN 76, **PREBENA** 3X-CNW50, **SENCO** COILPRO50, SCN34, SCN45, SCN48, SCN49XP
ZE COIL NAILS 0°, Full head Lens head	40	ZE-65 EXCELLENT ZE-65 ZE-75 EXCELLENT	38 38 39	**DUO-FAST** CNP 50, CNP 65, CNP 75, **SENCO** SCN650
PC COIL NAILS 15°, Flat head Full head Lens head	43	PC-90 EXCELLENT PC-90 PC 65 PC 66 PC 90 HP AN610H HP COIL AN711H HP COIL AN911H HP COIL AN935H HP COIL	42 42 41 41 27 - 28 - 29	**BEA** 566 DC, 900 DC, **HAUBOLD** RNC 65, RNC 90 B, **MAX** CN 565, HN 65, HN 75, HN 90, **SENCO** COILPRO90 , SCN45, SCN49, SCN58A, SCN65, SCN75
CN COIL NAILS 15°, Full head Lens head	47	CN-57 CN-70 CN-80 CN-90 CN-100 EPAL CN-130 PC-90 EXCELLENT PC-90 PC 65 PC 66 PC 90 HP TS 65P AN610H HP COIL AN711H HP COIL AN911H HP COIL AN935H HP COIL	44 44 45 45 46 46 42 42 41 41 27 - - 28 - 29	**BEA** 100 DC, 566 DC, 567 DC, 700 DC, 800 DC, 900 DC, **HAUBOLD** RNC 65, RNC 90 B, **HOLZHER** 3515, 3539, 3543, **MAX** CN 70, CN 565, HN-65, HN-75, HN-90, MCN 55, MCN 80, MCN 890, **PASLODE** CNW70, CNW90, P-275C, P-350C, **PREBENA** 7F-CNW90, 9F-CNW100, F-CNW65/S, **SENCO** COILPRO90, SCN49, SCN57, SCN60, SCN64, SCN65, SCN75

TJEP FASTENERS	P.	TJEP / MAKITA	P.	OTHER BRANDS
HA RING NAILS 22°, Full head	51	HA-35 GAS HAFTEN	50	**KMR** 3854, **PASLODE** IM 200 A/35 HAFTEN, **SENCO** GT35HN
PC RING NAILS 15°, Full head	52	PC-50 HAFTEN PC-66 HAFTEN	52 51	**HAUBOLD** RNC 50 S/W, **MAX** CN 351 R, CN 450 G
CO CORRUGATED NAILS Width: 25 mm	54	CO-15	54	**BEA** 15-358, W-25, **HAUBOLD** WN15, **SENCO** F45C, SC15
WN CORRUGATED NAILS Width: 25 mm	54			**PASLODE** PCF12
CPX CONCRETE PINS 0°, Full head	56	CP-40 GAS CP-40	56 -	**BEA** CN 60, **KMR** 3840, **PASLODE** PULSA 700, PULSA 800 , PULSA 1000, **SENCO** SGP40S, SAP40XP
ST-50 CONCRETE NAILS 0°, Ø: 1.8 mm	58	ST-15/50 GAS ST-15/50 ST-50 CONCRETE	57 58 -	**BEA** SKS 650-228C , **PASLODE** FN1650C
TF-18 BRADS 0°, Ø: 1.2 mm	63	90/F-18 F-18/50 TF-18/30 E TF-18/40 TF-18/45 TF-18/50 GAS TF-18/55 AF550H HP BRAD	78 62 60 61 61 62 63 31	**AERFAST** ANB1850, **BASSO** B18/50, B18/30, B 1835, B18/32-2, B18/55-A1, **BEA** SK335-201, SK338-616, SK350-224, SK355-212, **DEWALT** D51238K, DC 602, DC 608, **HAUBOLD** DEB 30, FN 44-55, K 4440, **HITACHI** NT32AE, NT45A, NT50AB, NT50AE2, **KMR** 3883, **MAX** NF 201, NF 221/F-18, NF 235, NF 255, **PASLODE** FNS1850, IM 50 F-18, IM 200 F-18, TFN 1835/F-18, TFN 1850/F-18, ZE 114 BP, **PREBENA** 2P-J50SDS, 2P-J50SVN, **SENCO** F-18 FUSION, FP25XP, FP18MG, GT50AX, SBN10XP, SLP20GLN, SLP20XP
VF-16 FINISH NAILS 20°, Ø: 1.6 mm	64	VF-16/64 GAS	64	**BOSCH** GSK 18, **DEWALT** DC618KB, DC618KN, DC610, **KMR** 3884, **PASLODE** FN16A65, IMP250A, IM65 ABF16, **SENCO** F-16A FUSION, F-16S FUSION, GT65RHA, GT65RHS, FP32
TF-16 FINISH NAILS 0°, Ø: 1.6 mm	67	F-16/50 F-16/63 TF-16/38 TF-16/50F TF-16/63B TF-16/64 GAS	65 - - 65 66 66	**AERFAST** ANB1664, **BASSO** B16/50, B16/64, **BEA** SK 438-617, SK 445-618, SK 451-717, SK 464-343C, **DEWALT** D51256K, D51257K , DC 616 KB, **HAUBOLD** SKN64 A/16, LFN-748, LFN-764, BFN-740, **HITACHI** NT65A, NT65GS, NT65M2, **KMR** 3886, **MAX** NF352, NF565, **PASLODE** 3250 F-16, FN1650, FN 1665, FN 1665.1, IM 250CT , IMP 65 F-16, MU-PI 63, **PREBENA** 3C-N65, **SENCO** CF 32 AKKU, FP 32, GT 65 RHS GAS, S 200 SM, SLP 20 1,6
AB-15 FINISH NAILS 34°, Lens head	69	AB-15 AB-15/50 AB-15/64 GAS	68 68 69	**BEA** SK DA 663-771 , **DEWALT** D51276K, DC628KB, **HOLZHER** 3484, **KMR** 3884 , **PASLODE** 3250 AB-15, FN1565A34, **PREBENA** 5X-DA63, **SENCO** F-15 FUSION, S 250 FN, CF 41 AKKU, FP35, FP35MG, FP42XP, GT65DA, GT65DA GAS, SFN2, SFN30
VD-15 FINISH NAILS 26°, Ø: 1.8 mm	70	VD-15/50	70	**BEA** SKAM450-227, **PASLODE** FN1550A26
TT FINISH NAILS 0°, Ø: 2.5 mm	71	TT-65	71	**PREBENA** 5S-T65, 5X-T65, **SENCO** STN64 T, TPRO65
PG-50 STAPLES Width: 12.4 mm Wire thickness: 1.3 mm	74	DF-50/14 PG-50/14	- 74	**BEA** 95/16-425, **HAUBOLD** CS 5000, LDS 5016, **HOLZHER** 3407, **PREBENA** 1M-D16
BE-80 STAPLES Width: 12.8 mm Wire thickness: 0.9-0.7 mm	75	80/16 AUTO 80/16	- 75	**AERFAST** ASF8016, **BASSO** S80, **BEA** 380/14-450 AUTO, 380/16-420, **HAUBOLD** JGPN816 F, PN 814 G, **MAX** TA116/21, **SENCO** SFW 05, SFW 08, SFW 09, SFW 10, SFT10XP
BE-90 STAPLES Width: 5.8 mm Wire thickness: 1.3 x 1.0 mm	78	90/40 90/F-18 BE-90/40 BN 90/40 AT450H HP STAPLER	76 78 77 76 31	**BEA** 90/25-552, 90/32-611, 90/40-621, **HAUBOLD** PN 6040 L, **HOLZHER** 3481, **PASLODE** FNS 1850, MDS 1840, **PREBENA** 3M-E50PR, **SENCO** SLS20XP, SLS25XP, SLS189MG
ES-500 STAPLES Width: 10.8 mm Wire thickness: 1.3 x 1.0 mm	80	ES-500/40	79	**HAUBOLD** PN 540 L
PB-18 STAPLES Width: 10.3 mm Wire thickness: 1.2 x 1.0 mm	80	ES-500/40 I-18/38	79 -	**PASLODE** 3150-I-18, ZE I28
PZ-16 STAPLES Width: 10.8 mm Wire thickness: 1.6 x 1.4 mm	83	PQZ-64 PQZ-75 GAS PZ-16/50 GAS PZ-16/50	82 82 81 81	**BEA** 14/32-613, 14/40-723, 14/50-780, **HAUBOLD** PN 755, PN 765, **HITACHI** N5008AC2, **SENCO** SKSXP, SHS50XP, SHS51XP, SNS41, SNS50XP
PQ-15 STAPLES Width: 11.3 mm Wire thickness: 1.9 x 1.7 mm	83	PQZ-64 PQZ-75 GAS	82 82	**BEA** 180/65-835CK, **HOLZHER** 3727, **SENCO** SQS55XP
MF-14 STAPLES Width: 27 mm Wire thickness: 2.0 x 1.8 mm	84	MF-14/150 MF-14/160	- 84	**BEA** 246/110-851E, 246/130-944E, 246/160-964, **HAUBOLD** PN 29130 D, PN 29180 D, **HOLZHER** 3475, **PREBENA** 9X-WP130, 9X-WP160, **SENCO** WC330SP, WC360SP
TW-16 STAPLES Width: 26.6 mm Wire thickness: 1.6 x 1.4 mm	85	TW-16/38 LW TW-16/38	85 -	**SENCO** WC150XP, WC200XP
FS-40 STAPLES Width: 12.8 mm	87	FS-40 GAS	86	
PE-30 STAPLES Width: 8.5 mm Wire thickness: 0.6 - 0.8 mm	87			**PASLODE** 1000 S-30 SR
PH-50 STAPLES Width: 5.2 mm Wire thickness: 0.6-1.2 mm	88			**PASLODE** 1000-N-50 SR, PN 50
RA-11 STAPLES Width: 10.6 mm Wire thickness: 1.3 x 0.5 mm	88			**DUO-FAST** HT 11, **RAPID** 11E, 54, 211
C-RINGS Ø: 1.8 mm	91	CR 5/9-24 CR 8/11-24	91 90	

FOR TECHNICAL ADVICE AND SERVICE – CALL +45 97 14 14 40



Andy Schenk
Export Sales Manager

Tel. +45 60 38 10 32
asc@kyocera-unimerco.com



Theepan Kirupakaran
Export Sales

Tel. +45 96 29 24 60
tki@kyocera-unimerco.com



Claus Mølgaard
Technical Coordinator

clm@kyocera-unimerco.com



Jörg Ahrendt
Technical Support

jrg@kyocera-unimerco.com



Jannik Emmervadt
Internal Sales Manager

jnk@kyocera-unimerco.com



Ebbe Hornstrup
Operations Director

erh@kyocera-unimerco.com



Jesper Tordrup Andersen
Director, Fastening Division

jta@kyocera-unimerco.com

FSC
www.fsc.org
MIX
Paper from responsible sources
FSC® C134720

All prices are suggested resale prices and stated in EUR excl. VAT.
Valid from April 1, 2021 and until the next edition.
The applicable terms and conditions may be found at www.tjep.eu.
Subject to misprints, price changes and availability.

KYOCERA UNIMERCO Fastening A/S
Drejervej 2 · DK-7451 Sunds
Tel. +45 97 14 14 40
tjep@kyocera-unimerco.com
www.tjep.eu

© KYOCERA UNIMERCO 03.21